

CITY OF SACRAMENTO  
1231 I Street, Sacramento, CA 95814

Permit No: 0417819

Insp Area: 4

Thos Bros: 257C4

Site Address: 579 REGENCY PARK CR SAC

Sub-Type: NSFR

Parcel No: 201-0810-028

NORTHPOINT PARK VIL. 21 LOT #40

Housing (Y/N):

N

CONTRACTOR  
LENNAR RENAISSANCE INC  
2240 DOUGLAS BL  
ROSEVILLE, CA 95661

OWNER

ARCHITECT

Nature of Work: MP323X 2 STORY 10 ROOM SFR

**CONSTRUCTION LENDING AGENCY** : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name \_\_\_\_\_ Lender's Address \_\_\_\_\_

**LICENSED CONTRACTORS DECLARATION**: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class B License Number 732348 Date \_\_\_\_\_ Contractor Signature [Signature]

**OWNER-BUILDER DECLARATION**: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

\_\_\_\_ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

\_\_\_\_ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

\_\_\_\_ I am exempt under Sec. \_\_\_\_\_ B & PC for this reason: \_\_\_\_\_  
Date \_\_\_\_\_ Owner Signature \_\_\_\_\_  
**PAID**  
**CITY OF SACRAMENTO**  
JAN 10 2005

**IN ISSUING THIS BUILDING PERMIT**, the applicant represents, and the city relies on the representation of the applicant that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 1-10-05 Applicant/Agent Signature [Signature]

**WORKER'S COMPENSATION DECLARATION**: I hereby affirm under penalty of perjury one of the following declarations:

\_\_\_\_ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

K I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier OLD REPUBLIC INS. CO. Policy Number MWC10845400 Exp Date 11/01/2004

\_\_\_\_ (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.


Date 1-10-05 Applicant Signature [Signature]

**WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.**

**THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.**

# plot plan


THIS PLOT PLAN IS FOR THE PURPOSE OF SHOWING THE HOUSE TO BE CONSTRUCTED ON THE LOT AND MAY NOT REPRESENT THE FINAL AS-BUILT CONFIGURATION OF THE PROPERTY OR IMPROVEMENTS THEREON. THE ACCURACY OF THIS PLOT PLAN IS NOT GUARANTEED, NOR IS IT A PART OF ANY POLICY, REPORT OR GUARANTEE TO WHICH IT MAY BE ATTACHED. ACTUAL DIMENSIONS, OTHER THAN MINIMUM ORDINANCE, MAY VARY OR CHANGE WITHOUT PRIOR NOTICE, DUE TO ACTUAL SITE CONDITIONS.



HOMESITE  
39  
PAD = 11.5

HOMESITE  
40  
5937 ± SQ. FT.

HOMESITE  
41  
PAD = 11.7



THIS PLOT PLAN IS FOR THE PURPOSE OF SHOWING THE HOUSE TO BE CONSTRUCTED ON THE LOT AND MAY NOT REPRESENT THE FINAL AS-BUILT CONFIGURATION OF THE PROPERTY OR IMPROVEMENTS THEREON. THE ACCURACY OF THIS PLOT PLAN IS NOT GUARANTEED, NOR IS IT A PART OF ANY POLICY, REPORT OR GUARANTEE TO WHICH IT MAY BE ATTACHED. ACTUAL DIMENSIONS, OTHER THAN MINIMUM ORDINANCE, MAY VARY OR CHANGE WITHOUT PRIOR NOTICE, DUE TO ACTUAL SITE CONDITIONS.

REGENCY PARK CIRCLE

| lot coverage          |  |
|-----------------------|--|
| LOT AREA: 5937 ± #    |  |
| BUILDING: 1487 #      |  |
| BLDG / LOT AREA: 25 % |  |

| retaining wall          |  |
|-------------------------|--|
| HEIGHT: _____           |  |
| LENGTH: _____           |  |
| DISTANCE FROM FL: _____ |  |

| symbols legend              |  |
|-----------------------------|--|
| DROP INLET:                 |  |
| ELECTRIC SERVICE BOX:       |  |
| FIRE HYDRANT:               |  |
| FLOW LINE:                  |  |
| HIGH POINT:                 |  |
| GAS SERVICE:                |  |
| PAD-MOUNT TRANSFORMER:      |  |
| SEWER SVC.:                 |  |
| STREET LIGHT:               |  |
| TOP-BACK OF SIDEWALK ELEV.: |  |
| SUALE (FLOW DIRECTION):     |  |
| WATER SVC.:                 |  |
| EXTENTS OF 2ND STORY LEVEL: |  |



**AMBER LANE**  
A REGENCY PARK COMMUNITY

**home site #40**  
579 Regency Park Cr.  
NORTHPOINTE PARK VILLAGE 21  
CITY OF SACRAMENTO, CALIFORNIA  
a.p.n.: 201-0810-028

**general notes**

- 1) DIMENSIONS ALONG CURVED LINES ARE ARC LENGTHS, U.O.N.
- 2) SETBACK DIMENSIONS ARE ROUNDED DOWN TO NEAREST HALF UNIT, U.O.N.
- 3) MAXIMUM ALLOWABLE LOT COVERAGE IS 45 PERCENT FOR 1-STORY HOMES AND 40 PERCENT FOR 2-STORY HOMES.
- 4) FOOTPRINT AREA CALCULATION (#) DOES NOT INCLUDE FRONT PORCH AREA.

|       |          |          |       |
|-------|----------|----------|-------|
| 8.1   | BCB      | 10/04/04 | 20:1  |
| phase | drawn by | issue    | scale |



INSULATION CONTRACTORS ASSOCIATION OF AMERICA

INSULATION CERTIFICATE  
56952

1321 DUKE STREET, SUITE 303 • ALEXANDRIA, VA 22314 • (703) 739-0356

THIS IS TO CERTIFY THAT INSULATION HAS BEEN INSTALLED IN CONFORMANCE WITH CURRENT ENERGY REGULATIONS, CALIFORNIA ADMINISTRATIVE CODE, TITLE 24, STATE OF CALIFORNIA, IN THE BUILDING LOCATED AT:

Wincrest Home LOT # 46 TRACT # Amberlane  
STREET 579 Regency Park Cir CITY SACRA

EXTERIOR WALLS:

MANUFACTURER FG THICKNESS/TYPE R- VALUE 13

CEILINGS:

BATTS: MANUFACTURER FG THICKNESS/TYPE R- VALUE 38

BLOWN IN: MANUFACTURER CT MINIMUM THICKNESS 1 1/4 R- VALUE 38

SQUARE FOOTAGE COVERED 1214 NUMBER OF BAGS USED 27

FLOORS:

MANUFACTURER THICKNESS/TYPE R- VALUE

SLAB ON GRADE:

MANUFACTURER THICKNESS/TYPE R- VALUE

WIDTH OF INSULATION INCHES

FOUNDATION WALLS:

MANUFACTURER THICKNESS/TYPE R- VALUE

GENERAL CONTRACTOR

CALIFORNIA CONTRACTORS LICENSE # DATE

SIGNATURE TITLE

INSULATION CONTRACTOR ARCADE INSULATION

CALIFORNIA CONTRACTORS LICENSE #815286

NEVADA CONTRACTORS LICENSE #0055201 DATE 6-24-65

A. GARDEN SIGNATURE INSTALLER TITLE

Installation Card

Job Address

AMBER LANE @ REGENCY PARK

579 REGENCY PARK CIRCLE lot 40-21

SACRAMENTO

Stucco System Tradename: KWIK KOTE

Name of Stucco Manufacturer: KWIK KOTE CORP.

ICC Evaluation Service, Inc.

Evaluation Report ESR-1711

Date of Job Completion \_\_\_\_\_

Stucco Contractor

Name: KENYON PLASTERING, INC.

Address: PO BOX 2077

North Highlands CA, 95660

Telephone Number: 916/349-8191

Approved Contract Number as issued by KWIK KOTE. 1001

This is to certify that the stucco system on the building exterior at the above address has been installed in accordance with the evaluation report specified above and the KWIK KOTE instructions.

Julian A. Alvarez  
Signature of authorized representative of stucco contractor

7-21-05  
Date

**INSTALLATION CERTIFICATE**

Site Address 579 Regency Park Cir

Permit Number 0417819

**FENESTRATION/GLAZING:**

| Manufacturer Brand Name (or U-Factor Product) | Product U-Factor (cf CF-1R value) | Product SHGC (cf CF-1R value) | # of Pans | Total Quantity of Like Product (Columns 2-4) | Square Feet | Exterior Shading Device or Overhang | Comments/Location/Special Features |
|---|-----------------------------------|-------------------------------|-----------|--|-------------|-------------------------------------|------------------------------------|
| 1. CASCADE XO                                 | 0.35                              | 0.34                          |           |  |             |                                     |                                    |
| 2. Pw   | 0.33                              | 0.31                          |           |  |             |                                     |                                    |
| 3. P/O  | 0.33                              | 0.34                          |           |  |             |                                     |                                    |
| 4. SH   | 0.35                              | 0.34                          |           |  |             |                                     |                                    |
| 5.  |                                   |                               |           |  |             |                                     |                                    |
| 6.  |                                   |                               |           |  |             |                                     |                                    |
| 7.  |                                   |                               |           |  |             |                                     |                                    |
| 8.  |                                   |                               |           |  |             |                                     |                                    |
| 9.  |                                   |                               |           |  |             |                                     |                                    |
| 10.   |                                   |                               |           |  |             |                                     |                                    |
| 11.   |                                   |                               |           |  |             |                                     |                                    |
| 12.   |                                   |                               |           |  |             |                                     |                                    |
| 13.   |                                   |                               |           |  |             |                                     |                                    |
| 14.   |                                   |                               |           |  |             |                                     |                                    |
| 15.   |                                   |                               |           |  |             |                                     |                                    |

Manufactured fenestration products use the values from the product label. Field fabricated fenestration products use the default values from Section 116 of the Energy Efficiency Standards.

Installed U-Factor must be less than or equal to values from CF-1R. Installed SHGC must be less than or equal to values from CF-1R, or a shading device (exterior or overhang) is installed as specified on the CF-1R. Alternatively, installed weighted average U-Factors for the total fenestration area are less than or equal to values from CF-1R.

I, the undersigned, verify that the fenestration/glazing listed above my signature: 1) is the actual fenestration product installed; 2) is equivalent to or has a lower U-Factor and lower SHGC than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) the product meets or exceeds the appropriate requirements for manufactured devices (from Part 6), where applicable.

Item #  
(if applicable) 2-22-05  
Signature, Date

Juan J. Diaz  
Installing Subcontractor (Co. Name) OR  
General Contractor (Co. Name) OR Owner  
OR Window Distributor

Item #  
(if applicable) \_\_\_\_\_  
Signature, Date

Installing Subcontractor (Co. Name) OR  
General Contractor (Co. Name) OR Owner  
OR Window Distributor

Item #  
(if applicable) \_\_\_\_\_  
Signature, Date

Installing Subcontractor (Co. Name) OR  
General Contractor (Co. Name) OR Owner  
OR Window Distributor

COPY TO: Building Department  
HERS Provider (if applicable)  
Building Owner at Occupancy

# INSTALLATION CERTIFICATE

579 Regency Park Cir.  
Site Address

0417819  
Permit Number

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

### HVAC SYSTEMS:

#### Heating Equipment


| Equip. Type (pkg. heat pump) | CBC Certified Mfr Name and Model Number | # of Identical Systems | Efficiency (AFUE, etc.) <sup>1</sup> (CF-1R value) | Duct Location (attic, etc.) | Duct or Piping R-value | Heating Load (Btu/hr) | Heating Capacity (Btu/hr) |
|------------------------------|---|------------------------|--|-----------------------------|------------------------|-----------------------|---------------------------|
| Furnace                      | Bryant<br>3101AV036070                  | 1                      | 80   | Attic                       | 4.2                    | 27578                 | 51000                     |

#### Cooling Equipment

| Equip. Type (pkg. heat pump) | CBC Certified Compressor Unit Mfr Name and Model Number | # of Identical Systems | Efficiency (SEER, etc.) <sup>1</sup> (CF-1R value) | Duct Location (attic, etc.) | Duct R-value | Cooling Load (Btu/hr) | Cooling Capacity (Btu/hr) |
|------------------------------|---|------------------------|--|-----------------------------|--------------|-----------------------|---------------------------|
| Split A/C                    | Bryant<br>537ANX036                                     | 1                      | 4.2  | Attic                       | 4.2          | 28103                 | 35800                     |

1.  $\geq$  reads greater than or equal to.

I, the undersigned, verify that equipment listed above is: 1) the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

  
Signature, Date

Deal Sheet Metal, Inc.  
Installing Subcontractor (Co. Name)  
OR General Contractor (Co. Name) OR Owner

### WATER HEATING SYSTEMS:

| Heater Type | CBC Certified Mfr Name & Model Number | Distribution Type (Std. Point-of-Use) | If Recirculation, Control Type | # of Identical Systems | Rated <sup>1</sup> Input (kW or Btu/hr) | Tank Volume (gallons) | Efficiency <sup>1</sup> (EF, RE) | Standby <sup>2</sup> Loss (%) | External Insulation R-value <sup>3</sup> |
|-------------|---------------------------------------|---------------------------------------|--------------------------------|------------------------|---|-----------------------|----------------------------------|-------------------------------|--|
|             |                                       |                                       |                                |                        |   |                       |                                  |                               |  |

- 2 For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor.
- For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Input.
- For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.
- 3. R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

#### Faucets & Shower Heads:

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name) OR  
General Contractor (Co. Name) OR Owner

COPY TO: Building Department  
HERS Provider (if applicable)  
Building Owner at Occupancy

579 Regency Park Cir.  
Site Address

0417819  
Permit Number

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

**HVAC SYSTEMS:**

**Heating Equipment**

| Equip. Type (pkg. heat pump) | CEC Certified Mfr Name and Model Number | # of Identical Systems | Efficiency (AFUE, etc.) <sup>1</sup> [≥CF-1R value] | Duct Location (attic, etc.) | Duct or Piping R-value | Heating Load (Btu/hr) | Heating Capacity (Btu/hr) |
|------------------------------|---|------------------------|---|-----------------------------|------------------------|-----------------------|---------------------------|
|                              |   |                        |   |                             |                        |                       |                           |
|                              |   |                        |   |                             |                        |                       |                           |

**Cooling Equipment**

| Equip. Type (pkg. heat pump) | CEC Certified Compressor Unit Mfr Name and Model Number | # of Identical Systems | Efficiency (SEER, etc.) <sup>1</sup> [≥CF-1R value] | Duct Location (attic, etc.) | Duct R-value | Cooling Load (Btu/hr) | Cooling Capacity (Btu/hr) |
|------------------------------|---|------------------------|---|-----------------------------|--------------|-----------------------|---------------------------|
|                              |   |                        |   |                             |              |                       |                           |
|                              |   |                        |   |                             |              |                       |                           |

1. ≥ reads greater than or equal to.

I, the undersigned, verify that equipment listed above is: 1) the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name)  
OR General Contractor (Co. Name) OR Owner

**WATER HEATING SYSTEMS:**

| Heater Type | CEC Certified Mfr Name & Model Number | Distribution Type (Std. Point-of-Use) | If Recirculation, Control Type | # of Identical Systems | Rated <sup>2</sup> Input (kW or Btu/hr) | Tank Volume (gallons) | Efficiency <sup>2</sup> (EF, RE) | Standby <sup>2</sup> Loss (%) | External Insulation R-value <sup>3</sup> |
|-------------|---------------------------------------|---------------------------------------|--------------------------------|------------------------|---|-----------------------|----------------------------------|-------------------------------|--|
| Inst Gas    | 41VR50F                               | STD                                   | N/A                            | 1                      | 40,000                                  | 50                    | .62                              | N/A                           | R-20                                     |
| Inst Gas    | 41VR40F                               | STD                                   | N/A                            | 1                      | 40,000                                  | 40                    | .62                              | N/A                           | R-20                                     |

- 2. For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Input. For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.
- 3. R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

**Faucets & Shower Heads:**

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

*[Signature]* 12-16-03  
Signature, Date

*[Signature]*  
Installing Subcontractor (Co. Name) OR  
General Contractor (Co. Name) OR Owner

COPY TO: Building Department  
HERS Provider (if applicable)  
Building Owner at Occupancy