

**CITY OF SACRAMENTO**  
1231 I Street, Sacramento, CA 95814

**Permit No: 0009769**  
**Insp Area: 2**

**Site Address: 7213 RUSH RIVER DR SAC**  
Parcel No: 031-0440-041

Sub-Type: ASFR  
Housing (Y/N): N

CONTRACTOR  
PACIFIC BUILDERS  
542 J 84TH ST  
SACRAMENTO, CA 95826

OWNER  
BRIGGS JANICE M  
7213 RUSH RIVER DR  
SACRAMENTO CA 95831

ARCHITECT

**Nature of Work: PATIO ENCLOSURE W ELECTRICAL**

**CONSTRUCTION LENDING AGENCY:** I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name \_\_\_\_\_ Lender's Address \_\_\_\_\_

**LICENSED CONTRACTORS DECLARATION:** I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

X License Class B License Number 214409 Date 8/21/00 Contractor Signature [Signature]

**OWNER-BUILDER DECLARATION:** I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code, any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00):

\_\_\_\_ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code. The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

\_\_\_\_ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code. The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law.)

I am exempt under Sec \_\_\_\_\_ B & PC for this reason: \_\_\_\_\_  
Date \_\_\_\_\_ Owner Signature \_\_\_\_\_

**IN ISSUING THIS BUILDING PERMIT,** the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

X Date 8-21-00 Applicant Agent Signature [Signature]

**WORKER'S COMPENSATION DECLARATION:** I hereby affirm under penalty of perjury one of the following declarations:

\_\_\_\_ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

X I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier: VILLANOVA INSURANCE COMPANY C Policy Number WC11231179

Exp Date 10/01/2000

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of this state, and I agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with the provisions of the Labor Code.

X Date 8-21-00 Applicant Signature [Signature]

**WARNING:** FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

**THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.**

Date of Request: 8/21/00  
By: \_\_\_\_\_

CITY OF SACRAMENTO DEVELOPMENT SERVICES DIVISION  
PLANNING AND ZONING INFORMATION REQUEST

Project Address: 7213 RUSH RIVER DR

Assessor's Parcel Number: 031-0440-041

Previous Use: SFR

Description of Request/Proposed Use: PATIO ENCLOSURE - sun-room

Is This a Change of Use? no

Zoning Designation: R-1

Prior Applications for Project Site(P#, Z#, DRPB#): none

Comments: constructing a 12' x 18' enclosed <sup>(sun-room)</sup> patio aw.  
meets all setbacks and lot coverage for attached  
structure and as part of the main building.


Are There Any Planning Issues?: (circle one) YES  NO

- \* Staff Site Plan Check Required? (Circle one) YES  NO
- \* Field Inspection Required? (Circle one) YES  NO
- \* Design Review/Preservation Required?: (Circle one) YES  NO

Planning Review by/Date: Arwen Wacht 8/21/00

A list of items that must be reviewed by Planning is provided on the reverse side of this form.


MICROFILM AFTER FINAL




**PACIFIC BUILDERS**

5421 84th Street  
Sacramento, CA 95826  
(916) 383-3168

# Work Sheet



## SITE PLAN




Name MRS. BRIGGS

Address 7213 RUSH RIVER DR.

City SACRAMENTO

Phone 391-5345 8/15/00 G.P.N.

Diagram and Site Information Customer  
CITY OF SACRAMENTO  
CITY PLANNING DIVISION



**PACIFIC BUILDERS**

5421 84th Street  
Sacramento, CA 95826  
(916) 383-3168

**Work Sheet**


AUG 21 2000



Sacramento Building Division

... and specification  
... or approve the  
violation of any City Ordinance or State Law.

**RUSH RIVER DR.**



**SITE PLAN**

**RECEIVED**

*AW*

AUG 21 2000

Diagram and Size approved by customer  
CITY PLANNING DIVISION

Name MRS. BRIGGS


Address 7213 RUSH RIVER DR.

City SACRAMENTO


Phone 391 - 5345 8/15/00 G.P.N.

**GENERAL NOTES & SPECIFICATIONS**


- THIS PATIO COVER AND ENCLOSURE SYSTEM IS LIMITED TO RECREATION AND OUTDOOR LIVING PURPOSES ONLY AND IS NOT TO BE USED AS A CARPORT, GARAGE, STORAGE OR HABITABLE ROOM.
- DESIGN LOADS: SEE TABLES FOR DESIGN LOAD (OWG, NO CR-4A)
- MECHANICAL FASTENERS: "POE" RIVETS SHALL BE 1/2" DIAMETER WITH A MINIMUM OF 4 RIVETS PER JOINT. MINIMUM SPACING SHALL BE 4 TIMES THE RIVET DIAMETER. RIVETS SHALL BE ALUMINUM, STAINLESS STEEL, ZINC PLATED GALVANNEED STEEL OR 304/316 TITANIUM. STAINLESS STEEL BOLTS SHALL COMPLY WITH ASTM A193-74 (A194-74) OR EQUIV. (\*K5-11 CARBON STEEL).
- ALL STEEL IN CONTACT WITH ALUMINUM SHALL BE HOT DIP GALVANNEED OR ALUMINUM COATED. ALL STEEL SHALL BE IN CONTACT WITH ALUMINUM OR GALVANNEED STEEL. ALL STEEL SHALL BE GALVANNEED OR ALUMINUM COATED. ALL STEEL SHALL BE GALVANNEED OR ALUMINUM COATED. ALL STEEL SHALL BE GALVANNEED OR ALUMINUM COATED.
- ALL STRUCTURAL COMPONENTS OF THIS SYSTEM TO BE ALUMINUM SOLID ROOF AND WALL PANELS SHALL COMPLY WITH AN EVALUATION REPORT FROM AN AIAA REGISTERED ENGINEER OR EVALUATION SERVICE INC. ALL STRUCTURAL PORTIONS OF PANELS SUBJECT TO WATER INTRUSION SHALL BE FULLY CALKED.
- THE STRAIGHT SLOPE PORTION OF THE ROOF MAY BE LAMINATED GLASS PER NOTE #11 BELOW. 1/2" THK TEMP GLASS OR 3" THK LAMINATED PANEL PER NOTE #6 ABOVE. THE CURVED PORTION (RADIUS 1') MAY BE LAMINATED GLASS PER NOTE #11 OR 3/16" THK TEMPERED GLASS OR ACRYLIC PER TABLE I.
- WALL MATERIALS: THE LONGER WALL AND ONE ADDITIONAL WALL SHALL BE AT LEAST 65 PERCENT OPEN BELOW A MINIMUM HEIGHT OF 6'-8" MEASURED FROM THE FLOOR. THIS 65 PERCENT AREA MAY BE EXCLUDED WITH INSECT SCREENING AND / OR REMOVABLE 1/8" THK MAXIMUM TRANSPARENT OR TRANSLUCENT PLASTIC OR GLASS. ANY SLIDING DOORS IN THESE WALLS SHALL BE 1/8" THK PLASTIC OR GLASS ONLY. THE OPENABLE PORTION QUALIFIES FOR THE 65 PERCENT REQUIREMENT. REMAINING PORTIONS OF THE WALLS MAY BE SOLID PANEL PER NOTE #5. FIXED PLASTIC OR GLASS COMPLYING WITH CHAPTER 24 OF THE 1994 UBC.
- WHERE HOLES ARE DRILLED INTO STEEL, SEE DETAIL C TO ACCOMMODATE FOR RIVETS. THE HOLES SHALL BE FIELD PAINTED WITH 1 COAT OF ZINC CHROMATE PRIMER.
- EACH INSTALLATION SHALL BEAR AN IDENTIFICATION TAG GIVING THE NAME AND ADDRESS OF THE MANUFACTURER/DESIGNER/ENGINEER.
- THE LAMINATED GLASS IS COMPOSED OF 2 PIECES OF 1/25 INCH THICK GLASS (NOMINAL) WITH A .030 INCH THICK POLYVINYL BUTYRAL INTERLAYER.
- ALL EXISTING WOOD MEMBERS SHOWN AT DETAILS 27 & 29 SHALL HAVE A SPECIFIC GRAVITY, G, OF .45.
- MINIMUM BENDING YIELD STRENGTH OF NAILS, 8d: F<sub>y</sub> = 100,000 PSI 16d: F<sub>y</sub> = 80,000 PSI 18d: F<sub>y</sub> = 60,000 PSI 20d: F<sub>y</sub> = 70,000 PSI 16d: F<sub>y</sub> = 70,000 PSI




**TYPICAL FLOOR PLAN**




**2' FRONT WALL**




**CURVED ROOF ELEVATION**




**FRONT WALL SECTION**




**MATING 'H'-TYPE NE**




**MATING 'H'-TYPE E**




**FRONT WALL TOP TRACK**




**ROOF RAFTER**








**ENDWALL CHANNEL**



**BOTTOM TRACK**



**HEAD**



**ATTACHMENT CHANNEL**

**RAFTER STIFFENER**

**SNAP COVER**

**RAFTER CAP**

**2 INCH SYSTEM WINDOW PARTS**

**SILL WINDOW PARTS**

**3 INCH WINDOW PARTS**

**CTR-1A**

**DATE: 1/96**


**THE C-THRU GLASS ENCLOSURE**

**PATIO COVER & ENCLOSURE BY:**  
**C-THRU**  
 2885 Reswood Drive  
 Riverside, California 92509  
 (951) 389-8777


**ICBO EVALUATION SERVICE, INC.**  
 REPORT NO. 4383P




**FOX ENGINEERING INC.**  
 3060 TELEGRAPH RD.  
 DOWNEY, CA. 90240  
 310 806-1337  
 FAX 310 927-2509







15 ENDWALL WINDOW HEAD INSERT  
 16 2 INCH SYSTEM ADAPTOR  
 17 FIXED KICKPLATE ADAPTOR  
 19 WEDGE ANGLE  
 18 GLAZING SPLICE BAR  
 SHED ROOF ENDWALL ELEVATION



20 SLIDING GLAZING MULLION  
 21 SOLID PANEL MULLION












22 FIXED GLAZING KICKPLATE  
 23 HOUSE/SIDE WALL



MAX PROJ.	LL. # 20 PSF	LL. # 30 PSF	LL. # 40 PSF
11'	12 D	14 D	16 D
12'	12 D	14 D	16 D
14'	12 D	14 D	16 D
16'	14 D	20 D	-
18'	14 D	-	-
20'	16 D	-	-

\* NOTE: (2) WOOD SCREWS @ 12" O.C. @ 16" O.C.



MAX PROJ.	LL. # 20 PSF	LL. # 30 PSF	LL. # 40 PSF
10'	12 D @ 16" O.C.	12 D @ 16" O.C.	12 D @ 16" O.C.
12'	12 D @ 16" O.C.	12 D @ 16" O.C.	12 D @ 16" O.C.
14'	12 D @ 16" O.C.	12 D @ 16" O.C.	12 D @ 16" O.C.
16'	12 D @ 16" O.C.	12 D @ 16" O.C.	20 D @ 8" O.C.
18'	12 D @ 16" O.C.	12 D @ 16" O.C.	-
20'	12 D @ 16" O.C.	12 D @ 16" O.C.	-

\* WOOD SCREWS @ 12" O.C. @ 16" O.C.

NOTE: NOTCH OVER RAFTER & OVER RAFTER RAIN UNDER RAFTER CAP.

NOTE: NOTCH OVER RAFTER & OVER RAFTER RAIN UNDER RAFTER CAP.


NOTE: NOTCH OVER RAFTER & OVER RAFTER RAIN UNDER RAFTER CAP.

NOTE: NOTCH OVER RAFTER & OVER RAFTER RAIN UNDER RAFTER CAP.

NOTE: NOTCH OVER RAFTER & OVER RAFTER RAIN UNDER RAFTER CAP.

NOTE: NOTCH OVER RAFTER & OVER RAFTER RAIN UNDER RAFTER CAP.





**TABLE 'G': MAXIMUM STRUCTURE LENGTH - SEISMIC ZONES**

BASIC SEISMIC ZONE AREA	SEISMIC ZONE			
	ZONE 4	ZONE 3	ZONE 2B	ZONE 2A
70 MPH	43'-0"	57'-0"	86'-0"	100'-0"
80 MPH	36'-0"	47'-0"	70'-0"	83'-0"
90 MPH	26'-0"	34'-0"	51'-0"	60'-0"

**TABLE 'H': EXISTING EAVES\***

RAFTER SIZE	MAXIMUM PROJECTION	
	20'-0" L' MAXIMUM	11'-4" L' MAXIMUM
10 PSF LINE LOAD; 70, 80 & 90 MPH WIND		
3x4 FULL	7'	10'
2x6 NOTCHED	12'	16'
2x8 FULL	18'	23'
2x8 NOTCHED	22'	28'
3x8 FULL	25'	36'
20 PSF LINE LOAD; 70, 80 & 90 MPH WIND		
3x4 FULL	6'	8'
2x6 NOTCHED	10'	13'
2x8 FULL	14'	19'
2x8 NOTCHED	19'	23'
3x8 FULL	26'	30'

**TABLE 'I': CURVED ROOF ACRYLIC\***

DESIGN LOADS	MAXIMUM RAFTER SPACING	
	2 1/2" @	4 1/2" @
70 MPH WIND LOAD	125'	125'
80 MPH WIND LOAD	125'	125'

\* SEE CURVED ROOF SHOWN IN SECTION ON STRUT FOR LOCATION. ACRYLIC BYICI ACRYLICS INC. PERSPECTIVE RECORDED IN ICBO E.S. EVALUATION REPORT 4300.  
\*\* APPLIES TO ALL WIND LOADS

**TABLE 'D': MAXIMUM PROJECTION - X' BRACE OPTION**

MAXIMUM SHOWN HEIGHT	70 MPH WIND			
	MINIMUM KNEEWALL HEIGHT	10'	22'	28'
8'-0"	8'-0"	10'-5"	13'-9"	14'-0"
9'-0"	7'-0"	9'-4"	12'-11"	14'-0"
10'-0"	7'-1"	9'-4"	12'-5"	14'-0"
11'-0"	6'-9"	8'-10"	11'-7"	14'-0"
12'-0"	6'-5"	8'-8"	11'-1"	13'-9"
80 MPH WIND				
8'-0"	8'-0"	10'-7"	12'-10"	12'-10"
9'-0"	5'-9"	7'-7"	9'-11"	12'-1"
10'-0"	5'-5"	7'-2"	9'-5"	11'-5"
11'-0"	5'-2"	6'-9"	8'-11"	10'-8"
90 MPH WIND				
8'-0"	5'-4"	7'-0"	9'-2"	11'-0"
9'-0"	5'-0"	6'-7"	8'-8"	10'-2"
10'-0"	4'-9"	6'-2"	8'-2"	9'-11"

**TABLE 'E': MAXIMUM PROJECTION - EMBEDDED POST OPTION\***

MAXIMUM SHOWN HEIGHT	BASIC WIND SPEED AREA		
	70 MPH	80 MPH	90 MPH
8'-0"	20'-0"	15'-6"	13'-8"
9'-0"	18'-5"	14'-10"	12'-10"
10'-0"	16'-5"	14'-0"	12'-2"
11'-0"	17'-5"	13'-3"	—
12'-0"	10'-5"	—	—

\* ANY KNEEWALL HEIGHT MAY BE USED

**TABLE 'F': MAXIMUM ENDWALL MULLION HEIGHT**

MAXIMUM MULLION SPACING	70 MPH WIND		
	MATED MULLION TYPES	2" SYSTEM	3" SYSTEM
48" @ 4'	DET ①	DET ②	DET ③
42" @ 4'	9'-0"	8'-1"	12'-0"
42" @ 4'	10'-2"	8'-3"	12'-0"
36" @ 4'	10'-11"	9'-4"	12'-0"
80 MPH WIND			
48" @ 4'	8'-4"	7'-1"	10'-11"
42" @ 4'	8'-11"	7'-7"	11'-0"
36" @ 4'	9'-7"	8'-2"	11'-0"
90 MPH WIND			
48" @ 4'	7'-9"	—	10'-0"
42" @ 4'	8'-3"	—	10'-0"
36" @ 4'	8'-11"	7'-7"	10'-0"

\* STANDARD ENDWALL MULLIONS PER DET ② OR ③ WHERE SLIDING DOOR DOES NOT OCCUR OR IS NOT IMMEDIATELY ADJACENT TO MULLION.

**TABLE 'A': MAXIMUM PROJECTION - RAFTERS**

MAXIMUM RAFTER SPACING	DESIGN LOADS			
	10 PSF LINE LOAD	20 PSF LINE LOAD	70 MPH WIND	80 MPH WIND
24" @ 2'	20'-1"	16'-10"	20'-1"	20'-1"
48" @ 4'	10'-9"	10'-6"	20'-1"	20'-1"

\* USE GLASS PER NOTE '7', OR SOLID PANEL PER NOTE '7', OR ACRYLIC PER NOTE '7' (AT CURVE ONLY)  
\*\* USE SOLID PANEL PER NOTE '7', OR ACRYLIC PER NOTE '7' (AT CURVE)

**TABLE 'B': MAXIMUM PROJECTION - FRONT WALL TOP TRACK**

DESIGN LOAD	2 1/2" @ RAFTER SPACING*								
	2" SYSTEM			TOP TRACK TYPE			3" SYSTEM		
10 PSF LINE LOAD	DET ①	DET ②	DET ③	DET ④	DET ⑤	DET ⑥	DET ⑦	DET ⑧	DET ⑨
20 PSF LINE LOAD	20'-0"	16'-3"	14'-0"	10'-8"	20'-0"	18'-3"	14'-0"	10'-8"	10'-0"
70 MPH WIND	14'-4"	10'-10"	11'-3"	9'-10"	14'-4"	10'-10"	11'-5"	9'-10"	12'-2"
80 MPH WIND	20'-0"	16'-3"	14'-0"	10'-8"	20'-0"	18'-3"	14'-0"	10'-8"	10'-0"
90 MPH WIND	15'-0"	15'-8"	9'-0"	15'-8"	15'-8"	9'-0"	15'-0"	15'-8"	15'-8"
10 PSF LINE LOAD	15'-8"	15'-8"	7'-3"	12'-2"	15'-8"	13'-8"	7'-3"	12'-2"	15'-8"

RAFTERS TO OCCUR OVER MULLIONS AND MIDSPAN BETWEEN.  
\* RAFTERS TO OCCUR DIRECTLY OVER MULLIONS ONLY.  
\*\* TO USE THIS COLUMN A CONTINUOUS SPLICE (PER DET ③) MUST BE USED THE ENTIRE LENGTH OF THE TOP TRACK

**TABLE 'C': MAXIMUM PROJECTION - FRONT WALL MULLIONS**

MATED MULLION TYPES	DESIGN LOADS				
	10 PSF LINE LOAD	20 PSF LINE LOAD	70 MPH WIND	80 MPH WIND	90 MPH WIND
2" @ 4'	DET ①	DET ②	DET ③	DET ④	DET ⑤
3" @ 4'	20'-0"	15'-8"	14'-4"	12'-5"	12'-5"
2" @ 4'	20'-0"	—	14'-4"	—	14'-4"
3" @ 4'	20'-0"	15'-8"	14'-4"	14'-4"	14'-4"

GENERAL NOTES & SPECIFICATIONS, CONTINUATION

- 14. A PERMANENT LABEL CONSPICUOUSLY LOCATED ON ROOF PANEL FRAMES MUST BEAR THE MANUFACTURER'S NAME AND ADDRESS, MODEL NUMBER AND EVALUATION REPORT NUMBER. AT LEAST ONE CONSPICUOUSLY LOCATED PERMANENT LABEL IS REQUIRED ON SOLARIUMS AND PANO COVERS.
- 15. GLASS MUST BE LABELED IN ACCORDANCE WITH SECTION 2402 OF THE UBC, 1994 EDITION.
- 16. EACH LIGHT SHALL BEAR THE MANUFACTURER'S LABEL DESIGNATING THE TYPE AND THICKNESS OF GLASS WHEN APPROVED BY THE BUILDING OFFICIAL. LABELS MAY BE OMITTED PROVIDED AN AFFIDAVIT IS FURNISHED BY THE GLAZING CONTRACTOR CERTIFYING THAT EACH LIGHT IS GLAZED IN ACCORDANCE WITH APPROVED PLANS AND SPECIFICATIONS. IDENTIFICATION OF GLAZING IN HAZARD AREAS SHALL BE IN ACCORDANCE WITH SECTION 2408.

<p>LOAD TABLES FOR <b>THE C-THRU</b> GLASS ENCLOSURE</p>	<p>ICBO EVALUATION SERVICE, INC. REPORT NO. 4383 P</p>	<p>FOX ENGINEERING INC. 3060 TELEGRAPH RD. DOWNEY, CA 90240 310.806.1337 FAX: 310.927.2509</p>
--	--	--