

This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the City or Sacramento Sign Section.

The approval of this plan and specification shall not be held to permit or approve the violation of any City Ordinance or State Law.


All electrical work must be U.L. labeled or be of equivalent standard, N.E.C. Sec. 90-6 and comply with chapter 14, Div. 2 of Sacramento City Code.

EQUIPMENT MUST BE USED AS DESIGN INTENDED.

ALL SIGN INSTALLATIONS ARE SUBJECT TO FIELD INSPECTION

3260 FLORIN RD.

S21192
FILE COPY



5-10-00 *DM*
 The approval of all Electrical Work
 is subject to field inspections.

Provide Disconnect

12" X 15" MATCHING
 STEEL PLATES.

This set of plans and specifications must be kept on file at all times and it is unlawful to make any changes or alterations from the same without written permission from the City of Sacramento Sign Section.

The approval of this plan and specification is void if the sign is not installed within the 4'-0" X 4'-0" X 7'-6" limit or approved by the CITY OF SACRAMENTO SIGN SECTION.

The sign must be labeled or be of equivalent quality. See Chapter 14, Section 14.02.010.

1-20 AMP CIRCUIT

@ 120 VOLTS REGRD. NEEDED

ALL ELECTRICAL WORK IS SUBJECT TO FIELD INSPECTIONS

* use min. 5 sacks of cement

Kia Motors America, Inc.



STANDARD PS-4 INSTALLATION DETAILS.