

CITY OF SACRAMENTO
1231 I Street, Sacramento, CA 95814

Permit No: 0110102

Insp Area: 1

Thos Bros: 29715

Site Address: 401 PALA WY SAC
Parcel No: 004-0204-001

Sub-Type: RES

Housing (Y/N): N

CONTRACTOR
ALUMINUM BUILDERS OF CALIF
1555 HOLSOM BLVD
RANCHO CORDOVA 95742

OWNER
COOPER GRITCHEN A
401 PALA WY
SACRAMENTO CA 95819

ARCHITECT

Nature of Work: COVER HOME & GARAGE W/ VINYL SIDING

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, City Code)

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 commencing with section 7000 of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class B-1 License Number 367170 Date 8-8-01 Contractor Signature Wm Griffin

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code) any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00).

I, _____ as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code). The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.

I, _____ as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code). The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law.

I am exempt under Section _____ B & PC for this reason: _____

Date _____ Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 8-8-01 Applicant Agent Signature Wm Griffin

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued. **FAIL**

WJ I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE FUND

Policy Number 692-0002092

Exp Date 10/01/2001

This section need not be completed if the permit is for a **CONCRETE** in the performance of the work for which this permit is issued. I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 8-8-01 Applicant Signature Wm Griffin

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

STATE OF CALIFORNIA
 S.P.A. NO. 88-714


FOX ENGINEERING INC.
 8080 TELEGRAPH ROAD, DUNWY CA 90240

TWO-INCH ENCLOSED SYSTEM
 HONOLULU HAWAII 96721

ALUMINUM PRODUCTS, INC.
 6299 ALPINE AVENUE - SACRAMENTO, CA 95808
 (916) 482-7021

DATE: 10-20-83
 SHEET: 1 OF 2

- GENERAL NOTES & SPECIFICATIONS:
1. THESE ENCLOSURES ARE LIMITED TO RECREATION AND OUTDOOR LIVING PURPOSES ONLY AND ARE NOT TO BE USED AS CARPORTS, GARAGES, STORAGE OR HABITABLE ROOMS.
 2. THIS ENCLOSURE IS ONLY TO BE INSTALLED UNDER AN ALUMINUM MOBILE HOME AVING WHICH IS APPROVED FOR ENCLOSURE BY THE STATE OF CALIFORNIA AND TO BE UPSET ENCLOSURE PERMITTED BY THE STATE OF CALIFORNIA AND APPROVED WITH ATTACHMENT AT MOBILE HOME.
 3. FASTENERS: POP RIVETS SHALL BE 1/4" Ø V150 50 ALUM. RIVETS & CARBON STEEL PLATED MONORAIL SHEET METAL STREWS SHALL BE STAINLESS STEEL & TENDER 6063-T6.
 4. WHERE AN AVING IS SELECTED IMMEDIATELY ADJACENT TO TOP SOIL & WETLANDS CONSTRUCTED RETAINING WALL OF FIRE RESISTING MATERIAL THERE THE HEIGHT NOT LESS THAN 18 INCHES CLEAR VENTILATING OPENING BETWEEN THE INTERIOR OF THE AVING ROOF AND THE TOP OF THE WALL EXTENDING THE FULL LENGTH OF THE AVING.
 5. WINDOWS SHALL BE 1/2" OPENABLE FOR VENTILATION AND SHALL BE EXTERIOR INSULATED.
 6. EXISTING EACH ENCLOSURE SHALL HAVE ACCESS TO AT LEAST ONE EXTERIOR SIDE THROUGH THE MOBILE HOME THE ENCLOSURE WITHOUT PASSING THROUGH THE MOBILE HOME THE OPENING SHALL BE NOT LESS THAN 30 INCHES OPENING SHALL BE NOT LESS THAN 30 INCHES IN HEIGHT AND 30 INCHES IN WIDTH WHEN THE ENCLOSURE OPENS TWO DOORS OF THE MOBILE HOME.
 7. WINDOW & DOOR GLAZING MATERIAL: USE INSECT SCREENING, 1/8" THICK, TINTED GLASS. 1/2" THICK (2ND) SHEET GLASS. GLASS LIGHTS TO BE 1/8" MIN ABOVE FINISHED FLOOR AND DOOR GLASS OF USED SHALL BE TEMPERED. ALL WINDOWS SHALL BE READILY REMOVABLE. SEE NOTE #8 FOR PENNING REQUIREMENTS.
 8. WINDOW GLASS DOOR SHALL BE 1/4" TYPED GLASS.
 9. EACH WINDOW AND DOOR ENCLOSURE SYSTEM SHALL BE AT LEAST 30 PERCENT OPEN OPENING WITH INSECT SCREENING AND/OR REMOVABLE. REMOVABLE WINDOWS AS SPECIFIED WITH ATTACHMENT TO VENTER INTERIOR. EACH INSTALLATION SHALL BEAR AN IDENTIFICATION TAG. CIVILIAN, STANDARD PLAN NUMBER AND DESIGN LOADS.
 10. THIS ENCLOSURE SHALL BE LOCATED WITHIN THE MOBILE HOME OR DR OR ADJACENT STRUCTURES PER TITLE 25, SECTION 1476.
 11. THE NAME & ADDRESS OF THE MANUFACTURER, MODEL NUMBER, STANDARD PLAN NUMBER AND DESIGN LOADS.
 12. A COPY OF THE CALIFORNIA FACTORY BUILT HOUSING APPROVED PLAN SHALL BE SUBMITTED TO THE LOCAL BUILDING OFFICIAL AND SHALL BE KEPT ON FILE WITH THE LOCAL BUILDING OFFICIAL. A COPY OF THE CALIFORNIA FACTORY BUILT HOUSING APPROVAL INSTRUCTIONS.






ISSUED



This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the Building Inspection Division. The approval of this plan and specification SHALL NOT be held to permit or approve the violation of any City Ordinance or State Law.

FEMALE-MALE H-CHANNEL 0 MILES PER HOUR		RACEWAY CHANNEL 70 MILES PER HOUR		MALE-EQUAL-MALE H-CHANNEL 70 MILES PER HOUR		EQUAL H-CHANNEL - BEARING WALL SYSTEM 70 MILES PER HOUR	
LIVE LOAD= 10 PSF WIND LOAD= 10 PSF UPLIFT= 10 PSF FOR HEIGHT= 10'-0" OR LESS UPLIFT= 7.5 PSF FOR HEIGHT GREATER THAN 10'-0"	LIVE LOAD= 10 PSF WIND LOAD= 10 PSF UPLIFT= 10 PSF FOR HEIGHT GREATER THAN 10'-0"	LIVE LOAD= 10 PSF WIND LOAD= 10 PSF UPLIFT= 10 PSF FOR HEIGHT GREATER THAN 10'-0"	LIVE LOAD= 10 PSF WIND LOAD= 10 PSF UPLIFT= 7.5 PSF FOR HEIGHT= 10'-0" OR LESS UPLIFT= 10 PSF FOR HEIGHT GREATER THAN 10'-0"	LIVE LOAD= 10 PSF WIND LOAD= 10 PSF UPLIFT= 10 PSF FOR HEIGHT= 10'-0" OR LESS UPLIFT= 7.5 PSF FOR HEIGHT GREATER THAN 10'-0"	LIVE LOAD= 10 PSF WIND LOAD= 10 PSF UPLIFT= 10 PSF FOR HEIGHT= 10'-0" OR LESS UPLIFT= 7.5 PSF FOR HEIGHT GREATER THAN 10'-0"	LIVE LOAD= 10 PSF WIND LOAD= 10 PSF UPLIFT= 10 PSF FOR HEIGHT= 10'-0" OR LESS UPLIFT= 7.5 PSF FOR HEIGHT GREATER THAN 10'-0"	LIVE LOAD= 10 PSF WIND LOAD= 10 PSF UPLIFT= 10 PSF FOR HEIGHT= 10'-0" OR LESS UPLIFT= 7.5 PSF FOR HEIGHT GREATER THAN 10'-0"
MAXIMUM ALLOWABLE DIMENSIONS	MAXIMUM ALLOWABLE DIMENSIONS	MAXIMUM ALLOWABLE DIMENSIONS	MAXIMUM ALLOWABLE DIMENSIONS	MAXIMUM ALLOWABLE DIMENSIONS	MAXIMUM ALLOWABLE DIMENSIONS	MAXIMUM ALLOWABLE DIMENSIONS	MAXIMUM ALLOWABLE DIMENSIONS
H-CHANNEL SPACING	H-CHANNEL SPACING	H-CHANNEL SPACING	H-CHANNEL SPACING	H-CHANNEL SPACING	H-CHANNEL SPACING	H-CHANNEL SPACING	H-CHANNEL SPACING
24"	36"	42"	48"	24"	36"	42"	48"
MAX TOTAL HEIGHT	MAX TOTAL HEIGHT	MAX TOTAL HEIGHT	MAX TOTAL HEIGHT	MAX TOTAL HEIGHT	MAX TOTAL HEIGHT	MAX TOTAL HEIGHT	MAX TOTAL HEIGHT
10'-6"	9'-9"	9'-0"	8'-6"	12'-0"	11'-9"	11'-3"	10'-6"
MAX WINDOW HEIGHT	MAX WINDOW HEIGHT	MAX WINDOW HEIGHT	MAX WINDOW HEIGHT	MAX WINDOW HEIGHT	MAX WINDOW HEIGHT	MAX WINDOW HEIGHT	MAX WINDOW HEIGHT
4'-6"	4'-5"	4'-6"	4'-6"	4'-6"	4'-6"	4'-6"	4'-6"



STATE OF CALIFORNIA
CALIFORNIA REGISTERED PROFESSIONAL ENGINEER
No. 88-111
P.E. A. H. FOX

FOX ENGINEERING INC.
8060 TELEGRAPH ROAD, DOWNEY, CA 90240

ENCLOSURE SYSTEM
LINE LOAD = 10 P.S.F.
HORIZ. WIND = 10 P.S.F.

TWO-BENCH
RATIO COVER ENCLOSURE SYSTEM
DUNMILLIN PRODUCTS, INC.
6899 ALPINE AVENUE - BACKWATER RD, CA 94499
(916) 452-7021

2 OF 2