## CITY OF SACRAMENTO Permit No: 0102265 1231 I Street, Sacramento, CA 95814 Insp Area: Sub-Type: COM Site Address: 927 35TH ST SAC Housing (Y/N): N Parcel No: 007-0072-012 ARCHITECT CONTRACTOR **OWNER** LYMAN RICHARD T/MELISSA C 930 TRESTLE GLEN DR SACRAMENTO CA 95831 Nature of Work: REPLACE 80' OF 2X4 SIL UNDER GARAGE W/80' OF 4X6 PRESSURE TREATED DOUGLAS GFUR W/ 5/8 ATTTHREAD ANCHORS EPOXY&GROUTED &REPLACE SIDING (DAMAGED). CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C). Lender's Address LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect. \_\_\_\_\_ Contractor Signature Date License Class License Number OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00); I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.) I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code. The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law). I am exempt under Sec. B & PC for this reason: 2-21-01 Owner Signature IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements. Lecrtify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and herby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes. Date 2-21-01 Applicant/Agent Signature\_ WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations: I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued. I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are: Exp Date Policy Number (This section need not be completed if the permit is the \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

Applicant Signature

0102265 927 - 35 # St. Sacramento. 01-022 Charles O. Greenlaw Residential Garage Mudsill Replacement Structural Engineer 4208 B Street Sacramento, CA 95819 (916) 457-6022 for R.& M. Lyman, owners. PROFESSIONAL (Bldg. Permit already issued.) 1 0 Mentan Situation: existing detached wd. frm. 1-4-02 1-story garage along alley. Walls have lap siding on 2x4 studs, on mudsill on slab. Mudsill is rotted, and some siding & studs low on No. 1956 x . 9-25 STRUCTURAL walls are deteriorated. The top of slab is not far above top of earth in most places. The work the Permit covers is to replace damaged wood. Addition of concrete curb is intended to Vaise the new mudsill above the exterior soil level. ( I have been a consultant to the owners on this work since before the Permit. ) board siding (E) or (N) exist 2x4 studs w/ new 1-#4 horiz. Studs as regid for repair continuous new 4x6 pr. tr. (Chemonite) rebar. mudsill 4" typ exist nom 4" (2"to 5" Slab to new curb of 2500 psi concr. remain. range) (not level) or grout. exist (or final) grade (whichever is lower) new 5/84 all-thred anchor rod C ≤ 4' oc in JAN 07 2002 epoxy in 3/4 holes engineer did do spi insp.on Sacramento Building Division 1/2" scale TYP. WALL SECT @ MUDSILL sides of Garage -applies e N, E, & W