

CITY OF SACRAMENTO
1231 I Street, Sacramento, CA 95814

Permit No: 0504819
Insp Area: 2
Thos Bros: 336G3

Site Address: 7842 RIVER VILLAGE DR SAC
Parcel No: 031-1380-010

Sub-Type: NSFR
Housing (Y/N): N

CONTRACTOR
NR HOMES INC
2443 FAIR OAKS BLVD PMB 74
SACRAMENTO CA 95825

OWNER
N.R. HOMES
2443 FAIR OAKS BL PMB 74
SACRAMENTO, CA 95825

ARCHITECT

Nature of Work: NEW 2 STORY SFD W/ 3428 SF SFR W/ATTACHED 710 SF GARAGE & 45 SF PORCH --REVIEW BY FIRE---

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3897, Civ. C).

Lender's Name N/A Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class B License Number 628092 Date MAY 27 Contractor Signature [Signature]

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. _____ B & PC for this reason: [Signature]
Date MAY 27 Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovesentioned property for inspection purposes.

Date MAY 27/05 Applicant/Agent Signature [Signature]

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:
I have and will maintain a certificate of consent to self-insure for workers' compensation as provided by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier _____ Policy Number _____ Exp Date _____
(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with these provisions.

Date MAY 27 Applicant Signature [Signature]

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

PAID
CITY OF SACRAMENTO
MAY 27 2005
NORTH PERMIT CENTER



Downtown Permit Center
 1231 I Street, Suite 200
 Sacramento, CA 95814
 Help Line: 1-916-264-5656

CITY OF SACRAMENTO
 DEVELOPMENT SERVICES DEPARTMENT
 BUILDING DIVISION
www.cityofsacramento.org

North Permit Center
 2101 Arena Blvd., Suite 200
 Sacramento, CA 95834
 Inspection: 1-916-808-4677

SITE DRAINAGE AND ENCROACHMENT QUESTIONNAIRE

PARCEL # 031 - 0380 - 010 PERMIT # 05-04819
 SITE ADDRESS 7842 - River Village Pk ACREAGE _____


The City of Sacramento requires a building site to be graded to drain correctly and site drainage routed to an approved location. To help us understand the site drainage for your project and determine if a driveway permit or an encroachment permit is required please answer the following questions. All questions must be answered.

- | | | | |
|--|------------------------------------|------------------------------------|-----|
| 1. Are there existing structures on the site? | Y | <input checked="" type="radio"/> N | |
| 2. Is there an existing concrete or paved driveway to this parcel from the street? | <input checked="" type="radio"/> Y | *N | |
| 3. Will the existing access to this parcel be changed in any way for this project? | *Y | <input checked="" type="radio"/> N | |
| 4. Are all portions of the lot higher than the crown of the street? | <input checked="" type="radio"/> Y | *N | |
| 5. Are all portions of the lot higher than the back of the sidewalk? | <input checked="" type="radio"/> Y | *N | |
| 6. Is there a curb and gutter at the street level? | *Y | <input checked="" type="radio"/> N | |
| 7. Is there a sidewalk with a curb and gutter at the street? | *Y | <input checked="" type="radio"/> N | |
| 8. Is the curb at the street square? | *Y | <input checked="" type="radio"/> N | N/A |
| 9. Is there a rolled curb at the street? | <input checked="" type="radio"/> Y | N | N/A |
| 10. Is there a drainage ditch or culvert at the street? | <input checked="" type="radio"/> Y | *N | N/A |
| 11. Does the lot drain from back to front? | <input checked="" type="radio"/> Y | *N | |
| 12. Does the lot drain from front to rear? | <input checked="" type="radio"/> N | <input checked="" type="radio"/> N | |
| 13. Does another lot drain across this parcel? | *Y | <input checked="" type="radio"/> N | |
| 14. Does the lot drain from side to side? | *Y | <input checked="" type="radio"/> N | |
| 15. Does the site have an existing low area or drainage swale? | *Y | <input checked="" type="radio"/> N | |
| 16. Does the drainage swale drain to an adjacent parcel? | *Y | <input checked="" type="radio"/> N | N/A |
| 17. Does the drainage swale drain to the street? | <input checked="" type="radio"/> Y | *N | N/A |
| 18. Will existing drainage be re-routed? | *Y | <input checked="" type="radio"/> N | |
| 19. Will drainage ditches or culverts be constructed or modified? | *Y | <input checked="" type="radio"/> N | N/A |
| 20. Did this project require approval from the Zoning Administrator? | *Y | <input checked="" type="radio"/> N | |
| 21. Did the project require approval from the Planning Administrator? | *Y | <input checked="" type="radio"/> N | |

SITE DRAINAGE AND ENCROACHMENT QUESTIONNAIRE

- 22. Is there any tree, telephone pole, guy wire or similar obstruction located at the front of the property adjacent to the street or road? *Y N
- 23. Is this a corner lot? *Y N
- 24. Is the posted speed limit on this street greater than 25 MPH? *Y N
- 25. Is this parcel located on a four-lane street? *Y N
- 26. If site is greater than 1/2 acre has an erosion and sediment control plan been submitted? *N N/A
- 27. If site disturbs 1 acre or more has a copy of the State General Permit NOI and SWPPP been submitted? Y *N N/A
- 28. If site is part of a larger subdivision greater than 1 acre has a copy of the State General Permit NOI and SWPPP been submitted? Y *N N/A

CIRCLE THE DRAWING NUMBER BELOW THAT BEST ILLUSTRATES THE EXISTING CONDITION AT THE LOCATION OF THE PROPOSED DRIVEWAY OR SITE ACCESS.



The information provided on this document is accurate. I understand that if this form is incomplete, contains inaccurate or misleading information, the project located at this address may be delayed until any drainage or encroachment issues are resolved to the satisfaction of the City of Sacramento.

SIGNED [Signature] DATE MAY 22 05

TITLE OWNER

PHONE NO. 399-0283

INSTALLATION CERTIFICATE

(Page 2 of 8)

CF-6R

7842 RIVER VILLAGE DR
Site Address

0602827 / 0504819
Permit Number

FENESTRATION/GLAZING:

Manufacturer/Brand Name (GROUP LIKE PRODUCTS)	Product U-Factor ¹ (≤ CF-1R value) ²	Product SHGC ¹ (≤ CF-1R value) ²	# of Panes	Total Quantity of Like Product (Optional)	Square Feet	Exterior Shading Device or Overhang	Comments/Location/Special Features
1. ROYAL	0.390		3		48	Bug Screen	
2.			2		30		
3.			3		24		
4.			2		25		
5.			1		6		
6.			2		16		
7.			2		23		
8.			2		20		
9.			2		9		
10.			2		20		
11.			2		9		
12.			2		20		
13.			1		10		
14.			1		10		
15.			1		10		

¹ Manufactured fenestration products use the values from the product label. Field fabricated fenestration products use the default values from Section 116 of the Energy Efficiency Standards.

² Installed U-Factor must be less than or equal to values from CF-1R. Installed SHGC must be less than or equal to values from CF-1R, or a shading device (exterior or overhang) is installed as specified on the CF-1R. Alternatively, installed weighted average U-Factors for the total fenestration area are less than or equal to values from CF-1R.

I, the undersigned, verify that the fenestration/glazing listed above my signature: 1) is the actual fenestration product installed; 2) is equivalent to or has a lower U-Factor and lower SHGC than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) the product meets or exceeds the appropriate requirements for manufactured devices (from Part 5), where applicable.

02/13/01 [Signature]
Item #s (if applicable) Signature, Date

NR Homes
Installing Subcontractor (Co. Name) OR
General Contractor (Co. Name) OR Owner
OR Window Distributor

02/13/01 [Signature]
Item #s (if applicable) Signature, Date

NR Homes
Installing Subcontractor (Co. Name) OR
General Contractor (Co. Name) OR Owner
OR Window Distributor

02/13/01 [Signature]
Item #s (if applicable) Signature, Date

NR Homes
Installing Subcontractor (Co. Name) OR
General Contractor (Co. Name) OR Owner
OR Window Distributor

COPY TO: Building Department
HERS Provider (if applicable)
Building Owner at Occupancy

January 4, 2001

INSTALLATION CERTIFICATE

(Page 2 of 8)

CF-6R

7842 RIVER VILLAGE DR
Site Address

0602227 / 0504819
Permit Number

FENESTRATION SURFACES

#	Type	Area	U-Factor ¹	SHGC ²	True Azm.	Cond. Tilt	Stat.	Glazing Type	Location/ Comments
1	Window Rear (North)	48.0	0.390 NFRC	0.29 NFRC	0	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
2	Window Rear (North)	30.0	0.390 NFRC	0.29 NFRC	0	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
3	Window Rear (North)	48.0	0.390 NFRC	0.29 NFRC	0	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
4	Window Rear (North)	9.0	0.390 NFRC	0.29 NFRC	0	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
5	Window Rear (North)	25.0	0.390 NFRC	0.29 NFRC	0	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
6	Window Left (West)	6.0	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
7	Window Left (West)	16.0	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
8	Window Left (West)	12.5	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
9	Window Left (West)	12.5	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
10	Window Front (South)	20.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
11	Window Front (South)	9.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
12	Window Front (South)	9.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
13	Window Front (South)	20.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
14	Window Front (South)	10.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
15	Window Front (South)	10.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
16	Window Right (East)	18.0	0.390 NFRC	0.29 NFRC	90	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
17	Window Right (East)	20.0	0.390 NFRC	0.29 NFRC	90	90	New	Low-E2 Vinyl SunCoat	1st Floor Zone
18	Window Front (South)	2.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
19	Window Front (South)	4.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
20	Window Front (South)	4.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
21	Window Front (South)	4.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
22	Window Front (South)	6.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
23	Window Front (South)	17.5	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
24	Window Front (South)	6.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
25	Window Front (South)	12.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
26	Window Right (East)	7.0	0.390 NFRC	0.29 NFRC	90	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
27	Window Right (East)	7.0	0.390 NFRC	0.29 NFRC	90	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
28	Window Right (East)	7.0	0.390 NFRC	0.29 NFRC	90	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
29	Window Right (East)	16.0	0.390 NFRC	0.29 NFRC	90	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
30	Window Rear (North)	20.0	0.390 NFRC	0.29 NFRC	0	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
31	Window Left (West)	24.0	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
32	Window Left (West)	24.0	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	2ND FLOOR PLAN
33	Window Front (South)	6.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	3RD FLOOR PLAN
34	Window Front (South)	6.0	0.390 NFRC	0.29 NFRC	180	90	New	Low-E2 Vinyl SunCoat	3RD FLOOR PLAN
35	Window Left (West)	20.0	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	3RD FLOOR PLAN
36	Window Left (West)	20.0	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	3RD FLOOR PLAN
37	Window Left (West)	60.0	0.390 NFRC	0.29 NFRC	270	90	New	Low-E2 Vinyl SunCoat	3RD FLOOR PLAN
38	Window Rear (North)	24.0	0.390 NFRC	0.29 NFRC	0	90	New	Low-E2 Vinyl SunCoat	3RD FLOOR PLAN

Insulation Certificate

This is to certify that insulation has been installed in conformance with the current energy regulations, California Administration code. Title 24, State of California, in the building located at:

Site Address: 7842 River Village Drive Sacramento Ca.
Number Street City State

Ceilings:

Blow: Manufacturer Greenfiber Thickness 15.75" R / Value R-38
Square Feet 1057 # Bags / Lbs. Per Bag 45

Batts: Manufacturer Johns Manville Thickness 6.5" R / Value R-19

Batts: Manufacturer Johns Manville Thickness N/A R / Value N/A

Exterior Walls:

Manufacturer Johns Manville Thickness 5.25" R / Value R-11

Manufacturer Johns Manville Thickness 6.5" R / Value R-19

Floor Insulation:

Manufacturer Johns Manville Thickness 6.5" R / Value R-19

Air Infiltration: (Title 24)

Yes No

Other: _____

General Contractor: N.R. Homes Lic. # _____

By: _____ Title: _____ Date: _____

Insulation Contractor: Gold Star Insulation LLC Lic. # 797510

By: Janeene LaVoie Title: Accounts Receivable Date: 7-11-06

OMEGA PRODUCTS INTERNATIONAL, INC.

DIAMOND WALL INSULATING STUCCO SYSTEM

JOB ADDRESS:

7842 River Village Dr
Berkeley CA 94701

ICBO Report #4004

Date of Job Completion

Sept. 1/06

PLASTERING CONTRACTOR

Name:

G. GLENN PLASTERING

Address:

6330 Main Ave #4 Cranevale CA 95862

Telephone No:

916-989-8785

Contractor Number of Diamond Wall System

4020

This is to certify that the exterior coating system on the building exterior at the above address has been installed in accordance with the evaluation report specified above and the manufacturer's instructions.

Sept. 1/06
Date

[Signature]
Signature of Authorized Representative of

Plastering Contractor

This installation card must be presented to the building inspector after completion of work and before final inspection.

INSTALLATION CERTIFICATE

(Page 1 of 8)

CF-6R

Site Address

Permit Number

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

HVAC SYSTEMS:

Heating Equipment

Equip. Type (pkg. heat pump)	CEC Certified Mfr Name and Model Number	# of Identical Systems	Efficiency (AFUE, etc.) ¹ [\geq CF-1R value]	Duct Location (attic, etc.)	Duct or Piping R-value	Heating Load (Btu/hr)	Heating Capacity (Btu/hr)
FURN	310 JAV036070	1	80%	ATTIC	R6	36000	29000
"	310 JAV041070	1	"	"	"	90000	72000
"	310 JAV024045	1	"	"	"	45000	36000

Cooling Equipment

Equip. Type (pkg. heat pump)	CEC Certified Compressor Unit Mfr Name and Model Number	# of Identical Systems	Efficiency (SEER, etc.) ¹ [\geq CF-1R value]	Duct Location (attic, etc.)	Duct R-value	Cooling Load (Btu/hr)	Cooling Capacity (Btu/hr)
A/C	113 RNA 026	1	13	ATTIC	R6	36000	26000
A/C	113 RNA 028	1	13	ATTIC	R6	48000	36000
A/C	113 RNA 027	1	13	ATTIC	R6	24000	24000

¹ \geq reads greater than or equal to.

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the *Energy Efficiency Standards for residential buildings*, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the *Appliance Efficiency Regulations* or Part 6), where applicable.

Signature, Date: [Signature] 10/13/06

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner: CAPITOL MECHANICAL INC.

WATER HEATING SYSTEMS:

Heater Type	CEC Certified Mfr Name & Model Number	Distribution Type (Std. Point-of-Use)	If Recirculation, Control Type	# of Identical Systems	Rated ² Input (kW or Btu/hr)	Tank Volume (gallons)	Efficiency ² (EF, RE)	Standby ² Loss (%)	External Insulation R-value ³

- 2 For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Input. For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.
- 3 R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

Faucets & Shower Heads:

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the *Energy Efficiency Standards for residential buildings*; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the *Appliance Efficiency Regulations* or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department
HERS Provider (if applicable)
Building Owner at Occupancy

January 4, 2001

Certificate of Compliance: Residential (Part 2 of 2) CF-1R

New Residence - APN 031-1380-010 12/29/2004
 Project Title Date

HVAC SYSTEMS Note: Input Hydronic or Combined Hydronic data under Water Heating Systems, except Design Heating Load.

Heating Equipment Type (furnace, heat pump, etc.)	Minimum Efficiency (AFUE/HSPF)	Distribution Type and Location (ducts, attic, etc.)	Duct or Piping R-Value	Thermostat Type	Location / Comments
Central Furnace	80% AFUE	Ducts in Attic	4.2	Setback	HOUSE HVAC
<i>FURNACE</i>	<i>80%</i>	<i>"</i>	<i>R-6</i>	<i>"</i>	
<i>FURNACE</i>	<i>80%</i>	<i>"</i>	<i>R-6</i>	<i>"</i>	
<i>FURNACE</i>	<i>80%</i>	<i>"</i>	<i>R-6</i>	<i>"</i>	

Cooling Equipment Type (air conditioner, heat pump, evap. cooling)	Minimum Efficiency (SEER)	Duct Location (attic, etc.)	Duct R-Value	Thermostat Type	Location / Comments
Split Air Conditioner	12.0 SEER	Ducts in Attic	4.2	Setback	HOUSE HVAC
<i>"</i>	<i>13</i>	<i>"</i>	<i>R6</i>	<i>"</i>	
<i>"</i>	<i>13</i>	<i>"</i>	<i>R6</i>	<i>"</i>	
<i>"</i>	<i>13</i>	<i>"</i>	<i>R6</i>	<i>"</i>	

WATER HEATING SYSTEMS

Water Heater System Name	Water Heater Type	Distribution Type	# in Syst.	Rated Input Btu/hr	Tank Cap. (gal)	Energy Fact. ¹ or Recovery Efficiency	Standby Loss (%)	External Tank Insul. R-Value
Standard Gas 75	Small Gas	Standard	1	74,000	75	0.60	n/a	n/a

1 For small gas storage (rated inputs of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list energy factor. For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Rated Input, Recovery Efficiency and Standby Loss. For instantaneous gas water heaters, list Rated Input and Recovery Efficiency.

REMARKS

COMPLIANCE STATEMENT

This certificate of compliance lists the building features and performance specifications needed to comply with Title 24, Parts 1 and 6 of the California Code of Regulations, and the administrative regulations to implement them. This certificate has been signed by the individual with overall design responsibility. The undersigned recognize that compliance using duct sealing and TXV's requires installer testing and certification and field verification by an approved HERS rater.

<p>Designer or Owner (per Business & Professions Code)</p> <p>Name: _____</p> <p>Title/Firm: <u>Sheybani & Associates</u></p> <p>Address: <u>1401 Markham Way</u> <u>Sacramento, CA 95818</u></p> <p>Telephone: <u>(916) 441-0696</u></p> <p>Lic. #: _____</p> <p><i>[Signature]</i> <u>4/5/05</u> (signature) (date)</p> <p>Enforcement Agency</p> <p>Name: _____</p> <p>Title/Firm: _____</p> <p>Address: _____</p> <p>Telephone: _____</p>	<p>Documentation Author</p> <p>Name: <u>Larry Fross</u></p> <p>Title/Firm: <u>ResCom Energy Engineering</u></p> <p>Address: _____ <u>West Sacramento, CA 95691</u></p> <p>Telephone: <u>(916) 373-1383</u></p> <p>_____ (signature) (date)</p>
--	---

Certificate Of Compliance : Residential (Part 3 of 3) CF-1R

N.R. HOMES

4/5/2006

Project Title

Date

HVAC SYSTEMS

Location	Heating Type	Minimum Eff	Cooling Type	Minimum Eff	Condition Status	Thermostat Type
5A/C 12seer, 115Kbtu/heat80	Central Furnace	92% AFUE	Split Air Conditioner	12.0 SEER	New	Setback
3 TA/C 12 SEER	Central Furnace	92% AFUE	Split Air Conditioner	12.0 SEER	New	Setback
1TA/C 12 SEER	Central Furnace	92% AFUE	Split Air Conditioner	12.0 SEER	New	Setback

HVAC DISTRIBUTION

Location	Heating	Cooling	Duct Location	Duct R-Value	Condition Status	Ducts Tested?
5A/C 12seer, 115Kbtu/heat80	Ducted	Ducted	Attic	6.0	New	No
3 TA/C 12 SEER	Ducted	Ducted	Attic	6.0	New	No
1TA/C 12 SEER	Ducted	Ducted	Attic	6.0	New	No

Hydronic Piping System Name	Pipe Length	Pipe Diameter	Insul. Thick.

WATER HEATING SYSTEMS

System Name	Water Heater Type	Distribution	# in Syst	Rated ¹ Input (Btu/hr)	Tank Cap. (gal)	Condition Status	Energy Factor or RE ¹	Standby ¹ Loss (%)	Tank Insul. R-Value Ext.
STATE PRV 75 NRVT1	Small Gas	No Pipe Insulation	1	75,000	75	New	0.52	n/a	n/a

Multi-Family Central Water Heating Details

Control	Hot Water Pump			Hot Water Piping Length (ft)			Add 1/2" Insulation
	#	HP	Type	In Plenum	Outside	Buried	

¹ For small gas storage (rated input <= 75000 Btu/hr), electric resistance and heat pump water heaters, list energy factor. For large gas storage water heaters (rated input > 75000 Btu/hr), list Rated Input, Recovery Efficiency and Standby Loss. For instantaneous gas water heaters, list Rated Input, and Recovery Efficiency.

REMARKS

COMPLIANCE STATEMENT

This certificate of compliance lists the building features and specifications needed to comply with Title 24, Parts 1 and 6 of the California Code of Regulations, and the administrative regulations to implement them. This certificate has been signed by the individual with overall design responsibility. The undersigned recognizes that compliance using duct design, duct sealing, verification of refrigerant charge and TXVs, insulation installation quality, and building envelope sealing require installer testing and certification and field verification by an approved HERS rater.

Designer or Owner (per Business & Professions Code)

Name: _____
 Title/Firm: KEVIN FONG DESIGN
 Address: 2 BLUE DUN CT
SACRAMENTO, CA 95831
 Telephone: 916-428-5008
 Lic. #: _____

Documentation Author

Name: Kevin Fong
 Title/Firm: KEVIN FONG DESIGN
 Address: 2 Blue Dun Court
Sacramento, CA 95831
 Telephone: (916) 428-5008

(signature)

(date) (signature)

4/5/06
(date)

Enforcement Agency

Name: _____
 Title/Firm: _____
 Address: _____
 Telephone: _____

(signature/stamp)

(date)

PERMITS
REV. 2002
(10M)

PERMIT SERVICES: 808-2584
HOUSING/DANGEROUS BLDG: 284-6404
FIELD OFFICE: 264-5718

SECTION REQ'D
NR TO SIGNOFF

NOTE	INSPECTION	INSPECTOR	DATE
DO NOT COVER OR CONCEAL ANY BUILDING, ELECTRICAL, PLUMBING OR MECHANICAL WORK WITHOUT INSPECTOR'S SIGNATURE IN PROPER PLACE.			
B10 FOUNDATION FORMS			
B11 CONCRETE SLAB FORMS			
B12 PLUMB. UNDER FLOOR/SLAB			
B13 MECH UNDER FLOOR/SLAB			
B14 ELECT. UNDERGROUND			
B15 ELECT. CONDUIT SLAB			
B16 DO NOT COVER UNTIL INSTALLATION ABOVE HAS BEEN SIGNED			
B17 FLOOR JOISTS OR GIRDERS			
B18 DO NOT INSTALL SUB FLOOR UNTIL ABOVE HAS BEEN SIGNED			
B19 INSULATION/WALL/FLOOR			
B20 TOP MECHANICAL/WALL/CEIL			
B21 ROUGH ELECTRICAL/WALL/CILL			
B22 FRAME			
B23 ROOF ELYWOOD NAIL GUN & APPL			
B24 EXTERIOR LATHING			
B25 DO NOT COVER UNTIL INSTALLATION ABOVE HAS BEEN SIGNED			
B26 INT. LATH OR WALL BD. NAILING			
B27 DO NOT COVER UNTIL INSTALLATION ABOVE HAS BEEN SIGNED			
B28 SEWER SERVICE			
B29 WATER SERVICE			
B30 SPRINKLER SYSTEM			
B31 DO NOT COVER UNTIL INSTALLATION ABOVE HAS BEEN SIGNED			
B32 GAS TEST			
B33 TEMP. POWER			
B34 POWER POLE			
B35 TEMP. GAS			
B36 GAS TEST			
B37 POWER POLE			
B38 TEMP. POWER			
B39 POWER POLE			
B40 GAS TEST			
B41 PLUMBING PRE-QUINTE			
B42 PLUMBING PRE-DECK			
B43 ELECTRICAL PRE-QUINTE			
B44 ELECTRICAL PRE-DECK			
B45 ELECTRICAL UNDERGRD			
B46 DO NOT COVER UNTIL INSTALLATION ABOVE HAS BEEN SIGNED			
B47 ENERGY COMPLIANCE CERTIFICATE TO BE ON FILE PRIOR TO FINAL APPROVAL			

ONCE THE PERMIT IS ISSUED YOU MUST CALL FOR AT LEAST ONE EVERY SIX MONTHS TO KEEP YOUR PERMIT ACTIVE.

Address: 7842 RIVER VILLAGE DR SAC
Permit #: 0504819
Area: 2
Thomas Bros: 331

Location: INSPECTIONS: 911
FIELD SERVICES: 911

APN: 031-1380-010
DBA:

Owner: N.R. HOMES
2443 FAIR OAKS BL, PMB 74
SACRAMENTO, CA
95825
399-0283

Contractor: NR HOMES INC
2443 FAIR OAKS BLVD PMB 74
SACRAMENTO CA
95825
916-399-0283

JOB DESCRIPTION: NEW 2 STORY SBD W/ 3428 SF SFR W/A TTACHED 710 SF GARAG PORCH - REVIEW BY PIDE...

BLDG Y MRCH Y PLBG Y BLBC Y SITE Y

FIRE COMBO ??

PLANNING	\$
PERMITS	\$
INSPECTIONS	\$
FIELD SERVICES	\$
SEWER	\$
WATER	\$
DEV. FEE	\$
CITY SEWER	\$
REG. SEWER FEE	\$
RESIDENTIAL CONST. TAX	\$

CONDITIONS SHOWN ON ATTACHED PERMITS SHALL BE STRICTLY ENFORCED. ANY VIOLATION OF THESE CONDITIONS SHALL BE CAUSE FOR THE PERMIT TO BE REVOKED AND THE PERMITTEE TO BE FINED AND PROSECUTED.

APPLICANT: _____ (Signature)

DATE: _____

SIGNED: _____

FINAL APPROVALS

DATE: _____