

CITY OF SACRAMENTO

1231 I Street, Sacramento, CA 95814

Permit No: 0008400

Insp Area: 2

Site Address: 15 NAUTILUS CT SAC

Parcel No: 030-0740-012

Sub-Type: RES

Housing (Y/N): N

CONTRACTOR

ZIMMERMAN ROOFING
3675 R ST
SACRAMENTO CA 95816

OWNER

SILVA JULIO M & ELSIE
15 NAUTILUS CT
SACRAMENTO CA 95831

ARCHITECT

Nature of Work: REROOF T/O W/ MONIER TILE 41 SQ

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class C39 License Number 557559 Date 7/24/00 Contractor Signature *Billy Coy*

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00):

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code). The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7031.5, Business and Professions Code). The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. _____ B & PC for this reason: 7031.5

Date _____ Owner Signature *Billy Coy* **NEIGHBORHOODS PLANNING AND DEVELOPMENT SERVICES**

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 7/24/00 Applicant/Agent Signature *Billy Coy*

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:


Carrier STATE COMP INS FUND Policy Number 713-99-2021 Exp Date 10/01/2000

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 7/24/00 Applicant Signature *Billy Coy*

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.



DEPARTMENT OF
PLANNING AND DEVELOPMENT

CITY OF SACRAMENTO
CALIFORNIA

1231 J STREET
ROOM 200
SACRAMENTO, CA
95814-2994

Permit Services
916-264-7019
FAX 916-264-7046

Silver
15 Nautalis Ct
Sacramento CA 95831

TILE ROOF WORKSHEET

This worksheet must be filled out whenever any type of tile roof is applied for.

If the answer to question #5 is yes, a written engineering report from a registered engineer must be provided with each application.

BRAND AND MODEL OF TILE Monier Liteweight

TILE WEIGHT PER SQUARE 7.30 lbs

HEIGHT OF ROOF SYSTEM PER SQUARE 1.80 lbs


TOTAL WEIGHT OF ROOF SYSTEM 9.10 lbs

DOWS TOTAL WEIGHT OF ROOF SYSTEM EXCEED 750# PER SQUARE? YES NO

ROOF SLOPE 4/12

PLEASE PROVIDE A SEPARATE WORKSHEET FOR EACH APPLICATION INVOLVING A TILE

See attached engin. report



This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the Building Inspection Division.

The approval of this plan and specification SHALL NOT be held to permit or approve the violation of any City Ordinance or State Law.



ISSUED

JUL 24 2000

- Notes:**
1. This is a reroof project. The new roofing material shall be a Light Weight Concrete Tile. The tile shall weigh less than or equal to 7.0 psf.
 2. All rafters are 2x6 DF#2 and hips and valleys are 2x8 DF#2 unless otherwise noted.
 3. All existing rafter, hips, valleys, rafter ties, and purlins are braced per UBC Section 2320.12 "Roof and Ceiling Framing" unless otherwise shown.
 4. All structural wood members that were observed appear to be in sound condition and without structural defect.

CITY OF SACRAMENTO DEVELOPMENT SERVICES DIV

1

ROOF PLAN - SILVA

Not to Scale

6 Reviewed by Matt P. 7/24/00


Silva

Paul Zacher – Structural Engineers
4701 Lakeside Way
Fair Oaks, CA 95628

TEL: 916.961.3960
FAX: 916.961.6552

July 3, 2000

Zimmerman Roofing
3675 R Street
Sacramento, CA 95816
TEL: 916.454.3667
FAX: 916.455.3784



Attn: Mr Jeff Tucker,

re: Job 2000_176: SILVA

Subject: Structural Investigation Report of the Roof for the Residence located at 15 Nautalis Court, Sacramento, CA 95831.

As requested by Mr. Jeff Tucker, this is a report to determine what needs should be addressed to correct any structural deficiencies of the roof. Paul Zacher visited the site July 3, 2000. The investigation was made to determine the existing condition of the structure. All information, data and analysis contained within this report are based on the 1997 Uniform Building Code.

The following is based on visual observations with no subsurface investigation being made.

DESCRIPTION:

Type of Facility: Residence.
Year Built: Estimated 1970's vintage.
Occupancy: Residential.
No. of Stories: One.
Dimensions: Approximately 2500 square feet with a first story plate height of 8 feet.

CONSTRUCTION:

Roof:
The roof covering will consist of a Light Weight Concrete Tile over 1/2" solid sheathing. The living area is conventionally framed with 2x6 rafters spaced at 24" on center with 2x6 purlins supported at no more than 6'-0" on center by 2x4 struts bearing on walls below. The garage area is framed with 2x6 rafters spaced at 24" on center and 2x6 cross ties spaced at 4'-0" on center.

CONCLUSIONS:

Roof:
The living area lacks sufficient structural capacity for the applied live and dead loads. The garage has sufficient structural capacity for the applied live and dead loads.

Paul Zacher - Structural Engineers
 4701 Lakeside Way
 Fair Oaks
 TEL: (916) 961-3960
 FAX: (916) 961-6552

Title :
 Dsgnr:
 Description :

Job #
 Date: 11:52AM, 3 JUL 00

Scope :

Rev: 510304
 User: KW-0602844, Ver: 5.1.3, 22 Jun 1999, Win32
 (c) 1983-99 ENERCALC

Timber Beam & Joist

c:\enercalc\test.ecw:Calculations

Description RAFTERS AND BEAMS

Timber Member Information

Calculations are designed to 1997 NDS and 1997 UBC Requirements

	rafter	B1	B2	B3	B4	B5	purflin
Timber Section	2x6	4x12	6x12	6x12	4x12	4x12	2x10 + 1.7
Beam Width	in 1.500	3.500	5.500	5.500	3.500	3.500	3.250
Beam Depth	in 5.500	11.250	11.500	11.500	11.250	11.250	9.250
Le: Unbraced Length	ft 0.00	0.00	0.00	0.00	0.00	0.00	0.00
Timber Grade	Douglas Fir - Larch, Douglas Fir - Larch, Douglas Fir - Larch, Douglas Fir - Larch, Douglas Fir - Larch, Douglas Fir - Larch, Custom, DF#2 + LVL						
Fb - Basic Allow	psi 875.0	875.0	1,350.0	1,350.0	1,000.0	1,000.0	1,450.0
Fv - Basic Allow	psi 95.0	95.0	85.0	85.0	95.0	95.0	158.0
Elastic Modulus	ksi 1,600.0	1,600.0	1,600.0	1,600.0	1,700.0	1,700.0	1,666.7
Load Duration Factor	1.250	1.250	1.250	1.250	1.250	1.250	1.250
Member Type	Sawn	Sawn	Sawn	Sawn	Sawn	Sawn	Manuf/Pine
Repetitive Status	Repetitive	Repetitive	No	No	No	No	No

Center Span Data

Span	ft	12.00	18.00	15.50	13.50	15.50	8.00	15.50
Dead Load	#/ft	23.00	46.00	138.00		58.00	69.00	78.00
Live Load	#/ft	32.00	64.00	152.00		80.00	96.00	108.00
Point #1 DL	lbs				1,070.00			
LL	lbs				1,178.00			
@ X	ft				4.000			

Results

	Ratio =	0.9607	0.5234	0.5109	0.3708	0.4899	0.1626	0.7979
Mmax @ Center	in-k	11.88	53.46	104.51	75.86	49.73	15.84	67.03
@ X =	ft	6.00	9.00	7.75	4.00	7.75	4.00	7.75
fb Actual	psi	1,570.9	724.1	862.1	625.7	673.6	214.6	1,446.3
Fb : Allowable	psi	1,635.2	1,383.6	1,687.5	1,687.5	1,375.0	1,375.0	1,812.5
		Bending OK	Bending OK	Bending OK	Bending OK	Bending OK	Bending OK	Bending OK
Fv : Actual	psi	55.7	33.8	46.9	37.5	35.9	19.3	65.0
Fv : Allowable	psi	118.8	118.8	106.3	106.3	118.8	118.8	197.5
		Shear OK	Shear OK	Shear OK	Shear OK	Shear OK	Shear OK	Shear OK

Reactions

@ Left End	DL	lbs	138.00	414.00	1,069.50	752.96	449.50	276.00	604.50
	LL	lbs	192.00	576.00	1,178.00	828.96	620.00	384.00	837.00
	Max. DL+LL	lbs	330.00	990.00	2,247.50	1,581.93	1,069.50	660.00	1,441.50
@ Right End	DL	lbs	138.00	414.00	1,069.50	317.04	449.50	276.00	604.50
	LL	lbs	192.00	576.00	1,178.00	349.04	620.00	384.00	837.00
	Max. DL+LL	lbs	330.00	990.00	2,247.50	666.07	1,069.50	660.00	1,441.50

Deflections

		Ratio OK	Deflection OK	Deflection OK	Deflection OK	Deflection OK	Deflection OK	Deflection OK
Center DL Defl	in	-0.322	-0.164	-0.161	-0.068	-0.107	-0.009	-0.284
L/Defl Ratio		446.5	1,321.0	1,157.5	2,398.4	1,743.3	10,658.2	656.0
Center LL Defl	in	-0.449	-0.227	-0.177	-0.074	-0.147	-0.013	-0.393
L/Defl Ratio		320.9	949.5	1,050.9	2,178.5	1,263.9	7,660.6	473.8
Center Total Defl	in	-0.771	-0.391	-0.338	-0.142	-0.254	-0.022	-0.676
Location	ft	6.000	9.000	7.750	6.048	7.750	4.000	7.750
L/Defl Ratio		186.7	552.4	550.8	1,141.6	732.7	4,457.1	275.1