### CITY OF SACRAMENTO 1231 I Street, Sacramento, CA 95814

Permit No: 0511178

Insp Area: Thos Bros:

Site Address: 5 BEACHCOMBER PL SAC PARUNKN000

THE HAMPTONS VIL. 1 LOT #37

Sub-Type: NSFR Housing (Y/N):

Parcel No:

14		
CONTRACTOR KB HOME NORTH BAY INC. 611 ORANGE DR VACAVILLE CA. 95687	<u>OWNER</u>	<u>ARCHITECT</u>
	TION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of ich this permit is issued (Sec. 3097, Civ. C).  dader's Address  CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 ith section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.  License Number Date S Contractor Signature  License Number Date S Contractor Signature  License Number Date S Octractor Signature  License Law for the following 81.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, nee, also requires the applicant for suber provisions of the Contractors hapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is license pursuant to the provisions of the Contractor Signature 10 of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and work himself or herself or through his/her own employees, provided that such improvements are post intended or offered for sale. If, however, mprovement is sold within one year of completion, the owner-builder will have the hurden of property who builds or improves for ale.	
CONSTRUCTION LENDING AGE the work for which this permit is issued (Se	NCY: I hereby affirm under pena. 3097, Civ. C).	alty of perjury that there is a construction lending agency for the performance of
Lender's Name		nder's Address
(commencing with section 7000) of Division	n 3 of the Business and Professions	Code and my license is in full force and effect.
reason (Sec. 7031.5, Business and Profession prior to its issuance, also requires the applic License Law (Chapter 9 (commencing with	ons Code; any city or county which ant for such permit to file a signed Section 7000) of Division 8 of the	requires a permit to construct, alter, improve, demolish, or repair any structure, statement that he or she is licensed pursuant to the provisions of the Contractors Business and Professions Code) or that he or she is exempt therefrom and the
sale (Sec. 7044, Business and Professional who does such work himself or herself or t	Code: The Contractors License La hrough his/her own employees, pro	w does not apply to an owner of property who builds or improves thereon, and vided that such improvements are <b>not intended</b> or offered for sale. If, however,
I, as owner of the property, am exci The Contractors License Law does not appl licensed pursuant to the Contractors License	ly to an owner of property who buil-	ds or improves thereon, and Who contracts for such projects with a contractor(s)
I am exempt under Sec.	B &PC for this reason:_\( \)	AND DEVELOPMENT SERVICES
Date 5-24-05	Ower Signature	Sunstall
measurements and locations shown on the	application or accompanying draw r prohibited locations for such imp	e city relies on the representation of the applicant, that the applicant verified all vings and that the improvement to be constructed does not violate any law or rovements. This building permit does not authorize any illegal location of any approvements.
I certify that I have read this application and building construction and herby authorize re	I state that all information is correct epresentative(s) of this city to enter	. I agree to comply with all city and county ordinances and state laws relating to upon the abovementioned property for inspection purposes.
Date 8-24-05	♣plicant/Agent Signature	, Dan Statt

WORKER'S COMPENSATION DECLARATION: 1 hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier

Exp Date

\_\_\_\_\_(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, Ishall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

8-24-05

Aplicant Signature

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.



Planning and Building Department

FIRE SITE

**Building Division** 

# CITY OF SACRAMENTO CALIFORNIA

Downtown Permits Center 1231 I Street, #200 Sacramento, CA 95814-2998

North Permits Center 2101 Arena Blvd., Suite 200 Sacramento, CA 95834

PERMIT NO. <u>05(1/78</u>

ADDRESS 5 BEDCH COMBER	PERMIT NO. <u>05(1/78</u>
INSPECTION COMMENTS	PERMIT DOCUMENTS
p-40. en enty	
p-42 ap com	
P. 43 AR Costin	
SETTACKS OK COM	
9-17-05 P-40 KP-5K	
all 63 811 12 mg 55m	
1/2 2/20x 817 26 AD FORCE	
JULIOS CAS AO ARG	
11-11-05 R-CI CN	OP
1 KI 05 BN 81-18 11.0 VI	GICURSE
1/20 P- 42 dP 7 R	
11-16 076 AD [()	
111719 927 38 1	
TUNAT AR	PPROVALS
	INOTALS
BUILDING	
ELECTRICAL	
PLUMBING	
MECHANICAL	

INSTALL ATION CERTIFICATE CF-6R Site Address HAMPTONS (CLUSTER An installation certificate is required to be Permit Numbe ade available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b). HVAC SYSTEMS: Heating Equipment Equip. CEC Certified Mfr name # of Identical (1) Efficiency (AFUE, Duct Type (pkg. Heating Location Heat pump) and Model # Duct or Piping Heating Load Systems etc.) > CF-1R value Capacity (attic, etc.) R-value FURNACE Carrier 58STX070-12 (Btu/hr)  $(Btu/h_{\Gamma})$ 80% ATTIC FURNACE Carrier 58STX070-12 28,313 70,000 80% PLAN 1708 ATTIC FURNACE Carrier 58STX070-12 27,627 70,000 6 PLAN 1722 80% ATTIC FURNACE Carrier 58STX090-16 6 31,392 70,000 PLAN 1848 80% ATTIC 27,627 90,000 PLAN 1922 Cooling Equipment Equip. CEC Certified Compressor # of Identical (I) Efficiency (SEER, Duct Type (pkg. Unit Mfr Name and Cooling Cooling Load Heat pump) Systems Location etc.) > CF-IR value Duct R-value Model # Capacity (Btu/hr) (attic, etc.) (Btu/hr) A/C Carrier 38BRC036\* 13.0 ATTIC A/C 22,792 Carrier 38BRC036\* 33,100 PLAN 1708 13.0 ATTIC 23,526 Α/¢

ATTIC

ATTIC

## \* = TXV valve installed as part of coil

(1) > reads greater than or equal to.

A/C

Carrier 38BRC036\*

Carrier 38BRC042\*

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable

13.0

13.0

Signature, Date

BEUTLER CORPORATION

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

26,043

23,526

33,100

33,100

38,600

PLAN 1722

PLAN 1848

PLAN 1922

CF-6R

CAN AM Plumbino INSTALLATION CERTIFICATE 3 (Page 1 of 13) Hamptons Clusters- Plan # Permit Number 0511178 5 Beachcomber

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

HVAC SYSTEMS
--------------

HAVO DXI	7 1 1/1/1/21						
IIeating Eq Equip. Type (pkg. heat comp)		# of Identical Systems	Efficiency (AFUE, etc.)' (>CF-!R value)	Duct Location (attic. etc.)	Duct or Piping R-value	Heating Load (Bto/hr)	Heating Capacity (Btu/hr)
Cooling Eq Equip. Type (pkg. leat pump)	uipment CEC Certified Compressor Unit Mfr Name and Model Number	# of Identical Systems	Efficiency (SEER, etc.)¹ (≥CF-1R value)	Duct Location (attic, etc.)	Duct R-value	Cooling Load (Bu/hr)	Cooling Capacity (Btu/br)
near outro	177,000 (10),000						

1. ≥ reads greater than or equal to

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

#### WATER HEATING SYSTEMS:

Heater Type	CEC Certified Mfr Name & Model Number	Distribution Type (Std, Point-of-Use)	If Recir- culation, Control Type	# of Identical Systems	Rated <sup>2</sup> Input (kW or Btu/hr)	Tank Volume (galions)	EM- ciency <sup>1</sup> (EF, RE)	Standby <sup>2</sup> Loss (%)	External Insulation R-value <sup>1</sup>
GAS	AO Smith GVR-50	STD	n/a	1	40,000	50		п/в	R16

<sup>2</sup> For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated input. For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.

3. R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

#### Faucets & Shower Heads:

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate ices (from the Appliance Efficiency Regulations or Part 6), where applicable. requirements for manufactured

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department

HERS Provider (if applicable) Building Owner at Occupancy Size Address 5 Beach comber Place

Permit Number 0511178

FENESTRATION/GLAZING:

Manufacturer/Brand Name	Product U-Factor <sup>1</sup> (≤ CF-1R value) <sup>2</sup>	Product SHGC¹ (≤ <u>CF-1R value)²</u>	# of Panes	Total Quantity of Like Product (Optional)	Square Peet	Exterior Shading Device or Overhang	Comments/Location/ Special Features
(GROUP LIKE PRODUCTS)	.35	5 <i>H</i>	2				). , Z
2.	735	TXJ	$\geq$				10WE
3.	<u> </u>	<u>Pw</u> 20					
5	<u>. 35</u>	<u> </u>	<del>5</del>		<del></del>		
6			<del></del>	<del></del> ,	<del></del>		
7.							
8. 9.	···········		-				
10.		<del></del>			**************************************		
11.					<del></del>		
1213.	<del></del>						
14.	·			<del></del>			
15.			-			<del></del>	
	<u> </u>				<del></del>		

Manufactured fenestration products use the values from the product label. Field fabricated fenestration products use the default values from Section 116 of the Energy Efficiency Standards.

I, the undersigned, verify that the fenestration/glazing listed above my signature: 1) is the actual fenestration product installed; 2) is equivalent to or has a lower U-Factor and lower SHGC than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) the product meets or exceeds the appropriate repairments for manufactured devices (Form Part 6), where applicable.

Item #s (if applicable)

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

Item #s (if applicable) Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

Item #s (if applicable)

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

COPY TO:

Building Department

HERS Provider (if applicable) Building Owner at Occupancy Installed U-Factor invist be less than or equal to values from CF-1R. Installed SHGC must be less than or equal to values from CF-1R, or a shading device (exterior or overhang) is installed as specified on the CF-1R. Alternatively, installed weighted average U-Factors for the total fenestration area are less than or equal to values from CF-1R.

FAX NO. 9164194027

### INSULATION CERTIFICATE

TORT INSULATION HAS BEEN INSTALLED IN CONFORMANCE
ENERGY REGULATIONS, CALIFORNIA ADMINISTRATION CODE,
CALIFORNIA, IN THE BUILDING LOCATED AT-THIS IS TO CERTIFY THAT INSULATION HAS BEEN INSTALLED IN CONFORMANCE

re addres:				1	171	11 1/1
E ADDRES			5 Beach	ront	er ti	UE
IT WADNED	S LOT 37 HAMF	TONS (CLUSTER)	NATOMAS		CA	
	NUMBER		CITY	•	STATE	
EILINGS:						
BLOW:	MANUFACTURER	GREEN FIBER	THICKNESS	10.3"	_R/VALUE	38
BATTS:	MANUFACTURER	KNAUF	THICKNESS	13"	_	38
		KNAUF			_	
XTERIOR WA	ALLS:					
	MANUFACTURER	KNAUF KNAUF	THICKNESS	3.5"	_R/VALUE _	13
LOOR INSUL	LATION:					
	MANUFACTURER	KNAUF KNAUF	THICKNESS	6,5*	RVALUE	19
IR INFILTRA	TION: (TITLE 24)					
	YES _	xxx NO				
OTHER:				· · · · ·	· · · · · · · · · · · · · · · · · · ·	
SENERAL CO	NTRACTOR: KB F	HOMES	LICENSE #			
		DATE				
				7:	94484	
NSULATION (	CONTRACTOR: WES					
ву: <b>ДО</b> Д	hytulken	TITLE AUTH. A	GENT	DATE	12	/8/2005

