## CITY OF SACRAMENTO

1231 I Street, Sacramento, CA 95814

Site Address: 5672 DA VINCI WY SAC

JMA NORTH NATOMAS VILLAGE 2 LOT # 1 Parcel No:

CONTRACTOR
REYNEN AND BARDIS COMMUNITIES
9856 BUSINESS PARK DRIVE SUITE A 95827

Permit No: 0603411

Insp Area:

ARCHITECT

Thos Bros: Sub-Type:


**NSFR** 

Housing (Y/N): N


**OWNER** 

CONSTRUCTION LENDING AGE the work for which this permit is issued (Sec		ere is a construction lending agency for the performance of
Lender's Name	Lender'sAddress	
(commencing with section 7000) of Division	CLARATION: I hereby affirm under penalty of part of the Business and Professions Code and my license part of the Business and Professions Code and my license part of the Business and Professions Code and my license part of the Business and Professions Code and my license part of the Business and Professions Code and my license part of the Business and Professions Code and Profession Cod	
reason (Sec. 7031.5, Business and Profession prior to its issuance, also requires the applic License Law (Chapter 9 (commencing with	ms Code; any city or county which requires a permit to ant for such permit to file a signed statement that he or section 7000) of Division 8 of the Business and Profes	exempt from the contractors License Law for the following construct, alter, improve, demolish, or repair any structure, she is licensed pursuant to the provisions of the Contractors ssions Code) or that he or she is exempt therefrom and the bjects the applicant to a civil penalty of not more than five
sale (Sec. 7044, Business and Professional who does such work himself or herself or the	Code: The Contractors License Law does not apply to a prough his/her own employees, provided that such impr	do the work, and the structure is not intended or offered for an owner of property who builds or improves thereon, and ovements are not intended or offered for sale. If, however, burden of proving that he/she did not build or improve for
The Contractors License Law does not apply	y to an owner of property who builds or improves thereo	ct the project (Sec. 7044, Business and Professions Code: on, and who contracts for such projects with a contractor(s)
I am exempt under Sec.	B & PC for this reason:	Bright State of the State of th
Date	Law).  B & PC for this reason:  Owner Signature  T, the applicant represents, and the city relies on the re	CALLY COLLEGE STATE
measurements and locations shown on the private agreement relating to permissible or improvement or the violation of any private. I certify that I have read this application and building construction and herby authorize re	application or accompanying drawings and that the in prohibited locations for such improvements. This bui	nprovement to be constructed does not violate any law of lding permit does not applicate any illegal location of any number of the location of any number of the location of any with all city and county ordinances and state laws relating to
WORKER'S COMPENSATION DE	CLARATION: I hereby affirm under penalty of per of consent to self-insure for workers' compensation as	jury one of the following declarations: s provided for by Section 3700 of the Labor Code, for the
L have and will maintain workers' co	mpensation insurance, as required by Section 3700 of tation insurance carrier and policy number are:	he Labor Code, for the performance of the work for which
Carrier	Policy Number	Exp Date
not employ any person in any manner so as		formance of the work for which this permit is issued, Ishall f California and agree that if I should become subject to the those provisions.

CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.



## DA VINCI WAY



Approved By:	Reynen & Bardis Rep.	Date
Revision	Approved By	Date
$\triangle$		77-111
<u> A</u>		

LOT AREA: 5775 SF

ALLOWED LOT COVERAGE: N/A ACTUAL LOT COVERAGE: 2421 SF = 41.9%

REAR YARD AREA:

NUMBER OF BEDROOMS:

1011 SF

It is understood that the drainage areas, slopes and grades shall not be altered, changed, blocked, modified or in any way be reconstructed by Owner contrary to what is depicted on this Plot Plan. THESE CONDITIONS RUN WITH THE LAND AND ARE BINDING ON ALL SUBSEQUENT OWNERS. All setback dimensions and elevations as shown may be adjusted to fit field conditions.

Plot Plan for JMA Village 2

PPA Job #013008

Lot **APN** 

XX Da Vinci Way, Sacramento, California 95835

## Reynen & Bardis Communities

10630 Mather Boulevard, Sacramento, California 95655 Phone (916) 366-3665 Fax (916) 369-0971

Plot Plan Associates www.plotplans.org PO Box 435, Citrus Heights, CA 95611-0435 (916) 769-9063

Date Drawn: 02/22/06 Scale: Date Revised:

1"=20' Drawn By: HAB

D:\013008\Plotplans\JMA2\_001.dwg

PLAN IS PREPARED TO SHOW THE DIMENSIONAL RELATIONSHIP FROM BUILDING FOUNDATION TO PROPERTY LINES, DRAINAGE CONTROL ELEVATIONS AND DIRECTION OF DRAINAGE FLOW. THIS IS DONE TO CONFORM TO LOCAL ORDINANCES FOR THE PURPOSE BUILD CONFORM TO LOCAL ORDINANCE. INFORMATION SHOWN ON THIS PLAN IS APPROXIMATE EXCEPT FOR MINIMUM SETBACKS WHICH ARE REQUIRED BY LOCAL ORDINANCE. THIS PLAN DOES NOT RELECT AS BUILT CONDITIONS WHICH WILL LIKELY VARY, FROM THIS PLAN.

# DA VINC: WY

INCT	λT	T A	TION	CERT	TELCA	TE
HNOL.	AI.	ı ı A		CERL	$\mathbf{I} \mathbf{\Gamma} \mathbf{I} \mathbf{V} \mathcal{M}$	

CF-6R

Site Address

Permit Number

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at accupancy, per Section 10-103(b).

HV	A.C	SYS	STEMS:	Ė

HVAC SY	5 / F.W15:						
Heating Eq Equip. Type (pkg. heat pump)	CEC Certified Mfr Name and Model Number	# of Identical Systems	Efficiency (AFUE, etc.) <sup>1</sup> [>Cf-1R value]	Duct Location (attic, etc.)	Duct or Piping R-value	Heating Load (Bto/br)	Heating Capacity (Bu/hr)
			A.A				
		******		v ·			Constitution of the state of th
			eads at the first terms of the same			F	
Cooling Eq	uipment						
Equip.	CEC Certified Compressive	# of	Efficiency	Duct		Cooling	Cooling
Type (pkg.	Unit Mir Name and	ldontical	(SEER, etc.)	t.ocation	Duct	Lond	Capacity
beat pump)	Model Number	Systems	[SCIFOLK value]	(attic, etc.)	R-value	(Btu/hr)	(Btu/hr)
						····	
		-1					

1. ≥ reads greater than or equal to.

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-tR) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

#### WATER HEATING SYSTEMS:

Heater Type	CEC Centified Mit Name & Model Number	Distribution Type (Std, Point-of-Use)	If Recir- culation, Control Type	# of Identical Systems	Raind <sup>)</sup> Input (kW or Bi <i>ul</i> lir)	Tank Volume (gallons)	Eff)- clency <sup>2</sup> (EF, RE)	Standby <sup>2</sup> Loss (%)	External Insulation R-value <sup>1</sup>
GAS GAS	M44076FBN-5 M45036FBN-5 M3XR75566N	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			40 1800 40 1800 18 (300	400	.63 80°/0		16

2 For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water kenters (rated input of greater than 75,000 Bin/hr), list Recovery Ef icioncy, Standby Coss and Rated Input. For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.

3. R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 3.58.

Faucets & Shower Heads:

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-)R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipmen that meets or exceeds the appropriate requirements for manulague of provices (from the Appliance Efficiency Regulations or Part 6), where applicable.

WILMOR & SONS PLUMBING

Installing Subcentractor (Co. Name) OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department

HERS Provider (if applicable) **Building Owner at Occupancy** 

Compliance Forms

August 2001

A-23



# INSULATION CONTRACTORS ASSOCIATION OF AMERICA

INSULATION CERTIFICATE	

## 1321 DUKE STREET, SUITE 303 • ALEXANDRIA, VA 22314 • (703) 739-0356

THIS IS TO CERTIFY THAT INSULATION HA CURRENT ENERGY REGULATIONS, CALIFORN CALIFORNIA, IN THE BUILDING LOCATED AT:	MA MOMINION LIVIAGE COSE	NFORMANCE WITH TITLE 24, STATE OF
ROMANESQUE SERIES		
STREET 5672 DA VENC	I WAY CITY Saive	amento_
EXTERIOR WALLS:		R-
MANUFACTURER	_ THICKNESS/TYPE	VALUE
<u>CEILINGS</u> : BATTS:		R-
MANUFACTURER	THICKNESS/TYPE	VALUE
BLOWN IN: MANUFACTURER INSULSAFE	_ THICKNESS	VALUE <u>\S</u>
SQUARE FOOTAGE COVERED 18/0	_ NUMBER OF BAGS USED	<u> </u>
EL O O D D		H-
FLOORS: MANUFACTURER	THICKNESS/TYPE	VALUE
OLAB ON ODADE:		H"
SLAB ON GRADE: MANUFACTURER	THICKNESS/TYPE	VALUE
MANUFACTURER		
WIDTH OF INSULATION	INCHES	
- ALBATION MALLO		R-
MANUFACTURER	THICKNESS/TYPE	VALUE
MANUFACTURER	<b></b>	
GENERAL CONTRACTOR		
CALIFORNIA CONTRACTORS LICENSE #		
		DATE 4116
SIGNATURE	TITL	Ē
		<b>*</b> *
INSULATION CONTRACTOR ALCAL AF	READE CONTRACTING	<u>,,                                   </u>
CALIFORNIA CONTRACTORS LICENSE #8152		
NEVADA CONTRACTORS LICENSE #0055201		DATE, -//-//
· Contact Milian	INST	aller
SIGNATURE	TITI	E
SIGNATURE		

AAC2000

# OMEGA PRODUCTS INTERNATIONAL, INC.

DIAMOND WALL INSULATING STUCCO SYSTEM

JOB ADDRESS:

**ICBO REPORT #4004** 

Builder: Reynen & Bardis

Job# J4101 Romanesque Natoma

Lot # 1

Plan/Elevation: 2614B

Date of Job Completion: 6-29-06

## PLASTERING CONTRACTOR:

Cornerstone Plaster Development, Inc. (CPD Inc.) 7309 Roseville Rd. Unit #1 Sacramento, CA 95842

Phone/Fax: (916) 332-26269 332-4844

Contractor Number of Diamond Wall System: 5135

This is to certify that the exterior coating system on the building exterior at the above address has been installed in accordance with the evaluation report specified above and the manufacturer's instructions.

Date

Signature of authorized representative of CPD Inc.

This installation card must be presented to the building inspector after completion of work before final inspection.

Reynen & Bardis - Romanesque Collection

#### Site Address

Permit Number

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

#### HVAC SYSTEMS:

### Heating Equipment

Equip. Type (pkg. Heat pump)	CEC Certified Mfr name and Model #	# of Identical - Systems	(i) Efficiency (AFUE, etc.) > CF-1R value	Duct Location (attic, etc.)	Duct or Piping R-value	Heating Load (Btu/hr)	Heating Capacity (Btu/hr)	-
Furnace	Lennox G40UH48B-090	1	0.80	Attic	R-4.2	34,638	90,000	Plan 1 (1906)
Furnace	Lennox G40UH48B-090	1	0.80	Attic	R-4.2	45,329	90,000	Plan 2 (2191)
Furnace	Lennox G40UH48B-090	1	0.80	Attic	R-4.2	47,410	90,000	Plan 3 (2614)
Furnace	Lennox G40UH60C-110	1	0.80	Attic	R-4.2	52,618	110,000	Plan 4 (2724)
Furnace	Lennox G40UH60C-110	1	0.80	Attic	R-4.2	60,253	110,000	Plan 5 (2951)
Cooling Equ	uipment							
Equip. Type (pkg. Heat pump)	CEC Certified Compressor Unit Mfr Name and Model #	# of Identical Systems	(1) Efficiency (SEER, etc.) > CF-1R value	Duct Location (attic, etc.)	Duct R-value	Cooling Load (Btu/hr)	Cooling Capacity (Btu/hr)	_
Condenser	Lennox 13ACC036 *	1	13.0	Attic	R-4.2	22,908	32,200	Plan 1 (1906)
Condenser	Lennox 13ACC042 *	1	13.0	Attic	R-4.2	27,750	35,300	Plan 2 (2191)
Condenser		1	13.0	Attic	R-4.2	30,136	35,300	Plan 3 (2614)
Condenser	Lennox 13ACC042 * Lennox 13ACC048 *	1	13.0 13.0	Attic Attic	R-4.2 R-4.2	30,136 33,558	35,300 43,700	Plan 3 (2614) Plan 4 (2724)
Condenser Condenser Condenser	Lennox 13ACC042 *	1 1 1		Attic Attic	R-4.2 R-4.2	33,558 38,422		-

(1) >\_reads greater than or equal to.

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

My Dus 1-10-06

**Beutler Corporation** 

OR General Contractor ( Co. Name) OR Owner

### WATER HEATING SYSTEMS:

Heater Type	CEC Certified Mfr Name & Model #	Distribution Type (Std, point of use)	If Recirculation Control Type	# of Identical Systems	(2) Rated Input (kW or Btu/hr)	Tank Volume (gallons)	(2) Efficiency (EF,RE)	(2) Standby Loss (%)	External Insulation R-value
								<del></del>	

- (2) For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Input. For instantaneous gas water heaters, list Recovery efficiency and Rated Input.
- (3) R-12 external insulation is mandatory for storage water heaters with an energy factor of less that 0.58.

## Facets & Shower Heads:

All facets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the *Energy Efficiency Standards* for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the *Appliance Efficiency Regulations* or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name)
OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department

HERS Provider (if applicable)
Building Owner at Occupancy

5672 DA VINCI WY