

CITY OF SACRAMENTO

Permit No: 9715463

1231 I Street, Sacramento, CA 95814

Insp Area: 3

Site Address: 5858 88TH ST SAC

Sub-Type: ACOM

Parcel No: 0620080050

Housing (Y/N): N

CONTRACTOR

OWNER

ARCHITECT

**BOC GASES
5858 88TH ST
SACRAMENTO CA 95828
Phone: 916-381-0773**

Phone:

Phone:

Nature of Work: TRUCK WASH FACILITY

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class AE B License Number 456-2001 Date 3-2-98 Contractor Signature [Signature]

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am ~~exempt from the~~ contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

____ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his or her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he or she did not build or improve for the purpose of sale.)

____ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

____ I am exempt under Sec. _____ B & PC for this reason: _____

Date _____ Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

Date _____ Applicant/Agent Signature _____

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

____ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

____ I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier _____ Policy Number _____

____ (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 3-2-98 Applicant Signature [Signature]

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

9715463C

CITY OF SACRAMENTO
BUILDING INSPECTION DIVISION
COMMERCIAL PLAN CHECK FEE RECEIPT
(916) 264-7619

YOUR PLAN CHECK # IS: 5594

PROJ. VAL. \$ 85,000

PLAN CHECK FEE \$ 781-

DATE 11-17-97

PARTIAL FEE (BALANCE OF P.C. FEE DUE \$)

CITY OF SACRAMENTO
PAID - BI

PROJECT ADDRESS: 5858 88th St

NOV 20 1997

JOB DESCRIPTION:

BLDG SHELL APT T.I. REM SITE FIRE ADD

BUILDING INSPEC.
OTHER

RECEIVED OF [Signature] IN ACCORDANCE WITH SECTION 9.51
OF THE SACRAMENTO CITY BUILDING CODE FOR SERVICES TO BE RENDERED IN CHECKING THE PLANS SUBMITTED

PLANS ARE SCHEDULED FOR THE FOLLOWING REVIEW:

RECEIVED BY: [Signature]
BLDG L/S PLUMB MECH ELECT FIRE SITE DEV. FEES P.W. ROUTE

COMBPT.WE1
12/14/98

DATE _____

JOB ADDRESS _____ PLAN CHECK # _____

USE FT2 X (SIFT2 - T.I.(COST))
1500 x 12.50 = \$ 18,750

Equip & Site = \$ 66,250

Site Work = \$ _____

PLAN CHECK FEES PAID _____ TOTAL VALUATION = \$ 85,000

PHASE OF WORK (PARTIAL PERMITS ONLY) _____ PREPARED BY _____

FINAL FEE WORKSHEET _____ PRELIMINARY FEE ESTIMATE (SUBJECT TO CHANGES)

WORKERS' COMP: _____

CARRIER: _____

PERMIT FEE WORKSHEET

BLDG. PERMIT FEE 95.4-
PLAN CHECK FEES DUE pd. 701-
S.M.I. 18.06

CONST. EXCISE TAX

CITY BUSINESS LICENSE 34.40

FLOOD REVIEW FEE (17) 17.00

HAZMAT FEE (17) 17.00

SCHOOL IMPACT PROC. FEE (17) 17.00

ADDRESS FEE (17) -

PERMIT PROCESSING FEE (19) -

TOTAL PERMIT PROCESSING 34.00 = 34.00

TECHNOLOGY SURCHARGE 129.40

SUBTOTAL 77.40

SCHOOL FEES YES, NO, DTBA

CO. REGIONAL SANITATION FEES YES, NO, DTBA/COMMENTS

TOTAL FEES _____

HOUSING TRUST FUND FEE NATU MAS YES NO

LANDSCAPE FEE 50

FIRE FEE .02/SF

PARTIAL PERMIT FEE

ENGINEERING FEE

WATER DEVELOPMENT FEE

SEWER DEVELOPMENT FEE

RESIDENTIAL CONST. TAX

GRADING REVIEW FEE 150 or 300

BELL AVE. FEE

F.B.A.

POCKET AREA BRIDGE FEE

QUIMBY PARK FEE

SUBTOTAL

LEFT MESSAGE w/ HOWARD (Nick) 11/21/97 BZ

ADDRESS 5850 88th ST. # _____

P.C.# 5594 PREPARED BY BT DATE 1/21/91

Owner/builder forms are required to be signed by the owner or tenant if the permit will be pulled by the owner or tenant.

Current Certificate of Worker's Compensation must be on file with Building Dept. (Certificate holder's name and address must read City of Sacramento, Dept. of Planning & Development, Building Inspection Division, 1231 I St. Room 200, Sacto. CA 95814) This form is required for contractors who are not exempt from workers' compensation requirements and for owners who will be using their own employees to perform work.

Letter of authorization from contractor on company letterhead for employees of contractor to sign for permit. Exhibit 1 must be signed by owner if employees or agents will be signing for permit.

School Impact Fee form must be taken to applicable School District and fees paid. Receipt must be returned to Building Department.

A Driveway permit must be obtained from Department of Public Works. Contact Danny Lee at 264-7915.

A Regional Sanitation Permit must be obtained from the County. The receipt must be returned to the Building Department. Contact Howard Richmond at 855-8079.

Special Inspection forms must be completed and signed by owner.

Hazardous Materials form must be completed and signed by owner.

This project is in an A-99 flood zone. A flood waiver form for _____ substantial improvements _____ new construction is required to be signed and returned to the Building Department prior to permit issuance.

This project is in an AO, AE, or AH flood zone. An elevation certificate signed by a California licensed Civil Engineer is required prior to permit issuance. The engineer will also be required to certify the building pad elevation.

This project is in the Natomas flood moratorium area. Commercial projects will be required to meet the requirements of City Ordinance. Residential projects may not be built without a waiver.

Sewer connection waiver form req'd. to be signed by owner.

Other _____

	REQUIRED			NOT REQUIRED	UNKNOWN AT THIS TIME
	APPROVED/RECEIVED	ATTACHED	PREVIOUSLY ATTACHED		
Owner/builder forms are required to be signed by the owner or tenant if the permit will be pulled by the owner or tenant.	/				
Current Certificate of Worker's Compensation must be on file with Building Dept. (Certificate holder's name and address must read City of Sacramento, Dept. of Planning & Development, Building Inspection Division, 1231 I St. Room 200, Sacto. CA 95814) This form is required for contractors who are not exempt from workers' compensation requirements and for owners who will be using their own employees to perform work.				X	
Letter of authorization from contractor on company letterhead for employees of contractor to sign for permit. Exhibit 1 must be signed by owner if employees or agents will be signing for permit.					/
School Impact Fee form must be taken to applicable School District and fees paid. Receipt must be returned to Building Department.		/			
A Driveway permit must be obtained from Department of Public Works. Contact Danny Lee at 264-7915.					/
A Regional Sanitation Permit must be obtained from the County. The receipt must be returned to the Building Department. Contact Howard Richmond at 855-8079.		/			
Special Inspection forms must be completed and signed by owner.					/
Hazardous Materials form must be completed and signed by owner.		/			
This project is in an A-99 flood zone. A flood waiver form for _____ substantial improvements _____ new construction is required to be signed and returned to the Building Department prior to permit issuance.					
This project is in an AO, AE, or AH flood zone. An elevation certificate signed by a California licensed Civil Engineer is required prior to permit issuance. The engineer will also be required to certify the building pad elevation.					/
This project is in the Natomas flood moratorium area. Commercial projects will be required to meet the requirements of City Ordinance. Residential projects may not be built without a waiver.					/
Sewer connection waiver form req'd. to be signed by owner.					
Other _____					

? Look for it
 Look for it
 ask Bryan
 if matters

CITY OF SACRAMENTO
BUILDING INSPECTION • DEPARTMENT OF PLANNING AND DEVELOPMENT
1231 I STREET • SACRAMENTO, CA 95814 • PHONE (916)264-7619

STRUCTURAL TESTS AND INSPECTIONS SCHEDULE

PRIOR TO OBTAINING THE PERMIT, THE PROJECT OWNER SHALL COMPLETE, SIGN AND SUBMIT THIS FORM FOR THE BUILDING INSPECTION DIVISION FOR APPROVAL.

PROJECT NAME: TRUCK WASH
PROJECT ADDRESS: 5858 BRTH ST.
PLAN REVIEW # 5594
PERMIT NUMBER

TESTING/INSPECTION AGENCY/ES:

OWNER'S NAME: Jim Sehlhaegel
SIGNATURE: [Signature] PLANT MGR
(Please Print)

herby certifies that the Testing/Inspection agency named above has been engaged to perform structural tests and inspections during construction, as noted below, to satisfy all applicable portions of the Uniform Building Code.

INSPECTIONS REQUIRED

In accordance with Sections 302 and 306 of the Uniform Building Code, special inspections shall be performed on the following items (circled):

- 1 CONCRETE $f'_c = 4,000 \text{ psi}$
- 2 REINFORCING/PRESTRESS STEEL $f_y = 60 \text{ ksi}$
- 3 WELDING
- 4 HIGH STRENGTH BOLTING A325N
- 5 STRUCTURAL MASONRY
- 6 PILING, DRILLED PIERS, CAISSONS
- 7 SPRAY APPLIED PROOFING
- 8 OTHER

Post-Box No. 7871	Dem. 8-11-98	5858	1
To BCC	From City of Sac.	Co.	
Company			
Phone #			
Fax # 264-7046			

Referenced drawings listed represent a sample of the items requiring special inspection and are not intended to document all drawings or specifications containing information pertaining to that item.

Date _____ Date of Approval _____

383-1155
BCC GASES
12/2/97

Approved by: _____ Person Notified: _____

Select the method of compliance: _____ Fee Payment _____ Build Option _____

For "Other" uses above, describe use and the potential number of employees in the building:

Part II (Completed by Applicant)

The applicant or agent was notified of the fee determination on _____ The deadline for filing a variance application with the Planning & Development Department is ten (10) days after the notification date.

Type Use	Square Foot	Fee/SF	Fee Amount
Office		x.99	
Hotel		x.94	
R & D		x.84	
Commercial	1500	x.79	1,185.00
Manufacture		x.62	
Warehouse/Office		x.36	
Warehouse		x.27	
Other		x.	
Subtotal			\$
Plus processing Fees of:			\$ 50.00
The Planning Director has determined the total fees for this project are:			\$ 1,235.00

Permit Type (Circle All that Apply): New Construction Interior Remodel Tenant Improvement Change of Use Addition

Part I (Completed by Planning and Development Dept)

Property Address: 5858-88th ST Assessor Parcel No: 062-0080-051

Agent's Name: _____ Phone: (916) 381-0773 Date: 11-19-97

Exempt? Indicate Entitlement Application No. or Type of Exemption: ~~1-888-995-5394~~ PA

Interior Remodeling? Describe current use and proposed change in use: _____

HOUSING TRUST FUND (HTF) APPLICATION

Plan Check Number 5594

Yes

PLAN CHECK ROUTING PROCEDURE

Date Received: _____ Plan Check #: 5594
 Project: Trench work facility & water separator to discharge in sewer
 Address: 5854 88th St
 Legal Description: 042-0080-050 Fire Zone: _____
 Contractor: e/c BOC gases Telephone: _____
 Address: _____ City License: _____
 Architect: _____ Telephone: 381-0273
1-888-995-3394

contact person
Randall Anderson

PUBLIC WORKS - ENGINEERING TRANSPORTATION:
 927 - 10th Street, Room 100, Ron Perry

CIVIL ENGINEERING Date Received: _____
 Approved: [Signature] Disapproved: _____
 Total frontage length of New Street Improvements: _____ LF
 Comments: ON-SITE GRADING & DRAINAGE APPROVED

Right of Way Dedication : Approved N/A Disapprove _____
 Public Improvement Agreement: Approved N/A Disapprove _____
 Surety Bond, etc. : Approved N/A Disapprove _____
 Staking and Inspection Fee : N/A \$ _____

TRAFFIC ENGINEERING
 927 - 10th Street, Room 100, Paul Favilla

Approved: [Signature] Date Received: _____
 Disapproved: _____
 Need new driveway permit _____
 No driveway permit needed NO NEW DRIVEWAY REQUESTED
 Removal of abandoned driveway _____
 Comments: _____

PUBLIC WORKS - WATER & SEWER, PLANNING, ARCH, REVIEW COMMITTEE,
 927 - 10th Street, Room 100, Ron Perry

Approved: [Signature] Date Received: _____
 Disapproved: _____
 Comments: NO DEVELOPMENT FEE REQUIRED - NO NSD SERVICES REQUESTED

SITE CONDITIONS UNIT (264-7619)
 Steve Reed, Gary Spross, Wes Jigour

Approved _____ Date Received: _____
 Approved with Changes _____ Disapproved _____
 Review Zone: _____ Special Permit: _____ Variances: _____
 Parking Spaces Furnished: _____ Parking Spaces Required: _____
 Comments: _____

ARCHITECTURAL ADVISORY COMMITTEE
 (264-5604) Dick Hastings

Date Received: _____
 Is property located in a Civic Improvement District _____
 Meeting _____ Approved _____ Approved with Changes _____ Disapproved _____
 Item# _____ Comments _____
 P# _____

PLAN CHECK ROUTING PROCEDURE

Date Received: _____	Plan Check #: <u>5594</u>
Project: <u>Trench work facility & water separator to discharge in sewer</u>	
Address: <u>5858 88th St</u>	
Legal Description: <u>042-0080-050</u>	Fire Zone: _____
Contractor: <u>e/b BOE gases</u>	Telephone: _____
Address: _____	City License: _____
Architect: _____	Telephone: <u>381-0273</u>
	<u>1-888-995-3394</u>

*contact person
Randall Anderson*

PUBLIC WORKS - ENGINEERING TRANSPORTATION:
927 - 10th Street, Room 100, Ron Perry

CIVIL ENGINEERING	Date Received: _____
Approved: _____	Disapproved _____
Total frontage length of New Street Improvements: _____	LF _____
Comments: _____	
Right of Way Dedication :	Approved _____ Disapprove _____
Public Improvement Agreement:	Approved _____ Disapprove _____
Surety Bond, etc. :	Approved _____ Disapprove _____
Staking and Inspection Fee :	\$ _____

TRAFFIC ENGINEERING
927 - 10th Street, Room 100, Paul Favilla

Approved: _____	Disapproved _____	Date Received: _____
Need new driveway permit _____		
No driveway permit needed _____		
Removal of abandoned driveway _____		
Comments _____		

PUBLIC WORKS - WATER & SEWER, PLANNING, ARCH, REVIEW COMMITTEE,
927 - 10th Street, Room 100, Ron Perry

Approved: _____	Disapproved _____	Date Received: _____
Comments: _____		

SITE CONDITIONS UNIT (264-7619)
Steve Reed, Gary Spross, Wes Jigour

Approved _____	Approved with Changes _____	Disapproved _____	Date Received: _____
Review Zone: _____	Special Permit: _____	Variances: _____	
Parking Spaces Furnished: _____	Parking Spaces Required: _____		
Comments: _____			

ARCHITECTURAL ADVISORY COMMITTEE
(264-5604) Dick Hastings

Is property located in a Civic Improvement District _____	Date Received: _____	
Meeting Approved _____	Approved with Changes _____	Disapproved _____
Item# _____	Comments _____	
P# _____		

CITY OF SACRAMENTO
 BUILDING INSPECTION * DEPARTMENT OF PLANNING AND DEVELOPMENT
 1231 I STREET * SACRAMENTO, CA 95814 * PHONE (916)264-7619

STRUCTURAL TESTS AND INSPECTIONS SCHEDULE

PRIOR TO OBTAINING THE PERMIT, THE PROJECT OWNER SHALL COMPLETE, SIGN AND SUBMIT THIS FORM FOR THE BUILDING INSPECTION DIVISION FOR APPROVAL.

PROJECT NAME: _____
 PROJECT ADDRESS: 5858 88th St.

PLAN REVIEW # 5594
 PERMIT NUMBER _____

TESTING/INSPECTION AGENCY/IES: _____

OWNER'S NAME: _____ SIGNATURE: _____
 (Please Print)

hereby certifies that the Testing/Inspection agency named above has been engaged to perform structural tests and inspections during construction, as noted below, to satisfy all applicable portions of the Uniform Building Code. (Signature)

INSPECTIONS REQUIRED

In accordance with Sections 302 and 306 of the Uniform Building code, special inspections shall be performed on the following items (circled):

Item	Description	Ref. Dwg.*
①	CONCRETE <u>$f_c' = 4,000 \text{ psi}$</u>	<u>SI.1</u>
②	<u>REINFORCING</u> /PRESTRESS STEEL <u>$f_y = 60 \text{ KSI}$</u>	<u>"</u>
3.	WELDING _____	_____
④	HIGH STRENGTH BOLTING <u>A325 N</u>	<u>L1 of 1</u>
5	STRUCTURAL MASONRY _____	_____
6	PILING, DRILLED PIERS, CAISSONS _____	_____
7.	SPRAY APPLIED PROOFING _____	_____
8	OTHER _____	_____

Post-it® Fax Note 7671		Date <u>2-11-98</u>	# of pages <u>1</u>
To <u>BOC</u>	From <u>City of Sac.</u>		
Co./Dept.	Co.		
Phone #	Phone #		
Fax #	Fax # <u>264-7046</u>		

* Referenced drawings listed represent a sample of the item requiring special inspection and are not intended to document all drawings or specifications containing information pertaining to that item

BID APPROVAL _____ Date _____ BID # 382(02/95)

383-1155
 BOC raises fax#
 12/2/97 fax

Planning Division COMMERCIAL PRELIMINARY Information Request

BUILDING CHECK ONE:

Over the counter review and issue permit _____
Will be taken in and reviewed for site conditions _____
Will be taken in but not reviewed for site conditions _____
Information only, pre-submittal information _____

Customer Name: BDC Gases Phone Number: 916-381-0773 (1-888-995-3394 pager)

Project address: 5858 88th St. Sacramento, CA 95828
APN: 062-080-50 Current site use: BDC Gases

Need to verify AN Proposed Site use: NEW TRUCK WASH BAY

Describe what is being requested: APPROVAL & COMMENTS

Requested by: B.T. Date: 11/19/97

Zone M-25 Overlay / SPD / PUD / R-review _____
Planning staff Review required _____
Planning Hearing required _____
Design Review required _____
No Planning Issues X
Counter ok review by site cond. X

Prior Applications on site P# _____ Z# _____
DR# _____ PB# _____ IR# _____

Comments:
"No" Commission review
or Design Review required

Planning review by: M. Weitzman Date: 11-19-97

- MUST BE REVIEWED BY PLANNING
- | | | |
|-----------------|----------------------|---------------|
| Care Facilities | Anything Residential | Restaurants |
| Churches | Day care | Sidewalk Cafe |
| Drive-through | Lot Line adjustments | |
| Medical Offices | Bars | |

Security gates
CELLULAR COMMUNICATION FACILITIES

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM
FLOODPROOFING CERTIFICATE
FOR NON-RESIDENTIAL STRUCTURES

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or effect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance.

BUILDING OWNER'S NAME B.O.C. GAGES	FOR INSURANCE COMPANY USE POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 5858 28TH STREET	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) SACRAMENTO, CA	95828
CITY	STATE ZIP CODE

SECTION I FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM:

COMMUNITY NUMBER	PANEL NUMBER	SUFFIX	DATE OF FIRM INDEX	FIRM ZONE	BASE FLOOD ELEVATION (in AO Zones, use depth)
060266	0015	E	NOV 15 1989	AH	44

SECTION II FLOODPROOFING INFORMATION (By a Registered Professional Engineer or Architect)

Floodproofing Design Elevation Information:

Building is floodproofed to an elevation of 45.9 feet NGVD. (Elevation datum used must be the same as that on the FIRM.)

Height of floodproofing on the building above the lowest adjacent grade is 45.9 feet.

(NOTE: for insurance rating purposes, the building's floodproofed design elevation must be at least one foot above the Base Flood Elevation to receive rating credit. If the building is floodproofed only to the Base Flood Elevation, then the building's insurance rating will result in a higher premium.)

SECTION III CERTIFICATION (By a Registered Professional Engineer or Architect)

Non-Residential Floodproofed Construction Certification:

I certify that based upon development and/or review of structural design, specifications, and plans for construction that the design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:

The structure, together with attendant utilities and sanitary facilities, is watertight to the floodproofed design elevation indicated above, with walls that are substantially impermeable to the passage of water.

All structural components are capable of resisting hydrostatic and hydrodynamic flood forces, including the effects of buoyancy, and anticipated debris impact forces.

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME DAVID SCHLUETER	LICENSE NUMBER (or Affix Seal) SE 2569
TITLE PRINCIPAL	COMPANY NAME CONSTRUCTION COORDINATION LTD
ADDRESS 2120 20TH ST	CITY STATE ZIP SACRAMENTO CA 95818
SIGNATURE <i>David Schlueter</i>	DATE PHONE 2 MAR 98 916 454 1639

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.