

CITY OF SACRAMENTO

Permit No: 9805622

1231 I Street, Sacramento, CA 95814

Insp Area: 4

Site Address: 2170 ACOMA ST SAC

Sub-Type: ACOM

Parcel No: 2750112017

Housing (Y/N): N

CONTRACTOR

ALLSTATE
1820 DIESEL DR #50
SACRAMENTO CA

95838

OWNER

CARTER DALE L
2170 ACOMA ST
SACRAMENTO CA

95815

ARCHITECT

Nature of Work: NEW GAS LINE FOR NEW EVAPOATOR IN CHROME PLATING SHOP REQ'D BY FIRE DEPT.SEE BOB D.

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name Lender's Address

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class C36 License Number 576561 Date 6-29-98 Contractor Signature [Signature]

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. B & PC for this reason: Date 6-29-98 Owner Signature [Signature]

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and herby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes. Date 6-29-98 Applicant/Agent Signature [Signature]

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations: I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, forthe performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are: Carrier State Fund Policy Number 1469337-97 10-16-98

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 6-29-98 Applicant Signature [Signature]

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.


TDB 8621A  
TDB-108

# AMERICAN\*

## Regulator Series 1813 C

### Specifications and Capacity Data

October 1986



ISSUED

\*Trademark of the AMERICAN METER CO.

JUN 29 1998

CITY OF SACRAMENTO  
DEVELOPMENT SERVICES DIV

**AMERICAN**  
**METER COMPANY**  
Measurement Engineers Since 1836



Pacific Gas and Electric Company

5555 Florin Parkway Road  
Sacramento, CA 95826

June 24, 1998

Mr. Dale Carter  
2170 Alcoma Street  
Sacramento, CA 95815

Re: A-1 Plating, Inc.

Dear Mr. Carter:

We are pleased to comply with your request that we furnish gas service at a delivery pressure greater than the Standard Delivery Pressure of seven (7) inches of water column (approximately 1/4 per square inch) to your project at 5 psi.

We call your attention to the possibility that this higher pressure may be reduced to not less than the Standard Delivery Pressure under the provisions of Section A.4.c of our Rule No. 2 (copy enclosed). Although it is not contemplated that such a reduction in pressure will be made, it may become necessary in the operation of our gas system.

We shall try to give you adequate notice of any proposed reduction in pressure; however, conditions at the time may not permit any such notification. In any event, Pacific Gas and Electric Company, its officers, employees, or agents cannot be responsible for any damage, loss, or expense resulting in any way from a reduction to a delivery pressure not less than our Standard Delivery Pressure.

If operating conditions require us to reduce the delivery pressure, you may want to install pressure boosting equipment to obtain adequate pressure for your needs.

It is understood that you will advise any tenant of your site or your successor, of the contents to this letter.

Please acknowledge your understanding and acceptance of this condition of service by signing the duplicate copy of this letter in the space designated below and returning it to me.

Secretary

*William C. Tidton*  
WILLIAM C. TIDTON  
Secretary

Accepted:  
Signature / Date *Dale Carter*  
Sacramento Body Shop

ISSUED

JUN 29 1998

CITY OF SACRAMENTO  
DEVELOPMENT SERVICES

[REDACTED]

The O & S Mfg. gas burners are used on immersion fire tube tanks. These burners mount on either a 4" ID schedule 40 pipe or a 6" ID schedule 40 pipe. There should be 3 inches of tube extending from the outer wall. Use 90° long radius elbows on the first 2 bends. See attached "generic" tank drawing. Your requirements needs may differ than the one shown.

The burners are typically mounted on tanks that are used for :

[REDACTED]

**THE RATING ON THE BURNERS**

[REDACTED] -- IS 350,000 BTU/H WITH A MAXIMUM INPUT OF 1/2 POUND OF NATURAL GAS OR 15" OF WATER COLUMN. SPECIFIC GRAVITY IS .64.  
 THE CONTINUOUS BURNING PILOT BURNS 7 CU FT HR.  
 THE TEMPERATURE CONTROL SYSTEM IS INCLUDED.  
 THE UNIT OPERATES ON 110V A.C. WITH 2 AMP DRAW.

[REDACTED] -- IS 450,000 BTU/H WITH A MAXIMUM INPUT OF 1/2 POUND OF NATURAL GAS OR 15" OF WATER COLUMN. SPECIFIC GRAVITY IS .64.  
 THE CONTINUOUS BURNING PILOT BURNS 7 CU FT HR.  
 THE TEMPERATURE CONTROL SYSTEM IS INCLUDED.  
 THE UNIT OPERATES ON 110V A.C. WITH 2 AMP DRAW.

[REDACTED] -- IS 175,000 BTU/H WITH A MAXIMUM INPUT OF 1/4 POUND OF NATURAL GAS OR 8" OF WATER COLUMN. SPECIFIC GRAVITY IS .64.  
 THE CONTINUOUS BURNING PILOT BURNS 7 CU FT HR.  
 THE TEMPERATURE CONTROL SYSTEM IS INCLUDED.  
 THE UNIT OPERATES ON 110V A.C. WITH 2 AMP DRAW.

[REDACTED] -- IS 200,000 BTU/H WITH A MAXIMUM INPUT OF 1/4 POUND OF NATURAL GAS OR 10" OF WATER COLUMN. SPECIFIC GRAVITY IS .64.  
 THE CONTINUOUS BURNING PILOT BURNS 7 CU FT HR.  
 THE TEMPERATURE CONTROL SYSTEM IS INCLUDED.  
 THE UNIT OPERATES ON 110V A.C. WITH 2 AMP DRAW.

The valve train components are American Gas Association Approved.

ISSUED

JUN 29 1998

CITY OF SACRAMENTO  
 DEVELOPMENT SERVICES DIV

Not To Scale

500,000 lbs of fine RTU want pound

New Line & From Meter to Regulator = 140'

Out side wall

Regulators will be American Meter Co. Series 1813 C

Gas Regulator to 1/2 Pound 5 Pound with vent run to out side

NEW GAS LINE

100 gal RTU with 1000 1/4 pound

gas Regulator to 1/4 Pound gas meter

30 gal water heater RTU 30000 1/4 pound

ISSUED

JUN 29 1998

CITY OF SACRAMENTO DEVELOPMENT SERVICES DIV

gas line

A1 PLATINGS  
2170 ACORN ST  
SAC,