CITY OF SACRAMENTO			Permit No	0611	554
1231 I Street, Sacramento, CA 95814			Insp Area:	3	
		411	Thos Bros:	318B5	
and the second of the second o			Thos Dros.	51015	
Site Address: 5900-71ST-ST SAC	en ter Talent ter	PAID	Sub-Type:	ASFR	
Parcel No: 027-0311-011	CITY		MENousing (Y/1		
	in the Value I	***		.,,. 11	estelli la quil di
CONTRACTOR JEFFERY DAVIS  OWY HOW	<u>YER</u> WELL JR NEIL VAL/THI	JUL 2 8 7	2006 ARCHITECT	1	
	71ST ST	and and the second			
FREMONT, CA 94536 SAC	RAMENTO, CA 95824GH	HBORHOODS F	PLANNING		
NatureofWork: ROOMADDITION825SQFT,R	EROOF TEAR OFF	EVELOPMENT	SERVICES	רפסקדדוני	COSTOPVSED 22
SQUARES, AND	CERCOT, TEARCOTT	MILITOIR	COM ,ANDINEW	CITERS	. O231 OK 1 31 K22
HVAC CHANGE OUT PACKAGE ROOF MOU	J <b>NT</b>				
5 to 10 to 1				ile.	
CONSTRUCTION LENDING AGENCY: I hereby	affirm under penalty of per	rjury that there is a	construction lending age	ncy for the pe	rformance of
the work for which this permit is issued (Sec. 3097, Civ. C).					
Lender's Name	Lender'sAdd	ress			
LICENSED CONTRACTORS NECLARATION.	Thereby O'Come and an		11		0.01
LICENSED CONTRACTORS DECLARATION: (commencing with section 7000) of Division 3 of the Business	s and Professions Code and	enaity of perjury I my license is in fi	that I am licensed unde ull force and effect.	r provisions o	of Chapter 9
License Class License Number 797601 Date	e 7-28-06 Cor	straator Cianotura	A O	*11*	
Electise Class Class Class Number 197001 Date	e / <b>28 33</b> Cor	mactor Signature_	J 13011-	# 1	
basis for the alleged exemption. Any violation of Section 70 hundred dollars (\$500.00);  I, as a owner of the property, or my employees with w sale (Sec. 7044, Business and Professional Code: The Contra who does such work himself or herself or through his/her own the building or improvement is sold within one year of complethe purpose of sale.)  1, as owner of the property, am exclusively contracting	vages as their sole compens actors License Law does no n employees, provided that etion, the owner-builder wi g with licensed contractors	ation, will do the of apply to an own such improvemer all have the burden to construct the p	work, and the structure is er of property who builds its are not intended or of of proving that he/she di project (Sec. 7044, Busin	not intended of or improves fered for sale. d not build or ess and Profes	or offered for thereon, and If, however, improve for sions Code:
The Contractors License Law does not apply to an owner of p incensed pursuant to the Contractors License Law).	roperty wno builds or impi	oves thereon, and	who contracts for such p	rojects with a	contractor(s)
manta modela je poslavani se po				*	A STATE OF THE STA
I am exempt under Sec B & PC f	or this reason:	··· ·		<del>.</del>	
DateOwner Si	ignature				
IN ISSUING THIS BUILDING PERMIT, the applicant re measurements and locations shown on the application or acc private agreement relating to permissible or prohibited location improvement or the violation of any private agreement relating I certify that I have read this application and state that all infor building construction and herby authorize representative(s) of the state of	companying drawings and ons for such improvements to location of improvement rmation is correct. I agree t	that the improven  This building pots.  cocomply with all	nent to be constructed de ermit does not authorize city and county ordinance	nes not violate any illegal loc es and state lav	any law or ation of any
		overnentioned pro	operty for inspection purp	oses.	ette german er
Date 7-28-06 Applicant	Agent Signature 2	1 BEINT	·	<del>.</del>	
WORKER'S COMPENSATION DECLARATION:  I have and will maintain a certificate of consent to self performance of work for which the permit is issued.					ode, for the
I have and will maintain workers' compensation insurate this permit is issued. My workers' compensation insurance car	nce, as required by Section rier and policy number are	3700 of the Labo	or Code, for the performa	nce of the wo	rk for which
Carrier StateFund	Policy Number	16336	350 Exp. Date	8/3/	54
(This section need not be completed if the permit is for not employ any person in any manner so as to become subject workers' compensation provisions of Section 3700 of the Labor	to the workers' compensat	ion laws of Califor	rnia and agree that if I sh	his permit is is	sued, Ishall ubject tothe

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

Date\_

This form is to be filled out completely & signed by applicant/owner/contractor responsible for Title 24 Energy Compliance & returned to the field inspector at final.

STALLATION CERTIFICATE (Page 1 of 13)

An insinform complete	Equipment CEC Certific Unit Mf N Model N	this form is ection, a copy of 10-103(b).  I 0-103(b).  I 0-103(b).  I Number STATE  A Compression and lumber STATE  or equal to, rify that equicified in the for residential (from the Ap. 3 - 20.	to be posser required; by must be p sof identical Systems  ipenent lists certificate il buildings, spilance Eff	Efficiency (AFUE, etc.)  Efficiency (AFUE, etc.)  Efficiency (SEER, etc.)  Efficiency (SEER, etc.)  And above is: 1) is of compliance (), and 3) equipments	Duct Location fattic, etc.)  Duct Location fattic, etc.)  Duct Location fattic, etc.)  The actual equipment of the actual equi	Duct or Piping Ryalus  Duct or Piping Ryalus  Duct Ryalus	Heating Load (Bu/hr) (60, 600)  Cooling Load (Bu/hr) (40, 600)  Cooling Load (Bu/hr) (40, 600)	Hesting Capacity (Btu/br)  Cooling Capacity (Btu/br)  Cooling Capacity (Btu/br)  Lo Cooling Capacity (Btu/br)	
An instinform complete complete complete complete complete control occupation	allation certificate ation provided on tion of final inspection of final inspection. SYSTEMS:  SEQUIPMENT  CEC Certificate and Model No.  Braynett  CEC Certificate and Model No.  Braynett  CEC Certificate and Model No.  Braynett  CEC Certificate and Model No.  CEC Certificate an	this form is ection, a copy of 10-103(b).  I 0-103(b).  I 0-103(b).  I Number STATE  A Compression and lumber STATE  or equal to, rify that equicified in the for residential (from the Ap. 3 - 20.	to be posser required; by must be p sof identical Systems  ipenent lists certificate il buildings, spilance Eff	Efficiency (AFUE, etc.)  Efficiency (AFUE, etc.)  Efficiency (SEER, etc.)  Efficiency (SEER, etc.)  And above is: 1) is of compliance (), and 3) equipments	Duct Location fattic, etc.)  Duct Location fattic, etc.)  Duct Location fattic, etc.)  Office the actual equipment of Part 6),  at that meets o	Duct or Piping Ryalus  Duct or Piping Ryalus  Duct Ryalus	Heating Load (Bu/hr) (60, 600)  Cooling Load (Bu/hr) (40, 600)  Cooling Load (Bu/hr) (40, 600)	Hesting Capacity (Btu/br)  Cooling Capacity (Btu/br)  Cooling Capacity (Btu/br)  Lo Cooling Capacity (Btu/br)	
inform complete complete complete complete control occupation occu	stion provided oution of final inspense, per Section I SYSTEMS:  g Equipment  CEC Certification I Strategies  CEC Certification I Strategies  CEC Certification I Model I Mark Mark Model I Mark Mark Model I Model I Mark Model I Model I Mark Mark Model I Model I Model I Mark Model I Model I Model I Mark Model I Model I Mark Model I Model I Model I Model I Mark Model I	d Mil Name  10-103(b).  d Mil Name  1 Number  5 7-14  d Compressor  inme and  inmer  5 7-14  or equal to,  rify that equi  cified in the  for residential  (from the Ap	y must be p	Efficiency (AFUE, etc.)  CF-IR value  Efficiency (SEER, etc.)  [SCF-IR value]  1 3  ed above is: 1) is of compliance (), and 3) equipme	Dect Location faute, etc.)  Duct Location faute, etc.)  Duct Location fatte, etc.)  Offic.  the actual equivers of Part 6),  ent that meets of the constant of	Duct or Plying Rivalue  Duct R	Heating Load (Bu/hr)  (60, 100)  Cooling Load (Bu/hr)  (c)	Cooling Capacity (Bu/hr) (C. CC)  Cooling Capacity (Bu/hr) (C. CC)  Cooling Capacity (Bu/hr) (C. CC)  Couling Capacity (Bu/hr) (C. CC)  Couling Capacity (Bu/hr) (C. CC)	
inform complete complete complete complete control occupation occu	stion provided oution of final inspense, per Section I SYSTEMS:  g Equipment  CEC Certification I Strategies  CEC Certification I Strategies  CEC Certification I Model I Mark Mark Model I Mark Mark Model I Model I Mark Model I Model I Mark Mark Model I Model I Model I Mark Model I Model I Model I Mark Model I Model I Mark Model I Model I Model I Model I Mark Model I	d Mil Name  10-103(b).  d Mil Name  1 Number  5 7-14  d Compressor  inme and  inmer  5 7-14  or equal to,  rify that equi  cified in the  for residential  (from the Ap	y must be p	Efficiency (AFUE, etc.)  CF-IR value  Efficiency (SEER, etc.)  [SCF-IR value]  1 3  ed above is: 1) is of compliance (), and 3) equipme	Dect Location faute, etc.)  Duct Location faute, etc.)  Duct Location fatte, etc.)  Offic.  the actual equivers of Part 6),  ent that meets of the constant of	Duct or Plying Rivalue  Duct R	Heating Load (Bu/hr)  (60, 100)  Cooling Load (Bu/hr)  (c)	Cooling Capacity (Bu/hr) (C. CC)  Cooling Capacity (Bu/hr) (C. CC)  Cooling Capacity (Bu/hr) (C. CC)  Couling Capacity (Bu/hr) (C. CC)  Couling Capacity (Bu/hr) (C. CC)	
Coolin Equit Type (p heat pur Kan   I  Coolin Equit Type (p heat pur Local I, ti effi Effi inan Sig	SYSTEMS: SYSTEMS: SYSTEMS: SEquipment CEC Certification Sequipment CEC Certification	d Mil Name  cl Number  STATE  d Compressor  inme and  inmite  STATE  for residential  (from the Ap	# of Identical Systems  # of Identical Systems  ipenent lists certificate il buildings, politance Eff	Efficiency (AFUE, etc.)  DCF-IR value  Efficiency (SEER, etc.)  [SCF-IR value]  1 3  ed above is: 1) is of compliance (), and 3) equipme ficiency Regulation	Duct Location fattic, etc.)  Duct Location fattic, etc.)  Offic.  the actual equipment (F-1R) at that meets of ears of Part 6),	Duct or Plying Rivalus Rivalus Rivalus Collect Rivalus Collect Rivalus Collect Rivalus Collect Rivalus Collect Rivalus	Cooling Load (Bu/hr) (60, CCC)  Cooling Load (Bm/hr) (C) CCC)  cod, 2) equival compliance wappropriate reple:	Cooling Capacity (Bu/hr) (C. CC)  Cooling Capacity (Bu/hr) (C. OCC)  ent to or more ith the Energy equirements for	
HVAS Heatin Equit Type (p heat Dan Kan   1.  I, ti effi Effi inan Sig	SYSTEMS:  g Equipment  CEC Certification  g Equipment  CEC Certification  CEC Certificati	d Mil Name 1 Number 5 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	# of Identical Systems  # of Identical Systems  ipenent lists certificate il buildings, spilance Eff	Efficiency (AFUE, etc.)  CF-IR value  Efficiency (SEER, etc.)  [SCF-IR value]  1	Duct Location (anic, etc.)  Duct Location (attic, etc.)  Offic  the actual equivers of Part 6),  at that meets of the part 6),  at this subco	Duct or Plying Ryalus Ryalus Ryalus Ryalus Control of C	Cooling Load (Bu/hr) (60, CCC)  Cooling Load (Bu/hr) (C); CCC)  cod, 2) equival compliance wappropriate replications	Cooling Capacity (Btu/hr) (C. CC)  Cooling Capacity (Btu/hr) (C. CC)  Coperaty (Btu/hr) (C. CC)  Coperaty (Btu/hr) (C. CC)  Cooling Capacity (Btu/hr) (C. CC)  Coperaty (Cooling Capacity (Cooli	
HVAS Heatin Equit Type (p heat Day Kan   1.  I, ti effi Effi inan Sig	SYSTEMS: g Equipment  CEC Certific and Model CEC Certific Unit Mfr N Model N M	d Mil Name of Number 5 74/4  d Compressor inme and inmber 5 7 4/4  or equal to, rify that equi cified in the for residentia (from the Ap	# of Literal Systems    Formal   Systems	Efficiency (SEER, etc.)  [SCF-IR value]  [SCF-IR value]  [A CF-IR value]	Durk Location fattic. etc.)  Durk Location fattic. etc.)  Offic. etc.)	Duet Rivatur  Duet Rivatur  aipment install submitted for exceeds the swhere applical	Cooling Losd (Btu/hr) (gO, OOO)  Cooling Losd (Btu/hr) (C); COO  cod, 2) equival compliance wappropriate replications	Capacity (Bu/hr) 6C. CCC  Cooling Capacity (Bu/hr) 6C. OCC.	
Heatin Equip Type (p heat Dan Kan   1  Coolin Equip Type (p heat Din Kan   1  I, ti effi Effi inan Sig	Equipment  CEC Certific and Mod  Expant  CEC Certific Unit Mfr N  Model N  Model N  RAMANT  reads greater than e undersigned, venient than that speciency Standards fufactured devices  Anure, Date  R HEATING SY	d Compression in or equal to rify that equi cified in the for residentia (from the Ap	# of Literal Systems    Formal   Systems	Efficiency (SEER, etc.)  [SCF-IR value]  [SCF-IR value]  [A CF-IR value]	Durk Location fattic. etc.)  Durk Location fattic. etc.)  Offic. etc.)	Duet Rivatur  Duet Rivatur  aipment install submitted for exceeds the swhere applical	Cooling Losd (Btu/hr) (gO, OOO)  Cooling Losd (Btu/hr) (C); COO  cod, 2) equival compliance wappropriate replications	Capacity (Bu/hr) 6C. CCC  Cooling Capacity (Bu/hr) 6C. OCC.	
Heatin Equip Type (p heat Dan Kan   1  Coolin Equip Type (p heat Din Kan   1  I, ti effi Effi inan Sig	Equipment  CEC Certific and Mod  Expant  CEC Certific Unit Mfr N  Model N  Model N  RAMANT  reads greater than e undersigned, venient than that speciency Standards fufactured devices  Anure, Date  R HEATING SY	d Compression in or equal to rify that equi cified in the for residentia (from the Ap	# of Literal Systems    Formal   Systems	Efficiency (SEER, etc.)  [SCF-IR value]  [SCF-IR value]  [A CF-IR value]	Durk Location fattic. etc.)  Durk Location fattic. etc.)  Offic. etc.)	Duet Rivatur  Duet Rivatur  aipment install submitted for exceeds the swhere applical	Cooling Losd (Btu/hr) (gO, OOO)  Cooling Losd (Btu/hr) (C); COO  cod, 2) equival compliance wappropriate replications	Capacity (Bu/hr) 6C. CCC  Cooling Capacity (Bu/hr) 6C. OCC.	
Coolin Equip Type (p beat pur Loof)  1. it effi Effi inan Sig	Equipment CEC Certific Unit Mir N Model N Mode	d Compression in or equal to rify that equi cified in the for residentia (from the Ap	# of Literal Systems    Formal   Systems	Efficiency (SEER, etc.)  [SCF-IR value]  [SCF-IR value]  [A CF-IR value]	Durk Location fattic. etc.)  Durk Location fattic. etc.)  Offic. etc.)	Duet Rivalue  aipment install submitted for exceeds the a where applical	Cooling Leed (Barlar) & COOL COOL COOL COOL COOL COOL COOL CO	Cooling Copacity (Burke)  60.000	
Coolin Equiporate (Coolin Equipo	Equipment  Equipment  CEC Certific  Unit Mir N  Model N  Model N  Expant  reads greater than e undersigned, verient than that speciency Standards furfactured devices  Anne, Date  R HEATING SY	d Compression in or equal to rify that equi cified in the for residentia (from the Ap	ipment lists certificate a buildings, pollance Eff	Efficiency (SEER, etc.) [SCF-IR value]  12  ed above is: 1) is of compliance (), and 3) equipme ficiency Regulation	Duct Location (attic. stc.)  Offic.  the actual equipment CF-1R) so that meets o tons of Part 6),	Dust Revalue  Allocation install submitted for exceeds the application (Co. 1)	Cooling Leed (Banfar) (C): COO  ed, 2) equival compliance wappropriate re ole:	Cooling Capacity (Bushr) (O. OCC.)  Jensey Control Con	
Coolin Equit Type (p heat pur Loof  1. i, ti effi Effi man	Equipment CEC Certification Unit Mir Nodel Note of Republication Treads greater than that speciency Standards furfactured devices  Anne, Date  R HEATING SY	d Compressor incre and jumber 57 474.  To or aqual to, rify that equicified in the for residential (from the Ap. 3 - 20.	ipment lists certificate i buildings, pollance Eff	ed above is: 1) is of compliance ( and 3) equipment ficiency Regulation	Duct Location (attic. stc.)  Offic.  the actual equivers of that meets of part 6),  attitude of Part 6),	Durt Revalue  All All  All All  All All  All All  A	Cooling Leed (Btm/m) (C): COO  ed, 2) equival compliance wappropriate re ole:	Cooling Capacity (Blusher) (C. OCC.  ent to or more ith the Energy equirements for	
Cooling Equity Type (p beat put Local )  1. it effi Effi iman Sig	R HEATING SY	d Compressor incre and jumber 57 474.  To or agreed to, rify that equicified in the for residential (from the Ap. 3 - 20.	ipment lists certificate il buildings, ppliance Eff	(SEER, etc.)  [SCF-IR value]  ad above is: 1) is of compliance (), and 3) equipme ficiency Regulation	the actual equipment of that meets of Part 6),	nipment install submitted for exceeds the where applical	cd, 2) equival compliance wappropriate replie:	Capacity (Blusher) (D.O.O.C.)  Lead to or more ith the Energy equirements for	
Cooling Equipment Type (p beat put Lood)  1. it effi Effi iman	reads greater than endersigned, venient than that speciency Standards furfactured devices  R HEATING SY	or squal to rify that equi cified in the for residential (from the Ap	ipment lists certificate il buildings, ppliance Eff	(SEER, etc.)  [SCF-IR value]  ad above is: 1) is of compliance (), and 3) equipme ficiency Regulation	the actual equipment of that meets of Part 6),	nipment install submitted for exceeds the where applical	cd, 2) equival compliance wappropriate replie:	Capacity (Blusher) (D.O.O.C.)  Lead to or more ith the Energy equirements for	
Type (pheat pur Loo)  1. i, ti effi Effi man Sig	unit Mfr N Model N Mod	or squal to rify that equi cified in the for residential (from the Ap	ipment lists certificate il buildings, ppliance Eff	(SEER, etc.)  [SCF-IR value]  ad above is: 1) is of compliance (), and 3) equipme ficiency Regulation	the actual equipment of that meets of Part 6),	nipment install submitted for exceeds the where applical	cd, 2) equival compliance wappropriate replie:	Capacity (Blusher) (D.O.O.C.)  Lead to or more ith the Energy equirements for	
Type (p) heat pur Roof 1. I, ti effi Effi man	unit Mfr N Model N Mod	or squal to rify that equi cified in the for residential (from the Ap	ipment lists certificate il buildings, ppliance Eff	(SEER, etc.)  [SCF-IR value]  ad above is: 1) is of compliance (), and 3) equipme ficiency Regulation	the actual equipment of that meets of Part 6),	nipment install submitted for exceeds the where applical	cd, 2) equival compliance wappropriate replie:	Capacity (Blusher) (D.O.O.C.)  Lead to or more ith the Energy equirements for	
1. i.	reads greater that e undersigned, vertient than that speciency Standards furfactured devices  The HEATING SY	or squal to rify that equi cified in the for residential (from the Ap	ipment lists certificate il buildings, ppliance Eff	ed above is: 1) is of compliance (), and 3) equipment ficiency Regulation	the actual equipment (F-1R) such that meets of the part (5),	nipment install submitted for exceeds the where applical	ed, 2) equival compliance wappropriate reple:	ent to or more that the Energy quirements for	
1. I, ti effi Effi man	reads greater than the undersigned, venient than that speciency Standards furfactured devices atture, Date.  R HEATING SY	or equal to, rify that equicified in the for residential (from the Ap	ipment lists certificate il buildings, ppliance Eff	ed above is: 1) is of compliance ( , and 3) equipme ficiency Regulati	other.  the actual equipment CF-1R) so that meets of least of Part 6),	nipment install submitted for exceeds the awhere applical outractor (Co. )	ed, 2) equival compliance w appropriate re ole:	ent to or more ith the Energy quirements for	
1. i.	reads greater that e undersigned, vertient than that speciency Standards fufactured devices haure, Date.	or equal to, rify that equicified in the for residential (from the Ap	ipment lists certificate buildings,	, and 3) equipme ficiency Regulati	the actual equipment CF-1R) set that meets of Part 6),	nipment install submitted for or rexceeds the a where applical	ole:	quirements for	<u>-</u>
I.	reads greater that e undersigned, ventient than that speciency Standards furfactured devices furfacture, Date .  R HEATING SY	for residential (from the Ap	i buildings, p <i>liance Eff</i>	, and 3) equipme ficiency Regulati	ens of Part 6),	where applical	ole:	quirements for	- -
effi Effi ma  Sig	ident than that speciency Standards I ufactured devices  MMM Anure, Date  R HEATING SY	for residential (from the Ap	i buildings, p <i>liance Eff</i>	, and 3) equipme ficiency Regulati	ens of Part 6),	where applical	ole:	quirements for	_
effi Effi ma  Sig	ident than that speciency Standards I ufactured devices  MMM Anure, Date  R HEATING SY	for residential (from the Ap	i buildings, p <i>liance Eff</i>	, and 3) equipme ficiency Regulati	ens of Part 6),	where applical	ole:	quirements for	<u>-</u>
effi Effi ma  Sig	ident than that speciency Standards I ufactured devices  MMM Anure, Date  R HEATING SY	for residential (from the Ap	i buildings, p <i>liance Eff</i>	, and 3) equipme ficiency Regulati	ens of Part 6),	where applical	ole:	quirements for	<u>-</u>
Efficients Sig	iency Standards I ufactured devices  MMM Anure, Date  R HEATING SY	(from the Ap	opliance Eff	ficiency Regulati	ens of Part 6),	where applical	vame)		<u>-</u>
Efficients Sig	iency Standards I ufactured devices  MMM Anure, Date  R HEATING SY	(from the Ap	opliance Eff	ficiency Regulati	ens of Part 6),	where applical	vame)		<b>-</b>
MATI Heater	Anure, Date  R HEATING SY	3-20.		T-	etalling Subco	ntractor (Co. )	(ame)		<u>-</u>
Sig WATI Heater Type	Anne, Date . R HEATING SY	3-20.	<u>-07</u>	<b>T</b>	-t-Hing Subco	otractor (Co. )	lame)	ner .	_
WAT	ature, Date .  R HEATING SY	STEMM:	<u>-07</u>	īi O	R General Con	ntractor (Co. 1 stractor (Co. N	lame) ame) OR Ow	ner .	-
WAT	ature, Date .  R HEATING SY	STEMM:		Ö	R General Con	stractor (Co. N	ame) OR Ow	ner	
WAT	R HEATING SY	STEMP	eat.	U	K General Col	idania (co. 1			
Hester		STEM	• ear	•		•	•		
Hester			4 (19)				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Type	المهنده مسد		Distribution .	If Recir-		eted <sup>2</sup> Tank	Pffi-	Exters	
Type			Type (Bud,	culation.		t (kW Volume		Standby <sup>1</sup> Insulati Loss (%) R-vah	
inc GOS	Name & Model N		oint-of-Um)	Control Type		tu/hr) (gallons)	n:IA	nia ni	7
Inc 905_	1/4		n/A	n/A	nH M	TH NA	. 244 <del>4</del>	- 11/1 - 11/12	<del></del>
				<u></u>			· <del></del> ·		<del></del>
0 <u>0</u>				·			·	·	
	all gas storage (rated			25 000 Rmfrr) elect	trie resistance 404	d beat pump wat	er benters, list I	Eaergy Factor.	•
. 2 For #	all gas storage (rated i ge gas storage water i			* them 75,000 Btu/br	Lat Recovery Ef	Miciency, Standby	Loss and Raind	input.	,*
								•	
. For ir	ge gas sourages water tantaneous gas water xternal insulation is ma	actiony for atom	nge water how	ees with an energy !	finiter of less than	0.58.			
	& Shower Heads ets and showerhes	<b>:</b>				TW- 24 D	e & Section	111	. •
Fauce	et subwerhes	ds installed a	re certified	to the Commis	sion, pursuant	10 1 Hite 24, F	nto, section		
VII IBU	SIR SDE SHOWARD							2) aminalest to	
	undersigned, veri	w that equipt	ment Hotel	above my signa	oure is: 1) the	actual edmbin	ent memmen,	-lines with the	
I, ti	undersigned, verificate than t	hat specified	in the cert	tificate of comp	lience (Form	CF-IK) subm	integ for com	phance with the	
OF P	ore efficient than t gy Efficiency Star	dende for n	esidential	buildings; and	<ol><li>equipment</li></ol>	t that meets	OL exceeds	me abbrobusie	
Ene	gy Efficiency Silve	would device	es (from the	e Appliance Effic	c <b>iency</b> Regulat	tions or Part 6)	, where appu	Cable.	
tedr	gy Efficiency Star rements for manufa		(,			۱ ۸.	^	$T/\Lambda$	10 11.1 C
				•	TCLLC	nce Water	s cus	T/ Due	4000
,	2 Bur =	1 -211 -	<del></del>	Ť	talling Subco	ntactor (Co.	Name) OR	7	
5:4	nure, Date			11H	meral Contrac	tor (Co. Nam	e) OR Owner	г	;
			. :	G		and American		•	
CONV	O: Building Dept	g timent	• • • • •	. •	•. •				
CÓPI	THEO C MANUAL		ble)	•			.:. I		
	Building Own	Occione	ncy				i		• .
	Difficing Can		-						
		ES BY CONTRA				•		•	
		et at Coordina	٠.						
						•			

CF-6R

Site Address

Permit Number

## FENESTRATION/GLAZING:

Manufacturer/Brand Name	Product U-Pacter! (S CF-IR value) 2	Product SHGC <sup>1</sup> (\$ CF-1R value) <sup>2</sup>	# of Pages	Quantity of Like Product [Optional)	Square Fest	Exterior Shading Device or Overhane	Comments/Location/
(GROUP LIKE PRODUCTS)	135	135	2	<u>.s</u> .			Silva.
2 3	13 <u>C</u> 135	<u> 175</u>	2	<u> </u>	<u>.</u>		Palio Noor
4	•	*		<u>····</u>			
6				. =		-	
8			_	· · · · ·			
10			_				
12	•		<del>_</del>				
14							
13	<del></del>	- 20					

- 1. Manufactured fenestration products use the values from the product label. Field fabricated fenestration products use the default values from Section 116 of the Energy Efficiency Standards.
- <sup>2</sup> Installed U-Factor must be less than or equal to values from CF-1R. Installed SHGC must be less than or equal to values from CF-1R, or a shading device (exterior or overhang) is installed as specified on the CF-1R. Alternatively, installed weighted average U-Factors for the total fenestration area are less than or equal to values from CF-1R.

I, the undersigned, verify that the fenestration/glazing listed above my signature: 1) is the actual fenestration product installed; 2) is equivalent to or has a lower U-Factor and lower SHGC than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential building; and 3) the practice meets or exceeds the appropriate requirements for manufactured devices (from Part 1), where applicable.

Signature, Da Installing Subcontractor (Co. Name) OR Item #s (if applicable) General Contractor (Co. Name) OR Owner **OR Window Distributor** Signature, Date Installing Subcontractor (Co. Name) OR Item #s (if applicable) General Contractor (Co. Name) OR Owner OR Window Distributor Signature, Date ltem #s Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner (if applicable) R Window Distributor Building Department COPY TO: HERS Provider (if applicable)

**Building Owner at Occupancy** 



	Perfo	rmance Data					
Droduct Ctulo	Gar a	NFRC Certified					
Product Style		U-Factor	SHGC (no grids)				
	IG Clear	0.49	0.66				
Slider		0.55	0.35				
	IG Low-E / Argon	0.32	0.35				
	IG Clear	0.50	0.63				
Single-Hung Tilt		0.35	0.34				
	IG Low-E / Argon	0.32	0.34				
Single-Hung Side-Load	IG Clear	0.49	0.66				
		0:35 kt    0:4       4	- 1 0.35				
•	IG Low-E / Argon	0.32	0.35				
	IG Clear	0.48	0.59				
Double-Hung		0.35	0.32				
	IG Low-E / Argon	0.33	0.31				
Double-Hung Fixed	IG Clear	0.49	0.66				
		0:38	0.36				
	IG Low-E / Argon	0.29	0.36				
Fixed Radius	IG Clear	0.48	0.69				
		0.33	0.87				
	IG Low-E / Argon	0.30	0.36				
	IG Clear	0.47	0.65				
Sliding Patio Door-		TANK DEST	0.36				
Ţ	IG Low-E / Argon	0.31	0.35				

Available in all states except Florida.

Note: JELD-WEN reserves the right to change specifications without notice.