

CITY OF SACRAMENTO

1231 I Street, Sacramento, CA 95814

Permit No: 0314375

Insp Area: 4
Thos Bros: 277 A1

Site Address: 1 SPORTS PK SAC
Parcel No: 225-0070-060

Sub-Type: REM
Housing (Y/N): N

CONTRACTOR
CMSH ELECTRICAL
4331-B AUBURN BLVD
SACTO. CA. 95841

OWNER
ROYAL KINGS ARENA LIMITED PARTNERSHIP
1 SPORTS PKWY
SACRAMENTO, CA 95834

ARCHITECT

Nature of Work: INSTALL 2 POLE 50 AMP CIRCUIT FOR A HYDROTRACK

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class C-10 License Number 362310 Date 10/20/03 Contractor Signature Edward Defina

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

E.D. I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

E.D. I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

_____ I am exempt under Sec. _____ B & PC for this reason: _____

Date _____ Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and herby authorize representative(s) of this city to enter upon the above mentioned property for inspection purposes.

Date 10/20/03 Applicant/Agent Signature Edward Defina

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:
_____ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

E.D. I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE COMPENSATION INS FUND Policy Number 692231400

PAID
CITY OF SACRAMENTO
Date 20/10/2003

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 10/20/03 Applicant Signature Edward Defina

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

April 18, 2000

INSTALLATION REQUIREMENTS

Customer: SACRAMENTO KINGS Sales Rep: TOM PEET
Address: 1 SPORTS PARK WAY Date: 714 - 832 6144
SACRAMENTO, CA 95834
Phone: (916) 286 - 3400
Contact: PETE YOUNGMAN
Product: HYDRO TRACK

no approval of all Electrical Work
subject to field inspections

ELECTRICAL REQUIREMENTS

100-R Aquaciser - 220 to 240 V AC single phase with 45 amp minimum breaker and terminated with a 2 pole service disconnect with earth bond. (i.e. four wires, one ground, one neutral and 2 lines.) Wires to be installed in 1" flexible conduit 7 foot long. See rough-in for dimensional location. (note: Unit is GFCI protected. DO NOT install a GFCI breaker in service box.) Facilities with 208 VAC service. The customer will be required to install a boost transformer to acquire 220 to 240 VAC prior to installation of unit.

→ 1101 or 1102 Hydrotrack - 220 to 240 VAC. Single phase with 45 amp minimum breaker and terminated with a 2 pole service disconnect with earth bond. (i.e. four wires, one ground, one neutral and 2 lines). Wires to be installed in 1" flexible conduit 7 foot long. See rough-in for dimensional location. (Note: Unit is GFCI protected. DO NOT install a GFCI breaker in service box.) Facilities with 208 VAC service. The customer will be required to install a boost transformer to acquire 220 to 240 VAC prior to installation of unit.

PLUMBING

- 3" floor drain is installed and ready for use.
- Water supply is complete and ready for use including the hose to fill unit. (Note: See rough-in for dimensional location)



INSTALLATION SITE AND ACCESS TO BUILDING

- Access into building and to installation site (doors) must be a minimum opening of 39" to 42". Hallways with turns or hallways with door openings to access install site must be wide enough to make turns without standing unit on end or side. (Note: Special moving arrangements, i.e. removing windows or door frames and or ordering special moving equipment such as cranes or forklifts, is the financial responsibility of customer.)
- Floor load will accept 75 lb. per square foot for 100-R AquaCiser.
- Floor load will accept 145 lb. per square foot for the 1101 or 1102 Hydrotrack.

FERNO

The Hydro Track™ Underwater Treadmill System provides a wide variety of applications for you facility with superior outcomes, compared to traditional land-based equipment.

Water provides resistance throughout a given range of motion, in all places of movement, providing a hydrokinetic exercise. Because water is so much more viscous than air, it is possible to prescribe therapeutic exercise at a relatively vigorous and intense level within a very protective environment.



The Hydro Track is ideal for the smaller clinic or training room with limited space. The unique foyer design allows the patient to enter the unit with a small step. The foyer is flooded, equalizing the water height with that of the exercise chamber. The patient then steps into the exercise chamber and the water height is regulated to the prescribed weight bearing application.

Features

- Variable speed treadmill ranging from .5 mph to 7 mph (.5 kph to 10 kph)
- Reversible treadmill
- Digital display unit includes speed, distance, and time
- Clear doors and viewing window
- Dual-speed resistance jets
- Moveable control panel for convenient operation
- Filtration and heating

Specifications

Length:	96"	244 cm
Width:	36"	91 cm
Height:	62"	158 cm
Water Capacity:	270 gal	1020 L
Weight (empty):	1260 lbs	573 kg
Weight (filled):	3510 lbs	1595 kg
Floor Loading:	145 lb/ft ²	66 kg/m ²
Drain Size:	3"	8 cm

*Lite Fitness
61" Running Surface
x 70"*

Electrical Specifications

230 V 60 Hz Single Phase
50 Hz available - special order

Rating at Full Load: 30 A 7.2 KW

Install per National Electrical Code and/or Local Code,
closely coordinated with an electrical inspector.



Performance Pools