

31007 1214 APPLICATION FOR PERMIT TO BUILD 30 Ke 1st

PERMIT

4207

DATE

2/6/19

DISTRICT

8

Street No. 31st + Spack 1st Bldg. Block

Owner Lily May McNaulla Lily May Address Sacramento

Architect Address

Contractor E. A. Carum Address 2533 Portola Way

Kind of Building One Story Frame - 2 Flat

Foundation Concrete

Posts 4x4 Girder 4x6 Span 12'-0" Mud Sills 2x6
 1ST FLOOR 2ND FLOOR 3RD FLOOR 4TH FLOOR 5TH FLOOR 6TH FLOOR

Joists	2x8					
Max. Span	12'-0"					
Bearing Partitions	1x12					
Non-bearing Partitions	1x12					
Story Height	8'-0"					
Outside Walls	2x8					

Ceiling Joists Span

Roof Shingle Rafters 2x4

Water Heater Chimney Patent Flue

Size of Building—Length 44'-0" Width 24'-0" Height 19'-0"

It is hereby agreed that this building will be constructed in conformity with the Ordinances of the City of Sacramento and the Laws of the State of California.

Estimated cost, \$ 1900.00

Plans must be submitted.

E. A. Carum
 Owner or Owner's Representative

The image shows a sheet of graph paper with a grid of 20 columns and 20 rows. A horizontal line is drawn across the middle of the grid, separating it into two sections of 10 rows each. The grid is empty, with no data or markings inside the cells.