

CITY OF SACRAMENTO
1231 I Street, Sacramento, CA 95814

Permit No: 0312699
Insp Area: 4
Thos Bros: 257-C4

Site Address: 291 PELICAN BAY CR SAC
Parcel No: 201-0730-092
N

HERITAGE @ NATOMAS PARK 1B LOT 30
Sub-Type: NSFR
Housing (Y/N):

CONTRACTOR
US HOME
2366 GOLD MEADOW DR STE 100
GOLD RIVER, CA 95670 77041

OWNER

ARCHITECT

Nature of Work: MP1297 1 STORY 5 ROOM SFR

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class B License Number 451839 Date 9/19/03 Contractor Signature Don McLakey

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

____ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

____ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts with projects with a contractor(s) licensed pursuant to the Contractors License Law).

____ I am exempt under Sec. _____ B & PC for this reason: _____
Date _____ Owner Signature _____

PAID
CITY OF SACRAMENTO
SEP 30 2003
NORTH PERMIT

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 9/19/03 Applicant/Agent Signature Don McLakey

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:
____ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

α I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier OLD REPUBLIC INS. CO. Policy Number MWC10815000 Exp Date 11/01/2003

____ (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 9/19/03 Applicant Signature Don McLakey

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

RESIDENTIAL SUBDIVISION BUILDING PERMIT APPLICATION

Project Address: 291 Pelican Bay Cir.

Assessor Parcel # 201-0730-092

Lot Number: 30

Subdivision Heritage @ Natomas Park Village IB

OWNER INFORMATION:

Legal Property Owner: US Home Phone# (916) 858-3900
 Owner Address 2366 Gold Meadow Way City Gold River State ca Zip 95670

CONTRACTOR INFORMATION:

Contractor: US Home Lic. # 451839 Phone # (916) 858-3900 Fax (916) 858-3925

Don McCloskey (916) 719-9050

PROJECT INFORMATION:

Land Use Zone RIA Occupancy Group R3 Construction Type VN Fed Code 1A
 No. of Stories: 1 No. of Rooms: _____ Street Width: _____
 1st Floor Area 1297 2nd Floor Area _____ Basement _____ Roof Material _____

AREA IN SQUARE FOOT OF:

Dwelling/Living 1297
 Garage/Storage 462
 Decks/Balconies _____
 Carports _____

SCOPE OF WORK: _____

0312699

FOR OFFICE USE ONLY


- | | | |
|---|---|--|
| <input type="checkbox"/> Information Above Complete | <input type="checkbox"/> AR Flood Waiver Required | <input type="checkbox"/> Planning Approval |
| <input type="checkbox"/> Violation Files Checked | <input type="checkbox"/> Flood Elevation Certificate Required | <input type="checkbox"/> Design Review Approval |
| <input type="checkbox"/> Standard Setbacks | <input type="checkbox"/> Water Development Infill Area | <input type="checkbox"/> Special Fee Districts Apply |
| <input type="checkbox"/> County Sewer | | |

-THE FOLLOWING MUST BE PROVIDED IN ORDER TO SUBMIT FOR PERMIT-


- 2 COMPLETE PLOT PLANS, LEGIBLE & DRAWN TO SCALE
- 11 X 17 COPY OF FLOOR PLAN WITH FOLLOWING INFORMATION

a) Assessors Parcel Number	c) Owners Name
b) New Floor Area	d) Project Address

THIS PLAN IS PREPARED TO SHOW THE DIMENSIONAL RELATIONSHIP FROM BUILDING FOUNDATION TO PROPERTY LINES. DRAINAGE CONTROL ELEVATIONS AND DIRECTION OF DRAINAGE FLOW. THIS IS DONE TO CONFORM TO LOCAL ORDINANCES FOR THE PURPOSE OF BUILDING PERMIT ISSUANCE. INFORMATION SHOWN ON THIS PLAN IS APPROXIMATE EXCEPT FOR MINIMUM SETBACKS WHICH ARE REQUIRED BY LOCAL ORDINANCE. THIS PLAN DOES NOT REFLECT AS-BUILT CONDITIONS WHICH WILL LIKELY VARY FROM THIS PLAN.



PELICAN BAY CIRCLE



This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the Building Inspection Division.
 The approval of this plan and specification SHALL NOT be held to permit or approve the violation of any City Ordinance or State Law.

Approved By:	US Home Corp. Rep.	Date
Revision	Approved By	Date
1		
2		

LOT AREA: 4770 SF
 ALLOWED LOT COVERAGE: 2147 SF = 45.0%
 ACTUAL LOT COVERAGE: 1760 SF = 36.9%
 REAR YARD AREA: 1170 SF
 NUMBER OF BEDROOMS:

It is understood that the drainage areas, slopes and grades shall not be altered, changed, blocked, modified or in any way be reconstructed by Owner contrary to what is depicted on this Plot Plan. THESE CONDITIONS RUN WITH THE LAND AND ARE BINDING ON ALL SUBSEQUENT OWNERS. All setback dimensions and elevations as shown may be adjusted to fit field conditions.

Plot Plan for Heritage at Natomas Park Village 1B PPA Job #005010
Heritage Park - Caribbean Lot 30
 291 Pelican Bay Circle, Sacramento, CA 95835 APN 201-0730-092

US Home Corporation - Sacramento Division
 2366 Gold Meadow Way, Suite 200, Gold River, CA 95670 Phone (916) 858-3900 Fax (916) 858-3925

Plot Plan Associates www.plotplans.org Date Drawn: 08/13/03 Scale: 1"=20'
 PO Box 435 Citrus Heights CA 95611-0435 (916) 769-9063 Date Revised: - Drawn By: KLM

CERTIFICATION OF INSULATION

ADDRESS OR TRACT <i>U.S. HOMES</i> <i>Heritage</i> LOT # <i>30</i>	SACRAMENTO BUILDING PRODUCTS <input checked="" type="checkbox"/> P.O. BOX 854, WEST SACRAMENTO, CA 95691 LIC. #202026 <input type="checkbox"/> 1309 MELODY ROAD, MARYSVILLE, CA 95901 LIC. #202026 <input type="checkbox"/> P.O. BOX 9651, FRESNO, CA 93793-9651 LIC. #202026 <input type="checkbox"/> P.O. BOX 1631, RENO, NV 89505 LIC. #10675 <input type="checkbox"/> 3326 A PONDEROSA WAY, LAS VEGAS, NV 89118 LIC. #10675 DATE INSULATION COMPLETED <i>12-18-03</i>
--	--

WALLS			CEILINGS			FLOORS					
(SQUARE FEET)			(SQUARE FEET)			(SQUARE FEET)					
TYPE OF INSULATION			TYPE OF INSULATION			TYPE OF INSULATION					
MATERIAL FIBERGLASS			MATERIAL FIBERGLASS			MATERIAL FIBERGLASS					
FORM BATTS			FORM BATTS & BLOW			FORM BATTS					
MANUFACTURER'S PRODUCT I.D.			MANUFACTURER'S PRODUCT I.D.			MANUFACTURER'S PRODUCT I.D.					
MANUFACTURER			MANUFACTURER			MANUFACTURER					
CT	OC	JM	CT	OC	JM	CT	OC	JM			
BAGS											
R - VALUE INSTALLED	APPLIED THICKNESS		R - VALUE INSTALLED	APPLIED THICKNESS		R - VALUE INSTALLED		APPLIED THICKNESS			
<i>13/19</i>	<i>3 1/2 / 5 1/2</i>		<i>38</i>	<i>12 14 3/4</i>							
KNEE WALLS IF R-VALUE IS OTHER THAN WALLS ABOVE											
MATERIAL FIBERGLASS			FORM BATTS			R VALUE			MANUFACTURER		
									CT	OC	JM
AIR INFILTRATION SEALANT											
MATERIAL <i>foam</i>						MANUFACTURER					
						HILTI			HANDY FOAM		

THIS IS TO CERTIFY THAT INSULATION AND/OR SEALANT HAS BEEN INSTALLED IN CONFORMANCE WITH APPLICABLE CODES, MATERIAL STANDARDS AND REGULATIONS.

SIGNATURE — INSULATION CONTRACTOR <i>S.C.</i>	TITLE MANAGER	DATE <i>12-18-03</i>
SIGNATURE — GENERAL CONTRACTOR	TITLE	DATE
REMARKS		

INSTALLATION CERTIFICATE

CF-6R

US Home Corporation - Heritage Park Product Line 1 - Sacramento - Plan 1297

Site Address

Permit Number

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 19-102(f).

HVAC SYSTEMS:

Heating Equipment

Table with 8 columns: Equip. Type (type, heat pump), CEC Certified Mfg. and Model #, # of Identical Systems, (1) Efficiency (AFUE, etc.) > CF-1R value, Duct Location (attic, etc.), Duct or Piping R-value, Heating Load (Btu/hr), Heating Capacity (Btu/hr). Row 1: Furnace, York MP4HAA19L042, 1, 90.0, Attic, R-8, 82,792, 10,000.

Cooling Equipment

Table with 8 columns: Equip. Type (type, heat pump), CEC Certified Compressor Unit Mfg. Name and Model #, # of Identical Systems, (1) Efficiency (SEER, etc.) > CF-1R value, Duct Location (attic, etc.), Duct R-value, Cooling Load (Btu/hr), Cooling Capacity (Btu/hr). Row 1: A/C, York MH1RC024, 1, 12.0, Attic, R-6, 29,428, 29,460.

(1) > value greater than or equal to. I, the undersigned, verify that equipment listed above is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1B) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations Part 6), where applicable.

Signature: [Handwritten Signature]

Beutler Corporation

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

WATER HEATING SYSTEMS:

Table with 10 columns: Heater Type, CEC Certified Mfg. Name & Model #, # of Identical Systems, (1) Recirculation Control Type, # of Identical Units (kW or Btu/hr), Tank Volume (gallons), (1) Efficiency (EF, UEF), (2) Standby Loss (Btu/hr), Insulation R-value. Row 1: GAS, Rheem, 41-V40N, STD, NA, 0, 40,000, 40, .56, R6.3.

(2) For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Input. For instantaneous gas water heaters, list Recovery efficiency and Rated Input. (3) R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

FANCOIL & SHOWERS HEADS

All fans and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1B) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations Part 6), where applicable.

Signature: [Handwritten Signature] 04-04-03

Monarch Plumbing CO., INC.

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department, NERS Provider (if applicable), Building Owner at Occupancy

REINFORCED CONCRETE DAILY FIELD REPORT

YOUNGDALHI CONSULTING GROUP, INC.

GEOTECHNICAL • ENVIRONMENTAL • MATERIALS TESTING
 1234 Glenhaven Court • El Dorado Hills, CA 95762
 PH 916.933.0633 Fx 916.933.6482

Project Name: <u>Heritage Commons 1B</u> Project Location: <u>Pelican Bay Dr.</u> Unit #: <u>28430</u> Client: <u>US Homes</u> Requested By: <u>RAY</u>	Contractor: <u>CV C</u> Weather: <u>overcast-cvil</u> Met With: <u>RAY</u> Project No.: <u>03230.1</u> DSA/OSHPD File No: DSA Application No: Date: <u>12-9-03</u> Copies To: <u>RAY</u>
---	---

SCOPE OF WORK	SUBJECT AREAS	STATUS OF PROJECT	SAMPLE AND TEST DATA
Concrete Placement Inspection <input type="checkbox"/>	Footings / <u>Stairwell</u> <input checked="" type="checkbox"/>	On-Going <input checked="" type="checkbox"/>	Concrete Mix #(s):
Concrete Testing Only <input type="checkbox"/>	Slab on Grade <input type="checkbox"/>	Complete <input type="checkbox"/>	Design Strength(s):
Rebar / Tendon Inspection <input type="checkbox"/>	Structural Slab or Deck <input type="checkbox"/>	Completed For This Phase <input type="checkbox"/>	Yards Placed
Tendon Stressing Inspection <input type="checkbox"/>	Slab or Metal Deck <input type="checkbox"/>	On Hold Due To: <input type="checkbox"/>	Cast: Set(s) of: Compression Test Cylinders
Batch Plant Inspection <input type="checkbox"/>	Structural Member: <input type="checkbox"/>	Signed, Stamped, Daily <input type="checkbox"/>	Cylinders Per: Slump: % Air: Sampled Rebar for Bend & Tensile Tests <input type="checkbox"/>
Packometer Detection <input type="checkbox"/>	Cast In Place Walls <input type="checkbox"/>	Letter To Follow <input type="checkbox"/>	Rebar Grade: Size(s): Other Tests:
Sample Reinforcing Steel <input type="checkbox"/>	Tilt Up Panels <input type="checkbox"/>		
Proof Loading <input checked="" type="checkbox"/>	Curb and Gutter <input type="checkbox"/>		
Pick-Up: <u>5/8" Anchor Bolts</u> <input type="checkbox"/>	Sidewalk or Driveway <input type="checkbox"/>	ATTACHED TO THIS REPORT	

NOTES:

AS REQUESTED, PROVIDED ON SITE FOR REBAR LOADING PROXY

ANCHOR BOLTS, LOTS 28 + 30 TESTED 3 BOLTS TOTAL

LOT 28 - TESTED 1 BOLT (BACK R.H. CORNER OF HOUSE) N.E. CORNER

5/8" BOLT w/ PHOS OK

LOT 30 - TESTED 2 BOLTS (BACK E.H. CORNER OF HOUSE) N.W. CORNER

1 - 5/8" bolt w/ HT22 OK

1 - 5/8" bolt w/ PHO OK

LOADED BOLTS TO 3,200 PSI. PER GAUGE = 6,0K + 105 actual

USUB WHITE HOLOW PAIN.

WITH NO FALURES

To The Building Official: Regarding Special Inspector

I hereby certify that the noted portions of the work at the above address which required periodic and/or continuous inspection, and which I was employed to inspect, were inspected and, in my opinion, and to the best of my knowledge, comply with the provisions of the approved plans and specifications, except as noted.

Note: The verb, "inspect" or "inspection" or "inspector", as used by Youngdahl and Associates, Inc., means observation and monitoring, and does not mean the right to control the contractor's work.

Field Rep (print): PA CHAND Signed: [Signature] Reported To: [Signature] ICBO#: 5208985 Page of

NOTE: No guarantee or warranty of the contractor's work is made, expressed or implied.