## RESOLUTION APPROVING REPORT AND FIXING TIME AND PLACE OF HEARING THEREON NO. 2486

WHEREAS, the City Council of the City of Sacramento did heretofore, and on the 20th day of March, 1942, order the preparation by the City Engineer of the City of Sacramento of a Report under the provisions of the "Special Assessment Investigation, Limitation and Majority Protest Act of 1931," and covering certain proposed improvements on 57th Street, from the center line of "V" Street, to a point 20 feet south of the southerly line of 2nd Avenue, from the easterly line of 57th Street, to the westerly line of 59th Street; and 58th Street, from the southerly line of 2nd Avenue, to the southerly boundary of "Monte Vista Village" (as the same is shown on the official map or plat thereof filed in the office of the County Recorder of the County of Sacramento, State of California),

in the City of Sacramento; and

WHEREAS, said Report has been duly completed and presented to this City Council;

NOW, THEREFORE, IT IS HEREBY RESOLVED BY THE CITY COUNCIL OF THE CITY OF SACRAMENTO:

That said Report, having been duly examined and considered by said City Council, the same is hereby approved; and it is hereby ordered that said Report be forthwith filed with the Clerk of this City Council, and that said Clerk endorse thereon the fact and date of its approval.

IT IS FURTHER RESOLVED that this City Council hereby fixes the 8th day of May , 1942, at the hour of 8:15 . o'clock P. Mm, as the time for hearing upon the said Report; and hereby orders that said hearing shall be held and conducted by the City Council at the City Council Chamber in the City Hall on "I" Street, between 9th and 10th Streets, in said City of Sacramento. The Clerk of the City Council is hereby ordered and directed to give notice of said hearing in the time, form and manner provided by law.

IN THE CITY COUNCIL: Sacramento, California, April 3. 1942.

AYES: Anderson, Arnold, Harry, Klumpp, Kunz, Mitchell, Monk, Nielsen, Scollan.

Mayor

City Clerk

1 710MA 2486