

**CITY OF SACRAMENTO**  
1231 I Street, Sacramento, CA 95814

**Permit No: 0012150**  
**Insp Area: 4**

**Site Address: 997 REGATTA DR SAC**  
Parcel No: 262-0314-001

**Sub-Type: RES**  
**Housing (Y/N): N**

CONTRACTOR  
AGUIRRE ROOFING  
3515 BINGHAMPTON DR  
SAC CA

OWNER  
WATSON ROGER E/GRACE L  
997 REGATTA DR  
SACRAMENTO CA 95833

ARCHITECT

**Nature of Work: 25 SQ T/O REROOF W LTWT TILE**

**CONSTRUCTION LENDING AGENCY:** I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name \_\_\_\_\_ Lender's Address \_\_\_\_\_

**LICENSED CONTRACTORS DECLARATION:** I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

X License Class 259 License Number 765 886 Date 10-10-00 Contractor Signature [Signature]

**OWNER-BUILDER DECLARATION:** I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00).

\_\_\_\_\_, I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

\_\_\_\_\_, I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. \_\_\_\_\_ B & PC for this reason: \_\_\_\_\_

Date \_\_\_\_\_ Owner Signature \_\_\_\_\_

**IN ISSUING THIS BUILDING PERMIT,** the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

X Date 10-10-00 Applicant/Agent Signature [Signature]

**WORKER'S COMPENSATION DECLARATION:** I hereby affirm under penalty of perjury one of the following declarations:

\_\_\_\_\_, I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

X ~~\_\_\_\_\_~~ I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE FUND Policy Number 1563299-99 Exp Date 09/29/2001

\_\_\_\_\_, (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.


X Date 10-10-00 Applicant Signature [Signature]

**WARNING:** FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

**THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.**

ISSUED


CITY OF SACRAMENTO  
DEVELOPMENT SERVICES DIV



ROOF PLAN  
997 REGATTA DRIVE

GREGORIN DESIGN & ENGINEERING  
9469 FORT WORTH WAY  
SACRAMENTO, CA 95827

PH/FAX: 916.362.3230  
PGR: 415.210.4080



**RESIDENTIAL ROOF INSPECTION**  
**997 REGATTA DRIVE, SACRAMENTO, CA**

For: Aguirre Roofing  
3515 Binghampton Drive  
Sacramento, CA 95834

*Disclaimer: The roofer will assume responsibility to verify and repair any wood he comes across during the course of his work that shows evidence of deterioration (e.g. dry rot, termite infestation). No testing and/or samples were taken during my inspection and thus no warranties or guarantees regarding the condition of the existing materials is expressed. The Engineer of Record of this report will not assume any liability associated with any claims related to damage resulting from deteriorated wood present in the existing house.*

I, Frank L. Gregorin, P.E., has inspected the roof structure of the residence located at 997 Regatta Drive, Sacramento, California for Jose Aguirre, Owner of Aguirre Roofing, in compliance with Sacramento City Code, Section 9.03.146 (D) 3).

The structure is a single family one-to-two story house built in the late 1970's and its roof structure is comprised of 1x skip sheathing over prefabricated gang nailed roof trusses at 24" o.c. with 2x4 chords and diagonals. The eave structure consists of 2x decking and will not include new roof plywood with eaves not exceeding 3'-0". The existing timber that I visually inspected showed no visible signs of distress or deterioration and is deemed to be in sound condition.

From my experience this type prefabricated roof truss structure is typically designed for no less than a roof dead load of 10 psf top chord loading and a ceiling dead load of 10 psf bottom chord loading. It is my expert opinion that the existing roof truss structure can adequately support the existing material that is to remain and the new roofing material to be added.

This includes:

|                                  |   |
|----------------------------------|---|
| (e) 2x4 top chord @ 24" o.c.     | 0.56 psf                                    |
| (e) 1x6 skip sheathing           | 0.30 psf                                    |
| (n) 1/2 CDX Plywood sheathing    | 1.50 psf                                    |
| (n) roof paper                   | 0.50 psf                                    |
| (n) light-weight tile (580#/sq.) | 5.80 psf                                    |
| sum =                            | 8.66 psf                                    |
|                                  | x 12.65/12 (4:12 slope adjustment)          |
|                                  | 9.13 psf < 10 psf allowable, therefore O.K. |

**GREGORIN DESIGN & ENGINEERING**

9469 FORT WORTH WAY  
SACRAMENTO, CA 95827

PH/FAX: 916.362.3230

PGR: 415.210.4080

The weight of the new roof assembly will consist of:

|                                  |   |
|----------------------------------|---|
| (e) 2x4 top chord @ 24" o.c.     | 0.56 psf                                    |
| (e) 1x6 skip sheathing           | 0.30 psf                                    |
| (n) 1/2 CDX Plywood sheathing    | 1.50 psf                                    |
| (n) roof paper                   | 0.50 psf                                    |
| (n) light-weight tile (580#/sq.) | 5.80 psf                                    |
| sum =                            | 8.66 psf                                    |
|                                  | x 12.65/12 (4:12 slope adjustment)          |
|                                  | 9.13 psf < 10 psf allowable, therefore O.K. |

Check strength of overhang for maximum span of 3'-0" with rafters at 24" o.c. maximum where may be occurring (assume DF No.2 minimum)

|                                       |                                    |
|---------------------------------------|------------------------------------|
| (e) 2x4 @ 24" o.c.                    | 0.56 psf                           |
| (e) 2x4 decking                       | 4.50 psf                           |
| (n) roofing paper                     | 0.50 psf                           |
| (n) light-weight 580# per square tile | 5.80 psf                           |
| sum =                                 | 11.36 psf                          |
|                                       | x 12.65/12 (4:12 slope adjustment) |
|                                       | 11.98 psf, say 12 psf              |

Distributed Load = (12 psf DL + 16 psf LL) (2' spacing) = 56 plf

$$V_{max} = (1.5) (56 \text{ plf}) (3') = 252 \#$$
$$f_v = (252 \#) / (5.25 \text{ sq. in.}) = \underline{48 \text{ psi}} < \underline{118.75 \text{ psi}} \Rightarrow F_v = 95 \times 1.25 \text{LDF}$$

$$M_{max} = (56 \text{ plf}) (3') (3'/2) = 252 \text{ '#}$$
$$f_b = (252 \text{ '#}) (12 \text{ in/ft}) (3.0625 \text{ in}^3) = \underline{772 \text{ psi}} < \underline{1093 \text{ psi}} \Rightarrow F_b = 875 \times 1.25 \text{LDF}$$

Therefore strength of existing eave rafters O.K.