

**CITY OF SACRAMENTO**  
1231 I Street, Sacramento, CA 95814

**Permit No: 0007246**  
**Insp Area: 4**

**Site Address: 2444 NORTHVIEW DR SAC**  
Parcel No: 274-0232-001

Sub-Type: ASFR  
Housing (Y/N): N

CONTRACTOR  
PACIFIC BUILDERS  
5421 84TH ST  
SAC, CA 95826

OWNER  
LEWIS OLA V/LEROY  
2444 NORTHVIEW DR  
SACRAMENTO CA 95833

ARCHITECT

**Nature of Work: SUNROOM**

**CONSTRUCTION LENDING AGENCY:** I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name \_\_\_\_\_ Lender's Address \_\_\_\_\_

**LICENSED CONTRACTORS DECLARATION:** I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

✓ License Class B License Number 214409 Date 6/27/00 Contractor Signature PACIFIC BUILDERS

**OWNER-BUILDER DECLARATION:** I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

\_\_\_\_\_, I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

\_\_\_\_\_, I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

\_\_\_\_\_, I am exempt under Sec. \_\_\_\_\_ B & PC for this reason: \_\_\_\_\_

Date \_\_\_\_\_ Owner Signature \_\_\_\_\_

**IN ISSUING THIS BUILDING PERMIT,** the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

✓ Date 6/27/00 Applicant/Agent Signature [Signature]

**WORKER'S COMPENSATION DECLARATION:** I hereby affirm under penalty of perjury one of the following declarations:

\_\_\_\_\_, I have and will maintain a certificate of consent to self-insure for worker's compensation provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

✓ Y, I have and will maintain workers' compensation insurance as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:


Carrier VILLANOVA INSURANCE COMPANY C/ Policy Number [Number] Exp Date 10/01/2000

\_\_\_\_\_, (This section need not be completed if the permit is for \$ \_\_\_\_\_ that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

✓ Date 6/27/00 Applicant Signature [Signature]

**WARNING:** FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

**THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.**



Date of Request: \_\_\_\_\_

By: \_\_\_\_\_

**CITY OF SACRAMENTO DEVELOPMENT SERVICES DIVISION  
PLANNING AND ZONING INFORMATION REQUEST**

Project Address: 2440 WOODVIEW DR

Assessor's Parcel Number: 214-C232-001

Previous Use: \_\_\_\_\_

Description of Request/Proposed Use \_\_\_\_\_

P. SHED ROOM

Is This a Change of Use? \_\_\_\_\_

Zoning Designation: R-1

Prior Applications for Project Site(P#, Z#, DRPB#): \_\_\_\_\_

Comments: \_\_\_\_\_

Not visible from St

Are There Any Planning Issues?: (circle one) YES NO

\* Staff Site Plan Check Required? (Circle one) YES NO

\* Field Inspection Required? (Circle one) YES NO


\* Design Review/Preservation Required?: (Circle one) YES NO

Planning Review by/Date: [Signature]

6-27-00

A list of items that must be reviewed by Planning is provided on the reverse side of this form.

MICROFILM AFTER FINAL



**PACIFIC®  
BUILDERS**

5421 84th Street  
Sacramento, CA 95826  
(916) 383-3168

**Work Sheet**




**ISSUE**

JUN 27 2000

CITY OF SACRAMENTO  
DEVELOPMENT DEPARTMENT

NORTHVIEW DR.



EXISTING RESIDENCE  
PROPOSED PATIO ENCLOSURE




**SITE PLAN**  
1" = 20'-0"


Name: MR. + MRS. LEWIS  
Address: 2444 NORTHVIEW DR.  
City: SACRAMENTO 95833  
Phone: 927-8175 6/27/00 G.P.N.

Diagram and Size approved by customer


EXISTING RESIDENCE  
WALL OF EXIST. RESIDENCE




TYPICAL FLOOR PLAN




2' FRONT WALL



FRONT ELEVATION


















CURVED ROOF ENDWALL ELEVATION



FRONT WALL SECTION

GENERAL NOTES & SPECIFICATIONS

- 1 THIS PATIO COVER AND ENCLOSURE SYSTEM IS LIMITED TO THE FOLLOWING LOADS: 10 PSF DECKING, 20 PSF FLOOR, 10 PSF CEILING, 10 PSF STORAGE OR MATERIAL ROOM OR USED AS A CLOSET, SHEDS, STORAGE OR MATERIAL ROOM OR DECKING LOADS; SEE TABLES FOR DESIGN LOADS (DO NOT CTR-1A)
- 2 MECHANICAL FASTENERS: 1/2" DIA RIVETS SHALL BE 1/8" DIA WITH A RIVET LOGE OF 1/4" DIA; 3/8" DIA ALUMINUM RIVET AND 3/8" DIA ALUMINUM WOOD SCREWS SHALL BE USED TO ATTACH TO STRUCTURAL STEEL OR CONCRETE. 1/2" DIA RIVETS SHALL BE EQUAL TO 1/2" DIA (CARBON STEEL).
- 3 ALL STEEL IN CONTACT WITH ALUMINUM SHALL BE HOT DIP GALVANIZED OR ELECTROPLATED. ALUMINUM IN CONTACT WITH WOOD, CONCRETE OR MASONRY SHALL BE GIVEN A HEAVY COAT OF UN-THINNED ALKYL RESISTANT BITUMINOUS PAINT PER US MILITARY SPEC MIL-PRC-8885.
- 4 ALL STRUCTURAL COMPONENTS OF THIS SYSTEM TO BE ALUMINUM 5 4000 AND TEMPER 6063-T6, UNLESS SHOWN OTHERWISE.
- 5 SOLID ROOF AND WALL PANELS SHALL COMPLY WITH ALL EVALUATION SERVICE INC ALL EXISTING PORTIONS OF THE I.C.C.O. PANELS SUBJECT TO WATER INTRUSION SHALL BE FULLY CALLED.
- 6 THE STRAIGHT SLOPE PORTION OF THE ROOF MAY BE LAMINATED GLASS PER NOTE #11 BELOW OR A 3" THICK LAMINATED GLASS PER NOTE #6 ABOVE. THE CURVED PORTION MAY BE LAMINATED GLASS PER NOTE #6 OR ACRYLIC PER TABLE #1.
- 7 WALL MATERIALS: THE LONGER WALL AND ONE ADDITIONAL WALL SHALL BE AT LEAST 65 PERCENT OPEN BELOW A MINIMUM HEIGHT OF 6'-8" MEASURED FROM THE FLOOR. THIS 65 PERCENT AREA MAY BE ENCLOSED WITH INSECT SCREENING AND / OR READILY REMOVABLE 1/8" THICK MAXIMUM TRANSPARENT OR TRANSLUCENT PLASTIC OR 1/25" THK TEMPERED GLASS. ANY SLIDING DOORS IN THESE WALLS SHALL BE 1/8" THK PLASTIC. ONLY THE OPERABLE PORTION QUALIFIES FOR THE 65 PERCENT REQUIREMENT. REMAINING PORTIONS OF THE WALLS MAY BE SOLID PANEL PER NOTE #6. FIXED PLASTIC OR GLASS COMPLYING WITH CHAPTER 24 OF THE 1994 UBC.
- 8 WHERE HOLES ARE DRILLED INTO STEEL, SEE DETAIL #10 TO ACCOMMODATE FOR RIVETS, THE HOLES SHALL BE FIELD PAINTED WITH 1" COAT OF ZINC CHROMATE PRIMER.
- 9 EACH INSTALLATION SHALL BEAR AN IDENTIFICATION TAG WHICH SHOWS THE NAME AND ADDRESS OF THE MANUFACTURER'S DESIGN.
- 10 THE LAMINATED GLASS IS COMPOSED OF 2 PIECES OF 1/25 INCH THICK GLASS (NOMINAL) WITH A .030 INCH THICK POLYVINYL BUTYRAL INTERLAYER.
- 11 ALL EXISTING WOOD MEMBERS SHOWN AT DETAILS 27 & 29 SHALL HAVE A SPECIFIC GRAVITY, G, 0.49.
- 12 MINIMUM BENDING YIELD STRENGTH OF NAILS, 8d: F<sub>y</sub> = 100,000 PSI 12d: F<sub>y</sub> = 80,000 PSI 14d: F<sub>y</sub> = 70,000 PSI 16d: F<sub>y</sub> = 70,000 PSI




THE C-THRU GLASS ENCLOSURE


PATIO COVER & ENCLOSURE BY: C-thru 2222 Rosewood Drive Riverside, California 92503 (909) 398-8777

ICBO EVALUATION SERVICE, INC. REPORT NO. 4383P


FOX ENGINEERING INC 3060 TELEGRAPH RD DOWNEY, CA 90240 310 806-1337 FAX 310-927-2509




SHED ROOF TRACK-TYPE NE (33)



SHED ROOF TRACK-TYPE E (34)




(35)




# ASSEMBLED WINDOW MODULE INSERT  
NET WT 1121 - LBS.  
W/ GLASS 1116 - LBS.  
W/ PLASTIC 1191 - LBS.

# .125 TEMPERED GLASS OR TRANSPARENT PLASTIC  
NET WT 1.87 RS.F.  
MAX.


# .125 TRANSLUCENT PLASTIC  
NET WT 1.077 RS.F.  
MAX.




WINDOW INSERT HANDLE 36




WINDOW INSERT TOP & BOTTOM RAIL 36




WINDOW MODULE SECTION C



WINDOW MODULE ELEVATION



WINDOW INSERT INTERLOCKING RAIL 36



WINDOW INSERT SIDE RAIL 36

**TEMPERED GLASS - LABELING REQUIREMENTS**  
(See Chapter 17, 19 & 20)

**SECTION 2402 - IDENTIFICATION**

EACH LIGHT OF SAFETY GLASSING MATERIAL INSTALLED IN MANARDS LOCATIONS AS DEFINED IN SECTION 2402, SHALL BE IDENTIFIED BY A PERMANENT LABEL, WHICH SPECIFIES THE LABEL NUMBER, THE MANUFACTURER OR INSTALLER, AND STATE THAT SAFETY GLASSING MATERIAL HAS BEEN UTILIZED IN SUCH INSTALLATION.

**SECTION 2406.2 - IDENTIFICATION**

EACH UNIT OF TEMPERED GLASS SHALL BE PERMANENTLY IDENTIFIED BY THE MANUFACTURER. THE IDENTIFICATION SHALL BE EITHER OR CERAMIC PIPED ON THE GLASS AND BE VISIBLE WHEN THE UNIT IS GLAZED. TEMPERED SPANDREL GLASS IS EXEMPTED FROM PERMANENT LABELING BUT SUCH GLASS SHALL BE IDENTIFIED BY THE MANUFACTURER WITH A REMOVABLE PAPER LABEL.

THE CATEGORY CLASS AS NOTED IN TABLE 24-2.1, SHALL BE SPECIFIED AS PART OF A PERMANENT LABEL. VOLUME 3, 1994 O.C.C.




INSERT SOG RAIL NO.	USE
1	FOR 70 MPH, 1/8" TEMPERED GLASS; 80 & 90 MPH, 1/8" ACRILIC.
2	FOR 80 & 90 MPH, 1/8" TEMPERED GLASS (W/ STIFFENER)

**PATIO COVER & ENCLOSURE BY:**  
**C-thru**  
 2222 Woodwood Drive  
 Riverside, California 92508  
 (909) 369-8777




**ICBO EVALUATION SERVICE, INC.**  
 REPORT NO. 4383 P

**FOX ENGINEERING INC.**  
 8060 TELEGRAPH RD.  
 DOWNEY, CA. 90240  
 310 806-1337  
 FAX: 310-227-2509

DATE: AUG 1 '96  
 JOB NO. K-112  
 DRAWN BY TOWMAN  
 DWG. NO. CTR-3A



**20** SLIDING GLAZING MULLION  
**21** SOLID PANEL MULLION  
**22** FIXED GLAZING KICKPLATE  
**23** HOUSE/SIDEWALL  
**24** THRU RAFTER  
**25** GLAZING/PANEL SPlice  
**26** WALL ATTACHMENT  
**27** BRACING AT CORNERS  
**28** SLIDING DOOR MULLION  
**29** EXIST EAVE ATTACHMENT  
**30** TYPICAL CORNER  
**31** BRACING AT CORNERS  
**32** ENDWALL SECTION



MAX PROJ.	LL 10 PSF	LL 20 PSF
10'	12d @ 16" OC	16d @ 16" OC
12'	12d @ 16" OC	16d @ 12" OC
14'	12d @ 16" OC	18d @ 12" OC
16'	16d @ 16" OC	20d @ 8" OC *
18'	16d @ 12" OC	
20'	16d @ 12" OC	

MAX PROJ.	LL 10 PSF	LL 20 PSF
11'	12d	14d
12'	12d	16d
14'	12d	18d
16'	14d	20d
18'	14d	
20'	16d	

FOX ENGINEERING INC  
 3060 TELEGRAPH RD  
 DOWNEY CA 90240  
 310 806-1337  
 FAX 310 227-2509

ICBO EVALUATION SERVICE, INC.  
 REPORT NO 4383 P

PATIO COVER & ENCLOSURE BY:  
**thru**  
 2285 Forestwood Drive  
 Riverside, California 92508  
 (951) 388-8777

"THE C-THRU GLASS ENCLOSURE"  
 DATE MAR '95  
 JOB NO K-1123  
 DRAWN BY T. DAVILA  
 DWG NO.

CTR-2A  
 2 OF 4

**TABLE 'G': MAXIMUM STRUCTURE LENGTH - SEISMIC ZONES**

BASIC WIND SPEED AREA	SEISMIC ZONE			
	ZONE 4	ZONE 3	ZONE 2	ZONE 1
70 MPH	43'-0"	57'-0"	86'-0"	100'-0"
80 MPH	58'-0"	77'-0"	100'-0"	100'-0"
90 MPH	68'-0"	90'-0"	100'-0"	100'-0"

**TABLE 'H': EXISTING EAVES\***


RAFTER SIZE	MAXIMUM PROJECTION	MINIMUM
2x4	14'-4"	11'-4"
2x6	16'	13'
2x8	18'	14'
2x10	23'	19'
2x12	28'	23'
2x14	36'	26'
2x16	41'	30'

10 PSF LIVE LOAD; 70, 80 & 90 MPH WIND

**TABLE 'I': CURVED ROOF ACRYLIC\***

DESIGN LOAD**	MAXIMUM RAFTER SPACING	MINIMUM ACRYLIC THICKNESS
24" x 4"	48" x 4"	.125"
20" x 4"	48" x 4"	.125"
16" x 4"	48" x 4"	.125"

\* SEE CURVED ROOF ENDWALL EVALUATION ON CTR-4A FOR LOCATION ACRYLIC IS TO ACRYLICS, INC. PER REPORT #14 RECOGNIZED IN ICBO E.S. EVALUATION REPORT 4300  
 \*\* APPLIES TO ALL WIND LOADS



**TABLE 'D': MAXIMUM PROJECTION - X" BRACE OPTION**

MAXIMUM ENDWALL HEIGHT	70 MPH WIND			
	12"	10"	12"	18"
8'-0"	5'-0"	10'-5"	15'-9"	11'-0"
9'-0"	7'-0"	9'-4"	12'-11"	14'-0"
10'-0"	7'-1"	9'-4"	12'-9"	14'-0"
11'-0"	8'-9"	8'-10"	11'-7"	14'-0"
12'-0"	8'-5"	8'-9"	11'-1"	13'-9"

80 MPH WIND

**TABLE 'E': MAXIMUM PROJECTION - EMBEDDED POST OPTION\*\***

MAXIMUM ENDWALL HEIGHT	BASIC WIND SPEED AREA		
	70 MPH	80 MPH	90 MPH
8'-0"	20'-0"	15'-6"	15'-6"
9'-0"	18'-5"	14'-10"	12'-10"
10'-0"	18'-5"	14'-0"	12'-7"
11'-0"	17'-5"	13'-3"	---
12'-0"	10'-5"	---	---

\*\* ANY KNEEWALL HEIGHT MAY BE USED

**TABLE 'F': MAXIMUM ENDWALL MULTILION HEIGHT TO MPH WIND**

MAXIMUM MULTILION SPACING	70 MPH WIND				80 MPH WIND			
	DET 1	DET 2	DET 3	DET 4	DET 1	DET 2	DET 3	DET 4
48" x 4"	9'-0"	8'-1"	12'-0"	11'-0"	12'-0"	11'-0"	11'-0"	11'-0"
42" x 4"	10'-2"	8'-8"	12'-0"	11'-0"	12'-0"	11'-0"	11'-0"	11'-0"
36" x 4"	10'-11"	9'-4"	12'-0"	11'-0"	12'-0"	11'-0"	11'-0"	11'-0"
48" x 4"	7'-9"	7'-1"	10'-11"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
42" x 4"	8'-11"	7'-7"	11'-0"	10'-0"	10'-0"	9'-9"	9'-9"	9'-9"
36" x 4"	9'-7"	8'-0"	11'-0"	11'-0"	11'-0"	10'-0"	10'-0"	10'-0"

\* STANDARD ENDWALL MULTILIONS PER DET 1, 2, 3, 4  
 \*\* WHERE SLIDING DOOR DOES NOT OCCUR OR IS NOT IMMEDIATELY ADJACENT TO MULTILION

**TABLE 'A': MAXIMUM PROJECTION - RAFTERS**

MAXIMUM RAFTER SPACING	DESIGN LOADS			
	10 PSF WIND LOAD	20 PSF WIND LOAD	70 MPH WIND	80 MPH WIND
24" x 4"	20'-1"	16'-10"	20'-1"	20'-1"
48" x 4"	10'-9"	12'-6"	20'-1"	20'-1"

\* USE GLASS PER NOTE #7, OR SOLID PANEL PER NOTE #7, OR ACRYLIC PER NOTE #7 (4" CURVE ONLY)  
 \*\* USE SOLID PANEL PER NOTE #7, OR ACRYLIC PER NOTE #7 (4" CURVE)

**TABLE 'B': MAXIMUM PROJECTION - FRONT WALL TOP TRACK**

DESIGN LOAD	TOP TRACK TYPE								48" RAFTER SPACING**
	2" SYSTEM		3" SYSTEM		3" SYSTEM		3" SYSTEM		
10 PSF WIND LOAD	DET 1	DET 2	DET 3	DET 4	DET 5	DET 6	DET 7	DET 8	10'-0"
20 PSF WIND LOAD	14'-4"	10'-10"	11'-9"	9'-10"	14'-4"	10'-10"	11'-9"	9'-10"	12'-2"
70 MPH WIND	20'-0"	18'-9"	14'-0"	10'-8"	20'-0"	18'-9"	14'-0"	10'-8"	10'-0"
80 MPH WIND	15'-8"	15'-8"	9'-0"	15'-8"	15'-8"	15'-8"	9'-0"	15'-8"	15'-8"
90 MPH WIND	15'-8"	15'-8"	7'-9"	12'-0"	15'-8"	15'-8"	7'-9"	12'-0"	15'-8"

RAFTERS TO OCCUR OVER MULTIONS AND MIDSPAN BETWEEN.  
 \*\* RAFTERS TO OCCUR DIRECTLY OVER MULTIONS ONLY.  
 † TO USE THIS COLUMN A CONTINUOUS BRACE PER DET 3 MUST BE USED THE ENTIRE LENGTH OF THE TOP TRACK

**TABLE 'C': MAXIMUM PROJECTION - FRONT WALL MULTIONS**

MULTION TYPE	DESIGN LOADS			
	10 PSF WIND LOAD	20 PSF WIND LOAD	70 MPH WIND	80 MPH WIND
2" - NE	20'-0"	15'-8"	14'-4"	12'-5"
3" - NE	20'-0"	15'-8"	14'-4"	14'-4"
2" - S	20'-0"	---	14'-4"	---
3" - S	20'-0"	15'-8"	14'-4"	14'-4"

GENERAL NOTES & SPECIFICATIONS, CONTINUATION

- 14 A PERMANENT LABEL CONSPICUOUSLY LOCATED ON ROOF PANEL FRAMES MUST BEAR THE MANUFACTURER'S NAME AND ADDRESS, MODEL NUMBER AND EVALUATION REPORT NUMBER. AT LEAST ONE CONSPICUOUSLY LOCATED PERMANENT LABEL IS REQUIRED ON SOLARiums AND PATIO COVERS.
- 15 GLASS MUST BE LABELED IN ACCORDANCE WITH SECTION 2402 OF THE UBC, 1994 EDITION.
- 16 EACH LIGHT SHALL BEAR THE MANUFACTURER'S LABEL DESIGNATING THE TYPE AND THICKNESS OF GLASS WHEN APPROVED BY THE BUILDING OFFICIAL. LABELS MAY BE OMITTED PROVIDED AN AFFIDAVIT IS FURNISHED BY THE GLAZING CONTRACTOR CERTIFYING THAT EACH LIGHT IS GLAZED IN ACCORDANCE WITH APPROVED PLANS AND SPECIFICATIONS IDENTIFICATION OF GLAZING IN HAZARD AREAS SHALL BE IN ACCORDANCE WITH SECTION 2406.