

CITY OF SACRAMENTO
1231 I Street, Sacramento, CA 95814

Permit No: 0114377

Insp Area: 1

Thos Bros: 297 J4

Site Address: 410 46TH ST SAC

Parcel No: 004-0252-003

Sub-Type: RES

Housing (Y/N): N

CONTRACTOR

ALLSTATE PLUMBING
5485 HEMLOCK ST
SACRAMENTO, CA 95841

OWNER

CUNNINGHAM
410 46TH ST
SACRAMENTO CA 95819

ARCHITECT

Nature of Work: PGE METER MOVE

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class 036 License Number 576561 Date 11-7-01 Contractor Signature Annie Henderson

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

____ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

____ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

____ I am exempt under Sec. _____ B & PC for this reason: _____

Date _____ Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 11-7-01 Applicant/Agent Signature Annie Henderson

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

____ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE FUND Policy Number 711-01 UNIT 0004896 Exp Date 10/01/2002

____ (This section need not be completed if the permit is for a performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 11-7-01 Applicant Signature Annie Henderson

WARNING: FAILURE TO SECURE WORKERS COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

David Beebee Architect
1722 3rd Street, Suite 200
Sacramento, CA 95814
(916) 443-7955

July 11, 2002

TO: City of Sacramento Building Department


RE: Cunningham Residence, 410 46th Street, City of Sacramento

Holes cut in the 9 1/2" TJI/Pro 150 joists may be located vertically anywhere within the web; however, a minimum of 1/8" web material must be left at the top or bottom of the hole. Refer to manufacturer's specifications regarding size of hole and edge distance from support (see attached).


Please let me know if I can be of any further assistance.

Sincerely,

David Beebee



HOLE CHARTS — ROUND, SQUARE AND RECTANGULAR HOLES



HOW TO USE THESE CHARTS

1. Determine the hole shape (round, square or rectangular) and select the appropriate chart — A or B.
2. Under HOLE SIZE, locate the column which meets or exceeds the size of hole you require.
3. Use the first two columns to identify the TJI® joist series and depth being used in your floor or roof system.
4. Scan right across the row until you intersect the column which contains the hole size you selected.
The value shown is the required minimum distance from edge of the hole to the the inside face of the nearest support.

CHART A — ROUND HOLES

MINIMUM DISTANCE FROM INSIDE FACE OF ANY SUPPORT TO NEAREST EDGE OF HOLE

DEPTH	TJI®/Pro™	ROUND HOLE SIZE													
		2"	3"	4"	5"	6"	6 1/2"	7"	8"	8 1/2"	9"	10"	10 1/2"	12"	12 1/4"
9 1/2"	150	1'-0"	1'-6"	3'-0"	5'-0"	6'-6"	7'-6"								
	250	1'-0"	2'-6"	4'-0"	5'-6"	7'-6"	8'-0"								
11 7/8"	150	1'-0"	1'-0"	1'-0"	2'-0"	3'-0"	3'-6"	5'-0"	7'-0"	8'-6"					
	250	1'-0"	1'-0"	2'-0"	3'-0"	4'-6"	5'-0"	6'-0"	8'-0"	9'-0"					
	350	1'-0"	2'-0"	3'-0"	4'-6"	5'-6"	6'-0"	7'-0"	9'-0"	10'-0"					
	550	1'-0"	1'-6"	3'-0"	4'-6"	6'-0"	6'-6"	7'-6"	9'-0"	10'-6"					
14"	250	1'-0"	1'-0"	1'-0"	1'-0"	1'-6"	2'-0"	3'-0"	5'-0"	6'-0"	6'-6"	8'-6"	10'-0"		
	350	1'-0"	1'-0"	1'-0"	1'-6"	3'-0"	3'-6"	4'-6"	6'-0"	7'-0"	8'-0"	9'-6"	11'-0"		
	550	1'-0"	1'-0"	1'-0"	2'-6"	4'-0"	4'-6"	5'-6"	7'-6"	8'-6"	9'-0"	10'-6"	12'-0"		
16"	250	1'-0"	1'-0"	1'-0"	1'-0"	1'-0"	1'-0"	1'-0"	1'-6"	2'-6"	3'-0"	5'-0"	6'-6"	9'-0"	11'-0"
	350	1'-0"	1'-0"	1'-0"	1'-0"	1'-0"	1'-0"	1'-6"	3'-0"	4'-0"	5'-0"	6'-6"	8'-0"	10'-6"	12'-6"
	550	1'-0"	1'-0"	1'-0"	1'-0"	2'-0"	2'-6"	3'-6"	5'-0"	6'-0"	7'-0"	8'-6"	10'-0"	12'-0"	13'-6"

CHART B — SQUARE OR RECTANGULAR HOLES


MINIMUM DISTANCE FROM INSIDE FACE OF ANY SUPPORT TO NEAREST EDGE OF HOLE

DEPTH	TJI®/Pro™	SQUARE OR RECTANGULAR HOLE SIZE													
		2"	3"	4"	5"	6"	6 1/2"	7"	8"	8 1/2"	9"	10"	10 1/2"	12"	12 1/4"
9 1/2"	150	1'-0"	2'-0"	4'-0"	6'-0"	6'-6"	6'-6"								
	250	1'-0"	2'-6"	4'-6"	6'-6"	7'-0"	7'-0"								
11 7/8"	150	1'-0"	1'-0"	2'-0"	4'-0"	6'-6"	7'-6"	8'-0"	8'-6"	9'-0"					
	250	1'-0"	1'-6"	3'-6"	5'-0"	7'-6"	8'-0"	8'-6"	9'-0"	9'-6"					
	350	1'-0"	2'-6"	4'-0"	5'-6"	7'-6"	8'-6"	9'-0"	9'-6"	9'-6"					
	550	3'-0"	4'-6"	6'-0"	7'-6"	9'-0"	9'-6"	9'-6"	10'-0"	10'-6"					
14"	250	1'-0"	1'-0"	1'-6"	3'-6"	6'-0"	6'-6"	8'-0"	10'-0"	10'-6"	10'-6"	11'-0"	12'-0"		
	350	1'-0"	1'-0"	2'-6"	4'-6"	6'-6"	7'-0"	9'-0"	10'-6"	10'-6"	11'-0"	11'-6"	12'-0"		
	550	1'-6"	3'-0"	4'-6"	6'-6"	8'-0"	8'-6"	10'-0"	11'-6"	11'-6"	12'-0"	12'-6"	13'-0"		
16"	250	1'-0"	1'-0"	1'-0"	1'-0"	1'-6"	2'-0"	4'-0"	6'-6"	8'-6"	8'-6"	9'-6"	10'-0"	11'-0"	11'-6"
	350	1'-0"	1'-0"	1'-0"	1'-0"	3'-0"	3'-6"	5'-6"	8'-0"	10'-0"	10'-0"	11'-0"	11'-6"	12'-6"	13'-0"
	550	1'-0"	1'-6"	3'-6"	5'-0"	7'-6"	8'-0"	9'-6"	11'-6"	13'-0"	13'-0"	13'-6"	14'-0"	15'-0"	15'-6"

Rectangular holes based on measurement of longest side.

GENERAL NOTES

- If more than one hole is cut into the web, the distance between the edges of the holes must be at least 2x the length of the largest hole.
- Holes may be located vertically anywhere within the web. Leave 1/8" of web minimum at top and bottom of hole.
- TJI® joists are manufactured with 1 1/2" perforated knockouts in the web at approximately 12" on-center along the length of the joist.
- Distances in the charts above are based on uniformly loaded joists using the maximum loads shown for any of the tables listed within this brochure. For other load conditions or hole configurations not included in these charts, refer to our TJI-Beam™ software or contact your Trus Joist MacMillan representative.
- For simple span (5 foot minimum) uniformly loaded joists meeting the requirements of this brochure, one maximum size round hole may be located at the center of the joist span provided no other holes occur in the joist. **DO NOT** cut into joist flanges when cutting out web.



FULL WEB DEPTH RECTANGULAR HOLES ARE ALSO POSSIBLE. CONTACT YOUR TRUS JOIST MACMILLAN REPRESENTATIVE FOR ASSISTANCE.