

CITY OF SACRAMENTO

Permit No: 9806547

1231 I Street, Sacramento, CA 95814

Insp Area: 1

Site Address: 809 20TH ST SAC

Sub-Type: ACOM

Parcel No: 0070015018

Housing (Y/N): N

CONTRACTOR

OWNER

ARCHITECT

CALIFORNIA PETROLEUM EQUIPMENT INC

TRIOND

BENICIA CA

94510

**Nature of Work: REMOVE EXSTG FUEL DISP & CONSOLE INSTALL NEW DISP CONSOLE
SYST, TANK MONITOR & TURB PUMP**

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class A+B License Number 432613 Date 07-15-98 Contractor Signature *Byron Ruckhaup*

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

____ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

____ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

____ I am exempt under Sec. _____ B & PC for this reason: _____

Date _____ Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 07-15-98 Applicant/Agent Signature *Byron Ruckhaup*

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

____ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

____ I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier Golden Eagle Policy Number *12-98* NWC-33811302

____ (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 07-15-98 Applicant Signature *Byron Ruckhaup*

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

**CITY OF SACRAMENTO
APPLICATION FOR BUILDING PERMIT**

98.06547

**DEVELOPMENT SERVICES DIVISION
PERMIT SERVICES DIVISION**

1231 I Street, Rm. 200
Sacramento, CA 95814

(916) 264-7619 FAX 264-7046

→ Applicant must complete ALL Unshaded areas ←

PC #	AREA #
------	--------

ADDRESS 809 20th ST. Suite _____
PARCEL # 007-0015-018

<p align="center">CONTACT</p> <p>Name <u>Bryce Ruschhaupt</u> Address <u>PO Box 9364</u> <u>FRESNO Ca</u> Zip <u>93792</u> Phone <u>209-994-8788</u> FAX <u>209-226-1894</u></p>		<p align="center">LICENCED CONTRACTOR Lic No. # <u>432613</u></p> <p>Name <u>Ca Petroleum Equip. Inc</u> Address <u>PO Box 9364</u> <u>FRESNO Ca</u> Zip <u>93792</u> Phone <u>209-276-1881</u> FAX <u>209-276-1894</u></p>	
<p align="center">ARCHITECT/ENGINEER</p> <p>Name _____ Address _____ Zip _____ Phone _____ FAX _____</p>		<p align="center">OWNER/TENANT</p> <p>Name <u>The Customer Co</u> Address <u>PO Box 886</u> <u>BENICIA Ca</u> Zip <u>94707</u> Phone <u>207-745-6691</u> FAX _____</p>	

→ Will the permittee have any employees on the jobsite? Yes No

→ If yes, WORKER'S COMPENSATION POLICY # HWC-33811302 EXPIRATION DATE: 11-31-98

NAME OF INSURANCE COMPANY: GOLDEN EAGLE

NATURE OF WORK IN DETAIL: REMOVE + REINSTALL EXISTING FUELING INSTALLATION +
+ REINSTALL WITH NEW TANKS + LINES. ELECTRICALS AS REQUIRED TO
REINSTALL WITH NEW TANK MONITOR.
UNDERGROUND TANKS ONLY


DBA: _____ VALUATION: _____

FLOOD STATUS:				S.C.A.T.						
JOB DESCRIPTION		BLDG	SHEL	APT	TI()	REM()	SW	FIRE	ADD	OTH
INSP. DISCIPLINES			BLDG	MECH	PLUMB	ELEC	SITE		FIRE	
# Stories	1st flr Area	Total Area	Use Zone	Occp Group	Const type	Fire Req. Y/N		Fed Code	Vio. File	
						Spr	Alarm			
B	L	P	M	E	F	S	D	R	13	OK

COMMENTS:
Plans on microfilm

REGIONAL SANITATION FEES? Yes No HEALTH DEPARTMENT? Yes No

PATIO COVER



ISSUED

ADDRESS:
PERMIT #:

DATE: 5/18/88

2 x 6
RAFTERS

SOLID SHEETED PATIO ROOF - 20 lb. LIVE LOAD
 LESS THAN 4 IN 12 PITCH

RAFTER SIZE	CENTERS					
	16"	24"	30"	36"	42"	48"
2 x 4	8' 8"	7' 1"	6' 6"	6' 0"	5' 6"	5' 0"
2 x 6	13' 3"	10' 11"	10' 0"	9' 6" ✓	9' 0"	8' 6" ✓
2 x 8	17' 5"	14' 6"	13' 6"	13' 0"	12' 6"	12' 0"

M A T E R I A L

ROOF
SHEATHING

1" - - - 32"
 2" - - - 84"
 2" T&G - 96"

BEAM SIZES
AND SPANS

4 x 4 0" - 6' 0"
 4 x 6 6' 0" - 10' 0"
 4 x 8 10' 0" - 14' 0"

2 x 4 RAFTERS TO BE #1 DOUGLAS FIR. ALL OTHER MATERIAL TO BE #2 DOUGLAS FIR OR REDWOOD HEART STRUCTURAL.

BEAM TABLE APPLIES TO PATIOS UP TO A MAXIMUM DEPTH OF TWELVE FEET

.....

LIGHT PATIO ROOF - 10 lb. LIVE LOAD
 LESS THAN 4 IN 12 PITCH

RAFTER SIZE	CENTERS					
	16"	24"	32"	36"	42"	48"
2 x 4	12' 0"	10' 0"	9' 0"	8' 0"	7' 6"	7' 0"
2 x 6	17' 0"	15' 6"	14' 0"	12' 6"	12' 0"	11' 0"
2 x 8	21' 0"	19' 0"	18' 0"	17' 0"	15' 6"	14' 6"

BEAM SIZES AND SPANS

4 x 4 0" - 7' 0"
 4 x 6 7' 0" - 12' 0"
 4 x 8 12' 0" - 16' 0"

ALL MATERIAL TO BE #2 DOUGLAS FIR OR REDWOOD HEART STRUCTURAL GRADE

BEAM TABLE APPLIES TO PATIOS UP TO A MAXIMUM DEPTH OF SIXTEEN FEET.