

CITY OF SACRAMENTO
1231 I Street, Sacramento, CA 95814

Permit No: 0503960
Insp Area: 3
Thos Bros: 318-C7

Site Address: 7781 52ND AV SAC
Parcel No: GLEN ELDER UNIT 8 LOT 11

Sub-Type: NSFR
Housing (Y/N): N

CONTRACTOR
RIVERLAND HOMES
1566 BERRY RD.
RIO OSO CA. 95674

OWNER

ARCHITECT

Nature of Work: MP 1725 1 STORY 7 ROOM SFR

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class _____ License Number 783707 Date _____ Contractor Signature _____

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a penalty of not more than five hundred dollars (\$500.00);

____ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

____ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

____ I am exempt under Sec. _____ B & PC for this reason: _____

Date 3-24-05 Owner Signature [Signature]

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of a ny improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and herby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date _____ Applicant/Agent Signature _____

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:
____ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

____ I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier _____ Policy Number _____ Exp Date _____

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 3-24-05 Applicant Signature [Signature]

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.



Planning and Building Department
Building Division

CITY OF SACRAMENTO
CALIFORNIA

Downtown Permits Center
1231 I Street, #200
Sacramento, CA 95814-2998

North Permits Center
2101 Arena Blvd., Suite 200
Sacramento, CA 95834

ADDRESS 7781 5th AVE PERMIT NO. 0503960

INSPECTION COMMENTS	PERMIT DOCUMENTS
4-18-05 AP B 10/11 P 40/42/43 SLB	
5-2-05 # 12 A.P. S.P.	
6/9/05 AP B 1/26 LMG	
6/9/05 CW EG LMG	
6/10/05 EG 7 AP B 1/26 37624	
8-9-05 # 21 C.D. S.P.	
08.11.05 VCR AP B 1/18/21	
8-26-05 847 AP S.P.	

FINAL APPROVALS	
BUILDING	
ELECTRICAL	
PLUMBING	
MECHANICAL	
FIRE	11-3-05
SITE	

1725

Lot 11

From:

INSTALLATION CERTIFICATE

(Page 1 of 13)

CF-6R

Site Address **7781 52nd AVE**

Permit Number **0503960**

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

HVAC SYSTEMS:

Heating Equipment

Equip. Type (pkg. description)	CEC Certified Mfr Name and Model Number	# of Identical Systems	Efficiency (AFUE, etc.) ¹ (>CF-1R value)	Duct Location (attic, etc.)	Duct or Piping R-value	Heating Load (Btu/hr)	Heating Capacity (Btu/hr)

Cooling Equipment

Equip. Type (pkg. description)	CEC Certified Compressor Unit Mfr Name and Model Number	# of Identical Systems	Efficiency (SEER, etc.) ¹ (>CF-1R value)	Duct Location (attic, etc.)	Duct R-value	Cooling Load (Btu/hr)	Cooling Capacity (Btu/hr)

1. \geq reads greater than or equal to.
I, the undersigned, verify that equipment listed above is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name)
OR General Contractor (Co. Name) OR Owner

WATER HEATING SYSTEMS:

Heater Type	CEC Certified Mfr Name & Model Number	Distribution Type (Std. Point-of-Use)	If Recirculation, Control Type	# of Identical Systems	Rated ² Input (kW or Btu/hr)	Tank Volume (gallons)	Efficiency ² (EF, RE)	Standby ² Loss (%)	External Insulation R-value ³
3rd floor	RM44DT6-FBN	STORAGE		1	48,000	40	.62	N/A	R-16

2. For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor.
For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Input.
For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.
3. R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.68.

Faucets & Shower Heads:

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Linda Sanders 10/6/05
Signature, Date

Northstar Plumbing, Inc.
Installing Subcontractor (Co. Name) OR
General Contractor (Co. Name) OR Owner

COPY TO: Building Department
HERS Provider (if applicable)
Building Owner at Occupancy

(530) 633-0

(Page 1 of 12) CF-GR	
INSTALLATION CERTIFICATE	
Site Address 7781 52nd AVE	Permit Number 0503960

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(a).

WATER HEATING SYSTEMS:

Natural Gas
Bradford White

Heater Type	CEC Certified Mfr Name & Model Number	Distribution Type (Std. Point-of-Use etc)	If Recirculation Control Type	# of Identical Systems	Rated Input (kW or Btu/hr)	Tank Volume (gallons)	Efficiency (RE, RE ²)	Standby Loss (%) ²	External Insulation R-value ²
	BN440	Storage		0	45,000	40	.62	N/A	R-16

- For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor (EF). For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery (RE), Thermal Efficiency, Standby Loss and Rated Input. For instantaneous gas water heaters, list Thermal Efficiency and Rated Input.
- R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

Kitchen Piping:
If indicated on the CF-1R, all hot water piping \geq 3/4 inches in diameter that runs from the hot water source to the kitchen fixtures is insulated.

Faucets & Shower Heads:
All faucets and showerheads installed are certified to the Energy Commission, pursuant to Title 24, Part 6, Section 111.

Central Water Heating in Buildings with Multiple Dwelling Units (required for prescriptive)

- All hot water piping in main circulating loop is insulated to requirements of §150(j)
- Central hot water systems serving six or fewer dwelling units which have (1) less than 25' of distribution piping outdoors; (2) zero distribution piping underground; (3) no recirculation pump; and (4) insulation on distribution piping that meets the requirements of Section 150(j)
- Central hot water systems serving more than 6 dwelling units - presence of either a time control or a time/temperature control

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner	Northstar Plumbing, Inc.
Signature: <i>Sinda Henderson</i>	Date: <i>10/6/05</i>

Copies to: BUILDING DEPARTMENT, HERS RATER (IF APPLICABLE) BUILDING OWNER AT OCCUPANCY



Plan 1725

Brent Duggins Glass
Specializing in New Construction & Remodel
Windows * Glass * Mirrors * Shower Enc.
C.L.# 773246

INSTALLATION CERTIFICATE		(Page 2 of 12) CF-6R
Site Address: 7781 52nd AVE	Permit Number: 0503960	

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(a).

PENESTRATION/GLAZING:

Item	Manufacturer/Brand Name (GROUP LIKE PRODUCTS)	Product U-factor ¹ (or CF-IR value) ²	Product SHGC ¹ (or CF-IR value) ²	# of Panes	Total Quantity of Like Product (Optional)	Area Square Feet	Exterior Shading Device or Overhang	Comments/Location/ Special Features
1	LWC-5320 Series	.35	.32	2	1	20	N/A	N/A
2	LWC-5320	.35	.32	2	1	14	N/A	N/A
3	LWC-5320	.34	.33	2	1	55	N/A	N/A
4	LWC-5320	.34	.33	2	1	41	N/A	N/A
5	LWC-5320	.35	.32	5	1	40	N/A	N/A
6	LWC-5320	.35	.32	2	1	4	N/A	N/A
7	LWC-5320	.35	.33	4	2	35	N/A	N/A
8								
9								
10								
11								
12								
13								
14								
15								


¹ Use values from a fenestration product's NFRC label. For fenestration products without an NFRC label, use the default values from Section 116 of the Energy Efficiency Standards.

² Installed U-factor must be less than or equal to values from CF-IR. Installed SHGC must be less than or equal to values from CF-IR, or a shading device (exterior or overhang) is installed as specified on the CF-IR. Alternatively, installed weighted average U-factors for the total fenestration area are less than or equal to values from CF-IR. If using default table SHGC values from §116 identify whether tinted or not.

I, the undersigned, verify that the fenestration/glazing listed above my signature: 1) is the actual fenestration product installed; 2) is equivalent to or has a lower U-factor and lower SHGC than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) the product meets or exceeds the appropriate requirements for manufactured devices (from Part 5) where applicable.

Item #s (if applicable)	Signature	Date	Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor
		10-6-05	Brent Duggins Glass
Item #s (if applicable)	Signature	Date	Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor
Item #s (if applicable)	Signature	Date	Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

Copies to: Building Department, HERS Rater (if applicable) Building Owner at Occupancy
P.O. Box 1290 * Elverta, CA 95626 * 530/742-2587 * Fax 530/742-2750
April 2005



1700P/11/05

INSTALLATION CERTIFICATE		(Page 3 of 12) CF-6R
Site Address	7781 52nd AVE	Permit Number 0503960

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(a).

HVAC SYSTEMS:

Heating Equipment

Equip Type (pkg. heat pump)	CBC Certified Mfr. Name and Model Number	# of Identical Systems	Efficiency (AFUE, etc.) ¹ (>CF-1R value)	Duct Location (attic, etc.)	Duct or Piping R-value	Heating Load (Btu/hr)	Heating Capacity (Btu/hr)
Split System							
Rheem	# R201A 0714A M6-2	1	80%	Attic	4.2		75000 BTU

Cooling Equipment

Equip Type (pkg. heat pump)	CBC Certified Mfr. Name and Model Number	# of Identical Systems	Efficiency (SEER or EER) ¹ (>CF-1R value)	Duct Location (attic, etc.)	Duct R-value	Cooling Load (Btu/hr)	Cooling Capacity (Btu/hr)
Split System							
Rheem	# RAME-07L JB-2	1	12 SEER	Attic	4.2		42000 BTU

1. \geq symbol reads greater than or equal to what is indicated on the CF-1R value. Include both SEER and EER if compliance credit for high EER air conditioner is claimed.

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner	Gold River Mechanical
Signature: <i>[Signature]</i>	Date: 10-5-05

Copies to: BUILDING DEPARTMENT, HERS RATER (IF APPLICABLE) BUILDING OWNER AT OCCUPANCY

INSTALLATION CERTIFICATE		(Page 11 of 12) CF-6R
Site Address	7781 SZ rd Ave	Permit Number 0503960

✓ ROOF/CEILING BATT'S

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No gaps
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No voids over 1/2 in deep or more than 10% of the batt surface area.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Insulation in contact with the air-barrier
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recessed light fixtures covered
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Net free-ventilation area maintained at eave vents

✓ ROOF/CEILING LOOSE-FILL

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Insulation uniformly covers the entire ceiling (or roof) area from the outside of all exterior walls.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Baffles installed at eave vents or soffit vents - maintain net free-ventilation area of eave vents
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attic access insulated
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recessed light fixtures covered
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Insulation at proper depth - insulation rulers visible and indicating proper depth and R-value
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Loose-fill insulation meets or exceeds manufacturer's minimum weight and thickness requirements for the target R-value. Target R-value <u>R-38</u> . Manufacturer's minimum required weight for the target R-value <u>1.210</u> (pounds-per-square-foot). Manufacturer's minimum required thickness at time of installation <u>10 1/2</u> . Manufacturer's minimum required sealed thickness <u>10 1/2</u> . Note: To receive compliance credit the HERS rater shall verify that the manufacturer's minimum weight and thickness has been achieved for the target R-value. (CF-6R only)

DECLARATION

I hereby certify that the installation meets all applicable requirements as specified in the Insulation Installation Procedures.

GOLD STAR INSULATION, INC.

3928 Patrol Road, Unit B
McClellan, CA 95662

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

Signature: *[Handwritten Signature]*

Date:

Copies to: BUILDING DEPARTMENT, HERS RATER (IF APPLICABLE), BUILDING OWNER AT OCCUPANCY

INSTALLATION CERTIFICATE		(Page 10 of 12) CF-6R
Site Address	7781 52nd Ave	Permit Number 0503960

Insulation Installation Quality Certificate

- Description of Insulation. (CF-6R, formerly IC-1) signed by the installer stating insulation manufacturer's name, material identification, installed R-values, and for loose-fill insulation minimum weight per square foot and minimum inches
- Installation meets all applicable requirements as specified in the High Quality Insulation Installation Procedures (ACM, Appendix RH)

FLOOR			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All floor joist cavity insulation installed to uniformly fit the cavity side-to-side and end-to-end
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Insulation in contact with the subfloor or rim joists insulated
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Insulation properly supported to avoid gaps, voids, and compression
Yes	No	NA	
WALLS			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wall stud cavities caulked or foamed to provide an air tight envelope
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wall stud cavity insulation uniformly fills the cavity side-to-side, top-to-bottom, and front-to-back
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No gaps
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No voids over 3/4" deep or more than 10% of the butt surface area
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hard to access wall stud cavities such as, corner channels, wall intersections, and behind sub/blower enclosures insulated to proper R-Value
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Small spaces filled
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Rim-joists insulated
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Loose fill wall insulation meets or exceeds manufacturer's minimum weight-per-square-foot requirement
Yes	No	NA	
ROOF/CEILING PREPARATION			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All draft stops in place to form a continuous ceiling and wall air barrier
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All drops covered with hard covers
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All draft stops and hard covers caulked or foamed to provide an air tight envelope
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All recessed light fixtures (IC and air tight (AT) rated and sealed with a gasket or caulk between the housing and the ceiling
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attic cavities on multiple-story buildings have air tight draft stops to all adjoining attics
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Eave vents prepared for blown insulation - maintain net free-ventilation area
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Knee walls insulated or prepared for blown insulation
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Area under equipment platforms and cat-walks insulated or accessible for blown insulation
Yes	No	NA	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attic rulers installed
Yes	No	NA	

INSTALLATION CERTIFICATE		(Page 12 of 12) CF-6R
Site Address	7781 52nd Ave	Permit Number 0503960
County Subdivision		Lot Number

Description of Insulation (Formerly IC-1 Form)


- 1. RAISED FLOOR**
 Material _____ Brand Name _____
 Thickness (inches) _____ Thermal Resistance (R-Value) _____
- 2. SLAB FLOOR/PERIMETER**
 Material _____ Brand Name _____
 Thickness (inches) _____ Thermal Resistance (R-Value) _____
 Perimeter Insulation Depth (inches) _____
- 3. EXTERIOR WALL**
 Frame Type 2x4
 A. Cavity Insulation
 Material Fiberglass Brand Name Johns Manville
 Thickness (inches) 3.5 in. Thermal Resistance (R-Value) R-13
 B. Exterior Foam Sheathing
 Material _____ Brand Name _____
 Thickness (inches) _____ Thermal Resistance (R-Value) _____
- 4. FOUNDATION WALL**
 Material _____ Brand Name _____
 Thickness (inches) _____ Thermal Resistance (R-Value) _____
- 5. CEILING**
 Batt or Blanket Type BATT Brand Name Johns Manville
 Thickness (inches) 1.5" Thermal Resistance (R-Value) R-3.8
 Loose Fill Type CELLULOSE Brand GREEN FIBER
 Contractor's min installed weight 12.0 lb Minimum thickness 10.5 inches
 Manufacturer's installed weight per square foot to achieve Thermal Resistance (R-Value) R-38
- 6. ROOF**
 Material _____ Brand Name _____
 Thickness (inches) _____ Thermal Resistance (R-Value) _____

Declaration


I hereby certify that the above insulation was installed in the building at the above location in conformance with the current Energy Efficiency Standards for residential buildings (Title 24, Part 6, California Code of Regulations) as indicated on the Certificate of Compliance, where applicable.

Item #s (if applicable) <u>3, 5</u>	Signature <u>Robert Bayne</u>	Date	Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor
Item #s (if applicable)	Signature	Date	Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor
Item #s (if applicable)	Signature	Date	Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

PAID
 CITY OF SACRAMENTO
 MAY 11 2005
 NORTH PLUMB
 GENERAL



NOT TO BE USED FOR ANY OTHER PURPOSES WITHOUT THE WRITTEN PERMISSION OF THE CITY OF SACRAMENTO. THE CITY OF SACRAMENTO IS NOT RESPONSIBLE FOR ANY ERRORS OR OMISSIONS IN THIS PLAN AND SPECIFICATIONS. THE USER OF THIS PLAN AND SPECIFICATIONS SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF SACRAMENTO AND ALL APPLICABLE AGENCIES. THE USER OF THIS PLAN AND SPECIFICATIONS SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF SACRAMENTO AND ALL APPLICABLE AGENCIES.



LOT II
 GLEN ELDER
 SACRAMENTO, CA
 SCALE: 1"=20'-0"