

CITY OF SACRAMENTO

Permit No: 9809703

1231 I Street, Sacramento, CA 95814

Insp Area: 2

Site Address: 8785 CENTER PK SAC

Sub-Type: ACOM

Parcel No: 1170211025

STE B 140

Housing (Y/N): N

CONTRACTOR

M C UHL CONSTRUCTION
27538 TABLEMEADOW RD
AUBURN CA. 95602

OWNER

PAN PACIFIC DEV (LAGUNA) INC
1631 S MELROSE DR #B
VISTA CA 92083

ARCHITECT

Nature of Work: TENANT IMPROVEMENT FOR A RESTAURANT - OSAKA SUSHI

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name Alan UU Lender's Address 8785 Center Pkwy

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class B-1 License Number 358192 Date 1-5-99 Contractor Signature uhl uhl

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. B & PC for this reason:

Date Owner Signature

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and herby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 1-5-99 Applicant/Agent Signature uhl uhl

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier Exempt Policy Number Exp Date

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 1-5-99 Applicant Signature uhl uhl

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

CITY OF SACRAMENTO  
APPLICATION FOR [REDACTED] BUILDING PERMIT

9809703

DEVELOPMENT SERVICES DIVISION  
PERMIT SERVICES SECTION

1231 I Street, Rm. 200  
Sacramento, CA 95814 (916) 264-7619 FAX 264-7046

PLAN CHECK # 6431 Insp. Area 2

Applicant MUST complete ALL Unshaded areas  
this page only

ADDRESS 8785 CENTER PARKWAY Suite B-140  
PARCEL # 117-0211-033

<p><b>CONTACT</b></p> <p>Name <u>SAM BOUSFIELD</u></p> <p>Address <u>124 OAKWOOD DR. SUITE 'A'</u> <u>AUBURN CA</u> Zip <u>95203</u></p> <p>Phone <u>(530) 885-9760</u> FAX <u>(530) 885-9158</u></p>		<p><b>LICENSED CONTRACTOR</b> Lic No. # <u>358192</u></p> <p>Name <u>Mike Uhl</u></p> <p>Address <u>27538 Tablemeadow Rd</u> <u>Auburn CA</u> Zip <u>95602</u></p> <p>Phone <u>(530) 241-2110</u> FAX</p>	
<p><b>ARCHITECT/ENGINEER</b></p> <p>Name <u>AS ABOVE</u></p> <p>Address _____ Zip _____</p> <p>Phone _____ FAX _____</p>		<p><b>OWNER</b></p> <p>Name <u>Alan Uhl % OSAKA SUSHI</u></p> <p>Address <u>650 'G' STREET</u> <u>DAVIS</u> Zip <u>95616</u></p> <p>Phone <u>(530) 758-2200</u> FAX <u>(530) 758-5770</u></p>	

→ Will the permittee have any employees on the jobsite?  Yes  No

→ If yes, WORKER'S COMPENSATION POLICY # \_\_\_\_\_ EXPIRATION DATE: \_\_\_\_\_

NAME OF INSURANCE COMPANY: \_\_\_\_\_

NATURE OF WORK IN DETAIL: Tenant Improvement - Restaurant with hood  
in new mall. They are first tenant of space. New restroom,  
sushi bar, kitchen, remote walk-in coolers, during on-site.

~~54913370~~ #

DBA: OSAKA SUSHI VALUATION: 110,000 144,675

FLOOD STATUS:			S.C.A.T.						
JOB DESCRIPTION	BLDG	SHEL	APT	TI (X)	REM ( )	SW	FIRE	ADD	OTH
INSP. DISCIPLINES		<u>BLDG</u>	<u>MECH</u>	<u>PLUMB</u>	<u>ELEC</u>		<u>SITE</u>	<u>FIRE</u>	
# Stories	1st flr Area	Total Area	Use Zone	Occp Group	Const type	Fire Req. Y/N	Fed Code	Viol. File	
		<u>3487</u>		<u>A3</u>	<u>VN</u>	<u>Spr</u> <u>Alarm</u>	<u>18</u>		
<u>B</u>	<u>L</u>	<u>P</u>	<u>M</u>	<u>E</u>	<u>F</u>	<u>S</u>	<u>D</u>	<u>R</u>	

COMMENTS: \_\_\_\_\_  
Pay Reg. SAN FEES  
PC Fee 921.53 paid 9/30/98 ~~Handing final fees~~

REGIONAL SANITATION FEES?  Yes  No HEALTH DEPARTMENT?  Yes  No

BLDGFRM. (REV 05/98)  WATER FLOW TEST FOR NEW BLDGS OR ADDITIONS  Yes  No

PC 6431

**City of Sacramento Development Services Division  
Planning and Zoning Information Request**

Project Address: 8785 CENTER PARKWAY

Assessor's Parcel Number: 117-0211-033

Current Land Use: SHOPPING CENTER

Description of Request/Proposed Use: \_\_\_\_\_

5491 SF RESTAURANT TO OCCUPY  
SPACE B-140 1st TIME T.I.  
SUSHI BAR.

Zoning Designation: SC PUD

Prior Applications for Project Site(P#,Z#,DRPB#): \_\_\_\_\_

Comments: Retail Sp. = 5491 S.F.  
Parking Credit 22 spaces  
75 seats / 3 sp. 25 sp. reqd.  
Need parking verification  
provide listing of all uses & total parking

Are There Any Planning Issues?: (Circle One) YES NO

Site Plan Check Required? (Circle One) YES NO

Design Review/ Preservation Required?: (Circle One) YES NO

Planning Review by/Date: W J Lough 10/6/98

A list of items that must be reviewed by Planning is provided on the reverse side of this form.

**CITY OF SACRAMENTO**  
 BUILDING INSPECTION DIVISION  
 APPLICATION FOR BUILDING PERMIT - HAZARDOUS MATERIAL SURVEY

*As Required by Assembly Bill #3205 - A Building Permit Cannot be Approved Without This Completed Form*

1. Business Name: Osaka Sushi Phone: 758 2288  
 Site Address: 8785 CENTER PKWY Suite: B-140  
(Street) (Zip)  
 Business Owner/Representative: MIKE UHL Phone: (530) 269-2110  
 Nature of Business: CONTRACTOR  
 Property Owner: PAN PACIFIC Phone: 868-6568  
 Address: 8785 CENTER PKWY Suite: B-100  
(Street) (City) (State) (Zip)  
SAC. Ca. 9

2. Are you developing an undetermined tenant space? Yes  No  Is this permit for a shell building? Yes  No

Notify lessee of the responsibility to coordinate with the Fire Department regarding the use and handling of hazardous materials.

3. Does/Will your business generate hazardous waste? Yes  No   
 4. Does/Will your business handle, store or transport any solid, liquid, or gaseous chemicals? Yes  No

**CONSULT THE EPA CHEMICAL LIST LOCATED AT THE BUILDING DIVISION COUNTER FOR HAZARDOUS OR ACUTELY HAZARDOUS MATERIALS TO COMPLETE THE FOLLOWING QUESTIONS.**

If you answered "YES" to questions #3 and/or #4 above, continue on to questions 5 - 8.

5. Do you handle, store, or transport 55 gallons, 500 pounds, or 200 cubic feet (at Standard Temperature or Pressure) of a product or formulation containing hazardous materials at any one time? Yes  No   
 6. Do you handle, store or transport any amount of acutely hazardous materials? Yes  No   
 7. Is/Will your business be located within 1,000 feet of a school? Yes  No

If you answered "yes" to questions #6 and/or #7, complete the RMPP Informational sheet.

8. Is/Will your business be located within 1,000 feet of a hospital, and/or long-term healthcare facility? Yes  No

IF YOU ANSWERED "YES" TO QUESTION #3 AND/OR #4, PLEASE CONTACT THE CITY OF SACRAMENTO FIRE DEPARTMENT LOCATED AT 1231 I STREET, SUITE 401, SACRAMENTO, CA OR CALL 449-5416.

***Prior to issuance of a certificate of occupancy, each business owner(s) shall contact the City of Sacramento Fire Department and comply with the Health and Safety Code regarding the use and handling of hazardous materials.***

**PENALTY:** Any business that violates Section 25531-25541 of the Health and Safety Code shall be civilly liable to the administering agency in an amount of not more than two thousand dollars (\$2,000) for each day in which the violation occurs. If the violation results in, or significantly contributes to, an emergency, including a fire, the business shall also be assessed the full cost of the city emergency response, as well as the cost of cleaning up and disposing of the hazardous materials. Additional liability and punishment may be assessed for knowing a violation after reasonable notice of the violation.

Applicant's Name: MIKE UHL  
(Print)  
Mike Uhl 1-5-99  
(Signature) (Date)

BID Use Only: Plan Ck# <u>6437</u> Permit # <u>1209032</u>	
OK to issue prmt? <input checked="" type="checkbox"/>	F.D. Appr Req'd? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
<small>init date</small>	
Hold on Certificate of Occupancy? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Fire Dept. Use Only:	
OK to issue permit? init <input type="checkbox"/> date <input type="checkbox"/>	
OK to issue Certificate of Occupancy? init <input type="checkbox"/> date <input type="checkbox"/>	

COUNTY SANITATION DISTRICT NO. 1  
 SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT  
**SEWER IMPACT FEE**  
 PERMIT AND CALCULATION SHEET

APPLICATION NO: **CIT**  
 GENERAL INFORMATION  
 THIS PERMIT IS VALID ONLY WHEN VALIDATED BY THE CALIFORNIA DEPARTMENT OF WATER RESOURCES  
 249149

DEPT 26 SEWERWATER \$29,628.00  
 TRN 390660 01/04/99  
 RECEIPT 679723 044 \$36,628.00  
 THIS PERMIT TO CONNECT EXPIRES ONE YEAR FROM DATE OF ISSUANCE

**FEE CALCULATION**  
 BUILDING USE

INSPECTION	
CSO	
SRCSD	36,628-
CONSTRUCTION	
IN-LIEU	
<b>TOTAL FEE</b>	<b>36,628-</b>

APN: **117-0211-033**  
 DESCRIPTION/  
 SUBDIVISION:  
 LOT:

PROPERTY ADDRESS: **8785 CENTER PARKWAY**

OWNER: **PAN PACIFIC KITCHEN FURNITURE, INC.**

MAILING ADDRESS: **8785 CENTER PARKWAY, P.O. BOX 8850**


CITY-STATE-ZIP: **SACRAMENTO CA 95823**  
 PHONE: **916-485-8656**

ADDITIONAL FEES MAY BE DUE FOR CHANGES  
 E INCREASE SEWER ACT

APPLICANT SIGNATURE: *[Signature]*  
 CONSOLIDATED UTILITY BILLING ONLY  
 INPUT START RECEIPT

TO: Mike  
 FR: ALAN VO

# FLEX-CON<sup>®</sup>



To Expedite Orders or Quotations  
 Please specify:

1. BTU per hr. (gas only)
2. N.P.T. diameter
3. Length (in 12" increments)
4. Polytel or SIS finish
5. Quick-Disconnect required?
6. Restraining cable required?
7. Model No., if known
8. Quantity
9. Special instructions

**FLEX-CON<sup>®</sup> CONNECTION**  
 Model No. 0750P shown  
 with Model No. 0500Q  
 Quick Disconnect

## Model Selector

Quick-Dis Model No.	N.P.T. Size	BTU/HR* Nat. Gas	Stress Capacities			Quick-Dis Model No.	Dimension & Quick-D Connect			
			Dimension Puff	Bursting Pres (PSI)	Crush Pres (PSI)		Approx. Length	1"	2"	3"
<b>GAS</b>										
0500P*	1/2"	95,000	3200	5000	9000	0500QD	36"	48"	60"	72"
0750P*	3/4"	255,000	3750	6000	9600	0750QD	2	2 1/2	3	4
01000P*	1"	435,000	4300	6000	9600	01000QD	2 1/2	3	4	4 1/2
01250P*	1-1/4"	875,000	4300	6000	9600	01250QD	3 1/4	5 1/2	7 1/2	10
<b>Water (Heavy Duty Type)</b>										
0251WP*	1/2"		2400	5000	9000	025WQD	1/4	1	1	2
0381WP*	3/8"		2750	5000	9000	038WQD	1 1/2	2	2 1/2	3
0501WP*	1/2"		3200	5000	9000	050WQD	2	2 1/2	3	4
0751WP*	3/4"		3750	6000	9400	075WQD	2 1/2	3	4	4 1/2
01001WP*	1"		4300	6000	9400	0100WQD	3 1/4	4	5	5 1/2
<b>Water (Counter Type)</b>										
0251F1	1/2"		N/A	300	N/A	025WFQD	12"	18"	24"	30"
0381F1	3/8"		N/A	210	N/A	038WFQD	All less than 12" ft.			
0501F1	1/2"		N/A	210	N/A	050WFQD				
<b>STEAM</b>										
0505S*	1/2"		3200	5000	9000	AVAILABLE	36"	48"	60"	72"
0755S*	3/4"		3750	6000	9600	BJT	2	2 1/2	3	4
01005S*	1"		4300	6000	9600	NOT	2 1/2	3	4	4 1/2
01255S*	1-1/4"		4300	6000	9600	COMMENDED	3 1/4	5 1/2	7 1/2	10

\*Inter. length in inches. Lengths available are 12", 24", 36", 48", 60", 72"  
 For indicated, change "F" to "B". Add suffix "Q" to include quick disconnect fitting.  
 \*Mean pressure at varying pressures drops from 21" w.c. to 1.62" w.c. Capacity determined by Average BTU/hr.  
 \*Weight of hose is indicated only. Add approx. 1.5 lbs. per foot for Quick-Disconnect fitting.  
 †Insulated for Hot water and ‡ for Cold water.  
 Inter. length in inches: 12", 18", 24", 30", 36". Length available

**FLEX-CON<sup>®</sup> CONNECTION DISPLAY INSTALLATION KITS**  
**MOVABLE GAS APPLIANCE CONNECTION KITS**  
 Standard kit contains one gas connector with Polytel Coating, one solid brass quick-disconnect and one restraining cable with hardware.  
 Deluxe kit includes above plus a ball valve and two elbows.

To place an order, call toll free:  
**800-26-AVTEC**  
**600-262-6322 (CANADA)**  
**FAX: (630) 851-5777**

**AVTEC INDUSTRIES INC.**  
 120 Kendall Point Drive • Oswego, IL 60543 • (630) 851-4800



# BTU Capacities

## Moveable Gas Connectors

Catalog Number	I.D.	Flow Rating BTU 0.64 SP.GR @ 0.5 IN. W.C. Pressure Drop					
		12"	24"	36"	48"	60"	72"
1650 B, 1650 BP	1/2"	152,000	150,000	120,000	106,000	93,000	86,000
1650 BQ, BPQ, BPQ-B, BPCF		98,000	87,000	77,000	68,000	60,000	55,000
1675 B, 1675 BP	3/4"	326,000	291,000	256,000	225,000	198,000	175,000
1675 BQ, BPQ, BPQ-B, BPCF		260,000	232,000	218,000	180,000	158,000	139,000
16100 B, 16100 BP	1"	652,000	582,000	512,000	451,000	397,000	350,000
16100 BQ, BPQ, BPQ-B, BPCF		425,000	414,000	379,000	334,000	294,000	279,000
16125 B, 16125 BP	1-1/4"	1,204,000	1,075,000	946,000	833,000	733,000	645,000
16125 BQ, BPQ, BPQ-B		783,000	699,000	615,000	541,000	476,000	419,000

## Moveable Gas Connectors with Cimfast™ and Supr-Swivel™ Fittings

Catalog Number	I.D.	12"	24"	36"	48"	60"	72"
1650 BPQ-S, BPCFS	1/2"	92,000	81,000	72,000	63,000	56,000	51,000
1650 BPQ-2S, BPCF-2S		88,000	77,000	69,000	60,000	54,000	48,000
1675 BPQ-S, BPCFS	3/4"	242,000	216,000	203,000	167,000	147,000	130,000
1675 BPQ-2S, BPCF-2S		230,000	205,000	193,000	160,000	140,000	124,000
16100 BPQ-S, BPCFS	1"	396,000	385,000	353,000	310,000	274,000	260,000
16100 BPQ-2S, BPCF-2S		377,000	366,000	336,000	295,000	261,000	247,000

## Stationary Gas Connectors

Catalog Number	I.D.	12"	24"	36"	48"	60"	72"
1650 NPFS	1/2"	152,000	150,000	120,000	106,000	93,000	86,000
1675 NPFS	3/4"	326,000	291,000	256,000	225,000	198,000	175,000
16100 NPFS	1"	652,000	582,000	512,000	451,000	397,000	350,000
16125 NPFS	1-1/4"	1,204,000	1,075,000	946,000	833,000	733,000	645,000

### Supr-Swivel™ Fitting

Catalog Number	I.D.	BTU Rating
S50	1/2"	190,000
S75	3/4"	220,000
S100	1"	457,000
S125	1-1/4"	1,101,000

### CIMFAST™ Fitting

Catalog Number	I.D.	BTU Rating
CF-50	1/2"	111,000
CF-75	3/4"	237,000
CF-100	1"	360,000

Note: AGA and CGA laboratories design certify gas connectors at a maximum operating pressure of 5 lb. per square inch. Capacities shown, which exceed minimum ANSI requirements, are results from independent testing laboratories. BTU capacities for gas connectors (B & BP models) are defined by ANSI Z21.69. Flow capacities for connector assemblies exclude manual shut-off valves. BTU capacities decrease when the length of the connector increases.

# DORMONT Quick Specification Sheet

Specify the Dormont Gas Appliance Kit as indicated below. Dormont Deluxe Gas Connector Kits contain all components required for an installation to be in compliance with American National Standards Institute ANSI Z21.69 and Canadian National Standard C.G.A. 8.13.

Job Name \_\_\_\_\_ Item # \_\_\_\_\_

<b>DORMONT GAS CONNECTOR INSTALLATION KITS</b>	<b>Part #</b>	<b>Circle Length</b>
<b>Deluxe Cimfast™ Double Swivel Supr-Safe® Gas Connector Kits</b> Contain: 1 - BP Stainless Steel Gas Connector, 1 - Coiled Restraining Device with Installation Mounting Hardware and Installation Instructions, 1 - Cimfast™ Valve/Quick-Disconnect Safety Fitting with Dual Shut-Off and 2 Supr-Swivel® Fittings.	1/2" I.D. <input type="checkbox"/> 1650KITCF2S 3/4" I.D. <input type="checkbox"/> 1675KITCF2S 1" I.D. <input type="checkbox"/> 16100KITCF2S	36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72"
<b>Deluxe Cimfast™ Single Swivel Supr-Safe® Gas Connector Kits</b> Contain: 1 - BP Stainless Steel Gas Connector, 1 - Coiled Restraining Device with Installation Mounting Hardware and Installation Instructions, 1 - Cimfast™ Valve/Quick-Disconnect Safety Fitting with Dual Shut-Off and 1 Supr-Swivel® Fitting.	1/2" I.D. <input type="checkbox"/> 1650KITCFS 3/4" I.D. <input type="checkbox"/> 1675KITCFS 1" I.D. <input type="checkbox"/> 16100KITCFS	36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72"
<b>Deluxe Cimfast™ Supr-Safe® Gas Connector Kits</b> Contain: 1 - BP Stainless Steel Gas Connector, 1 - Coiled Restraining Device with Installation Mounting Hardware and Installation Instructions, 1 - Cimfast™ Valve/Quick-Disconnect Safety Fitting with Dual Shut-Off, 2 elbows.	1/2" I.D. <input type="checkbox"/> 1650KITCF 3/4" I.D. <input type="checkbox"/> 1675KITCF 1" I.D. <input type="checkbox"/> 16100KITCF	36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72"
<b>Deluxe Double Supr-Swivel™ Supr-Safe® Gas Connector Kits</b> Contain: 1 - BP Stainless Steel Gas Connector with Push-To-Connect Quick Disconnect, 1 - Coiled Restraining Device, with Installation Instruction, 1 - Full Port Gas Ball Valve, and 2 - Supr-Swivel® Fittings.	1/2" I.D. <input type="checkbox"/> 1650KIT2S 3/4" I.D. <input type="checkbox"/> 1675KIT2S 1" I.D. <input type="checkbox"/> 16100KIT2S 1 1/4" I.D. <input type="checkbox"/> 16125KIT2S	36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72"
<b>Deluxe Single Supr-Swivel™ Supr-Safe® Gas Connector Kits</b> Contain: 1 - BP Stainless Steel Gas Connector with Push-To-Connect Quick Disconnect, 1 - Coiled Restraining Device, with Installation Instruction, 1 - Full Port Gas Ball Valve, 1 - Elbow and 1 - Supr-Swivel® Fitting.	1/2" I.D. <input type="checkbox"/> 1650KITS 3/4" I.D. <input type="checkbox"/> 1675KITS 1" I.D. <input type="checkbox"/> 16100KITS 1 1/4" I.D. <input type="checkbox"/> 16125KITS	36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72"
<b>Deluxe Supr-Safe® Gas Connector Kits</b> Contain: 1 - BP Stainless Steel Gas Connector with Push-To-Connect Quick Disconnect, 1 - Coiled Restraining Device, with Installation Instruction, 1 - Full Port Gas Ball Valve, and 2 - Elbows.	1/2" I.D. <input type="checkbox"/> 1650KIT 3/4" I.D. <input type="checkbox"/> 1675KIT 1" I.D. <input type="checkbox"/> 16100KIT 1 1/4" I.D. <input type="checkbox"/> 16125KIT	36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72" 36" 48" 60" 72"

Design Certified



**DORMONT**  
MANUFACTURING COMPANY

**ISO 9001 REGISTERED**

6015 Enterprise Drive • Exton, PA 19341 USA • TEL: (724) 733-4300 • FAX: (724) 733-4808 • 1-800-DORMONT (367-7629)