

CITY OF SACRAMENTO  
1231 I Street, Sacramento, CA 95814

Permit No: 0113994  
Insp Area: 4  
Thos Bros:  
Sub-Type: NSFR  
Housing (Y/N):

Site Address: 3630 INNOVATOR DR SAC  
Parcel No: 225-1350-035 NATOMAS CROSSING 21 LOT 80  
N

CONTRACTOR

KIMBALL HILL HOMES  
10535 EAST STOCKTON BL. STE. K  
ELK GROVE CA. 95624

OWNER

ARCHITECT

Nature of Work: MP 2156 2 STRY 9 RM SFR W/ 2 CAR GARAGE

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name \_\_\_\_\_ Lender's Address \_\_\_\_\_

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class B License Number 701803 Date 11/27/01 Contractor Signature N. Collins

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. \_\_\_\_\_ B & PC for this reason: \_\_\_\_\_

Date \_\_\_\_\_ Owner Signature \_\_\_\_\_

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 11/27/01 Applicant/Agent Signature N. Collins

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of this work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier CLAREDON NAT. INS. CO. Policy Number SCF98-3482-000 Exp Date NOV 20/01/2001

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 11/27/01 Applicant Signature N. Collins

WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEYS FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

### RESIDENTIAL BUILDING PERMIT APPLICATION

New Construction     Addition     Remodels     Other

Project Address: 3630 Innovator Drive    Assessor Parcel # 225-1350-035

**OWNER INFORMATION:**

Lot 80

Legal Property Owner: Kimball Hill Homes    Phone # (916) 714-1153  
Owner Address: 10535 East Stockton Blvd City Elk Grove State Ca, Zip 95624  
Suite A

**CONTRACTOR INFORMATION:**

Natomas Crossing V.II. #21

Contractor: Kimball Hill Homes Lic. # 701803    Phone # 714-1153    Fax# 714-1425

**PROJECT INFORMATION:**

Land Use Zone R-14    Occupancy Group R-3    Construction Type VN    Fed Code 1A  
No. of stories: 2    No. of rooms: 9    Street width: \_\_\_\_\_  
1<sup>st</sup> Floor Area 1086    2<sup>nd</sup> Floor Area 1070    Basement \_\_\_\_\_    Roof Material \_\_\_\_\_

AREA IN SQUARE FOOT OF:	EXISTING	NEW
Dwelling/Living	_____	<u>2156</u>
Garage/Storage	_____	<u>418</u>
Decks/Balconies	_____	<u>135</u>
Carports	_____	_____

SCOPE OF WORK: \_\_\_\_\_

**FOR OFFICE USE ONLY**

- Information above complete     AR Flood Waiver required     Planning Approval
- Violation files checked     Flood Elevation Certificate Required     Design Review Approval
- Standard setbacks     Water Development Infill Area     Special Fee Districts Apply : \_\_\_\_\_
- County Sewer

**NEW STRUCTURES & ADDITIONS**

◆ THE FOLLOWING MUST BE PROVIDED IN ORDER TO SUBMIT FOR PLAN REVIEW

- 2 COMPLETE PLANS, LEGIBLE & DRAWN TO SCALE    ◆ Plans to include: site plan, floor plan, elevations, roof/ceiling plan, foundation and structural framing details, and structural calculations for non-conforming structures.
- 3 SETS IF PROJECT IS IN A DESIGN REVIEW AREA
- Title 24 Energy Compliance documentation     11" x 17" copy of floor plan for County Assessor
- Grading and Erosion Control Questionnaire     Plan Review Fees

Date: \_\_\_\_\_

Received by: (staff) \_\_\_\_\_



COUNTY SANITATION DISTRICT NO. 1  
 SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT  
**SEWER IMPACT FEE** *Jan*  
 PERMIT AND CALCULATION SHEET *11/24/01*

APPLICATION NO. \_\_\_\_\_ BLDG PERMIT NO: **SWD2001-00773**  
 GENERAL INFORMATION THIS PERMIT GOOD ONLY WHEN  
 VALIDATED BY THE CASHIER

**CITY**  
 THIS PERMIT TO CONNECT EXPIRES  
 ONE YEAR FROM DATE OF ISSUANCE

FEE CALCULATION	BUILDING USE
INSPECTION	RESIDENTIAL SF <input checked="" type="checkbox"/> MF <input type="checkbox"/>
CSD - 1	COMMERCIAL USE UNITS
SRCSO	
CONSTRUCTION	
IN-LIEU	
<b>TOTAL FEE</b>	

APN: 225-1350-035

DESCRIPTION/  
 SUBDIVISION Natomas Crossing Village #21 LOT: 80

PROPERTY ADDRESS 3630 Innovator Drive

OWNER Kimball Hill Homes

MAILING ADDRESS 10535 E. Stockton Blvd, Ste. K;


CITY-STATE-ZIP Elk Grove, Ca. 95758 PHONE (916) 714-1153

ADDITIONAL FEES MAY BE DUE IF CHANGES IN USE INCREASE SEWER IMPACT.

APPLICANT SIGNATURE

CONSOLIDATED UTILITY BILLING USE ONLY

ACCT \_\_\_\_\_ INPUT \_\_\_\_\_ START \_\_\_\_\_



**INSULATION CONTRACTORS  
ASSOCIATION  
OF AMERICA**

INSULATION  
CERTIFICATE

70431

1321 DUKE STREET, SUITE 303 • ALEXANDRIA, VA 22314 • (703) 739-0356

THIS IS TO CERTIFY THAT INSULATION HAS BEEN INSTALLED IN CONFORMANCE WITH CURRENT ENERGY REGULATIONS, CALIFORNIA ADMINISTRATIVE CODE TITLE 24 STATE OF CALIFORNIA IN THE BUILDING LOCATED AT

K.A.H. LOT # 80 TRACT # NATOMAS

STREET 3630 INDEPENDENT CITY SACRAMENTO

EXTERIOR WALLS:

MANUFACTURER FC THICKNESS/TYPE 3 5/8" R. VALUE 13

CEILING:

BATTS: MANUFACTURER FC THICKNESS/TYPE 10 R- VALUE 30

BLOWN IN: MANUFACTURER AT MINIMUM THICKNESS 12 R- VALUE 30

SQUARE FOOTAGE COVERED 1424 NUMBER OF BAGS USED 26

FLOORS:

MANUFACTURER \_\_\_\_\_ THICKNESS/TYPE \_\_\_\_\_ R- VALUE \_\_\_\_\_

SLAB ON GRADE: MANUFACTURER \_\_\_\_\_ THICKNESS/TYPE \_\_\_\_\_ R- VALUE \_\_\_\_\_

WIDTH OF INSULATION \_\_\_\_\_ INCHES

FOUNDATION WALLS: MANUFACTURER \_\_\_\_\_ THICKNESS/TYPE \_\_\_\_\_ R- VALUE \_\_\_\_\_

GENERAL CONTRACTOR \_\_\_\_\_ DATE \_\_\_\_\_  
CALIFORNIA CONTRACTORS LICENSE # \_\_\_\_\_

SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_

INSULATION CONTRACTOR **ARCADE INSULATION**  
CALIFORNIA CONTRACTORS LICENSE #263784

Ray B... DATE 4-25-2  
SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_

INSTALLATION CARD

OMEGA DIAMOND WALL INSULATING ONE COAT SYSTEM  
OMEGA PRODUCTS INTERNATIONAL, INC.

Job Address:

LOT 180  
3630 INNOVATOR  
SACRAMENTO CA

ICBO Evaluation Service, Inc.  
Report 4004

4/1/02  
Date of Job Completion

Plastering Contractor:

Name: Mid Valley Plastering, Inc.

Address: 4807 S. Airport Way, Unit # D  
Stockton, CA 95206-4924

Telephone: (209) 234-2671

Approved Contractor Number as Issued by the Coating Manufacturer Omega Diamond Wall No. 2315

This is to certify that the exterior system on the building exterior at the above address has been installed in accordance with the evaluation report specified above and the manufacturer's instructions

[Signature]  
Signature of Plastering Contractor

4/1/02  
Date

This installation card must be presented to the building inspector after completion of work and before final inspection

**Natomas Unified School District**  
 1515 Sports Drive, #1 • Sacramento, CA 95834-1905  
 Phone 916/641-3300 • Fax 916/928-1629

**CERTIFICATION OF COMPLIANCE**

**SCHOOL DISTRICT DEVELOPMENT FEES**

<b>PART I: TO BE COMPLETED BY APPLICANT</b>			
Property Owner's Name	Kimball Hill Homes	(916) 714-1153	
Owner's Address	10536 East Stockton Blvd., Suite K, Elk Grove, Ca 95624		
Project Address	3636 Innovator Drive		
Parcel Number	225-1350-034	Lot	79
Subdivision Name	Natomas Crossing Unit # 21		
Number of Units	1		
Print Applicant's Name	Deanna Collins	Applicant's Signature	<i>[Signature]</i>
Title of Applicant	Operations	Telephone Number	916-8331
Date	10-18-01		
<b>PART II: TO BE COMPLETED BY BUILDING DEPARTMENT</b>			
Plan Identification Number	2954		
Building Type (Check One)	<input checked="" type="checkbox"/> Residential <input type="checkbox"/> Apartment/Condominium <input type="checkbox"/> Commercial/Industrial		
Square Feet of Chargeable Building Area	2954		
Signature	<i>[Signature]</i>		
Title	Date 10-26-01		
<b>PART III: TO BE COMPLETED BY NATOMAS UNIFIED SCHOOL DISTRICT</b>			
District Certification Number	72-111		
Fees Collected:			
Residential:	2954	Sq. Ft. X \$ 3.35	= \$ 9895.90 <b>9695.90</b>
Apartment/Condominium:		Sq. Ft. X \$	= \$
Commercial/Industrial:		Sq. Ft. X \$	= \$
<b>NOTICE TO APPLICANT:</b> Pursuant to government code section 66020 (d), this will serve to notify you that the 90-day approval period in which you may protest the fees, or other payment identified above, will begin to run on the date in which the building or installation permit for this project is issued, or on which they are paid to the District, or to another public entity authorized to collect them on behalf of the District, whichever is earlier.			
Applicant Signature:	<i>[Signature]</i>		Date: 10/18/01

This certification covers only the amount of square footage indicated above. Any additions or corrections to the square footage for this project will require an amendment to the Certificate of Compliance.

As the authorize Natomas Unified School District official, I hereby certify that the requirements of Government Code Section 95995 have been complied with by the above signed applicant.

SIGNATURE: *Michael Morman* DATE: 11/5/01  
 TITLE: Michael Morman  
Facilities Planning Director

**@lpha Inspections  
& Material Testing**

70 Rancho Del Sol • Camino, CA 95709  
(530) 644-6726 • (916) 825-7733

DATE: 7.3.07  
PROJECT NO. 2001  
PROJECT: S.S. / R. MEDICAL BUILD 201790  
LOCATION: 5650 INNOVATIVE

DSA FILE/APPL. NO. \_\_\_\_\_  
OSHDP NO. \_\_\_\_\_  
PERMIT NO. \_\_\_\_\_  
WEATHER: \_\_\_\_\_ TEMP: \_\_\_\_\_

**PROOF LOAD**     **TORQUE**     **WITNESSING**

Testing was performed on the following items. All tests were performed with the following calibrated equipment:

RAM: AT-1000    GAGE: 357009    TORQUE WRENCH: \_\_\_\_\_  
RAM: \_\_\_\_\_    GAGE: \_\_\_\_\_    TORQUE WRENCH: \_\_\_\_\_

LOCATION OF TEST	TYPE / SIZE	# TESTED	% of TOTAL	LOAD lb or Ft Lbs	GAGE (PSI)	# ACC.	# REJ.	# RETEST
<u>ATT-22 : POXIED ANCHOR BOLT</u>	<u>1/2"</u>	<u>1</u>		<u>6855</u>	<u>2670</u>	<u>1</u>	<u>0</u>	<u>0</u>

- Type of epoxy / grout used: \_\_\_\_\_ Method of application / cleaning: \_\_\_\_\_
- Visual inspection was performed on \_\_\_\_\_
- Show up / Stand by time. Job Canceled / Delayed due to: \_\_\_\_\_
- All non-compliance items were brought to the attention of: \_\_\_\_\_ at the job site.

NON-COMPLIANCE REPORT ATTACHED     ADDITIONAL TESTS ATTACHED

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

To the best of my knowledge, the above **WAS** / **WAS NOT** performed in accordance with the approved plans, specifications, and regulatory requirements.


Superintendent/Representative: \_\_\_\_\_

Inspector: [Signature]

366	Truss	Truss type	Qty	Ply	KIMBALL ELECTRONICS' PCANT 2155	SC138158	R1296578
KMZ155	A4	SCISSORS	2	1			

GENERAL TRUSS CO., INC., SACRAMENTO, CA 95825  
 NITEK INDUSTRIES, INC. 108 PEB 12 07 0002 2002 PAGE 1

1-2-0	5-2-4	8-4-0	13-6-0	17-6-0	21-7-0	25-8-0	29-9-12	35-0-0	Scale = 1:73.1
1-2-0	5-2-4	4-1-12	4-1-0	4-1-0	4-1-0	4-1-0	4-1-12	5-2-4	1-2-0



LOADING (pcf)	SPACING	CSI	DEFL.	PLATES GRIP
TCLL 16.0	2-0-0	TC 0.66	(in) (oc) Vdefl	M20 220/195
TCOL 14.0	Plates Increase 1.00	BC 0.72	Vert(LL) -0.42 14 >882	
BCLL 6.0	Lumber Increase 1.25	WB 0.91	Vert(TL) -0.98 14 >426	
BCOL 7.0	Rep Stress Incr YES		Mom(TL) 0.61 10 n/a	Weight: 189 lb
	Code UBC97/ANSI95		1st LC LL Min Vdefl = 350	

**LUMBER**  
 TOP CHORD 2 X 4 DF No. 1&Bir-G  
 BOT CHORD 2 X 4 DF No. 1&Bir-G  
 WEBS 2 X 4 DF Sid-G  
 OTHERS 2 X 4 DF Sid-G

\* BRACING  
 TOP CHORD Sheathed or 2-4-10 on center purlin spacing  
 BOT CHORD Rigid coiling directly applied or 10-0-0 on center bracing.

REACTIONS (lb/size) Z=13630/3-5, 10=13630/3-5

FORCES (lb) - First Load Case Only  
 TOP CHORD 1-2=12, 2-3=5143, 3-4=4915, 4-5=4150, 5-6=3237, 6-7=3237, 7-8=4150, 8-9=4816, 9-10=5143, 10-11=12  
 BOT CHORD 2-16=4837, 15-16=4346, 14-15=3719, 13-14=3719, 12-13=4346, 10-11=4807  
 WEBS 3-16=191, 4-16=395, 4-15=480, 5-15=470, 6-14=729, 6-14=724, 7-14=729, 7-13=470, 8-13=480, 6-12=359, 0-12=191

- NOTES**
- 1) This truss has been checked for unbalanced loading conditions.
  - 2) All plates are M20 plates unless otherwise indicated.
  - 3) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads per Table No. 16-B, UBC-97.
  - 4) A plate rating reduction of 20% has been applied for the green lumber members.
  - 5) Bearing at joint(s) 2, 10 considers parallel to grain value using ANSUTPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surface.
  - 6) This truss has been designed with ANSUTPI 1-1995 criteria.
- LOAD CASE(S) Standard

FIELD REPAIR IS DUE TO A 1-6-0 BREAK ON THE BOTTOM CHORD ON EACH SIDE OF PEAK AS SHOWN.  
 ATTACH A PRE-FABRICATED SECTION (BUILT WITH THE SAME SIZE AND GRADE LUMBER AS THE TRUSS BOT. CHORDS AND WEBS. USE SAME SIZE PLATES AS ON THE TRUSS UNLESS NOTED OTHERWISE. TO EACH FACE USING 10-0 COMMON WIRE NAILS 10.148" DIA. X 3.0" LGT) 2 ROWS SPACED AT 3" O.C.

FEB 12 2002



**WARNING - Verify design parameters and READ NOTES ON THIS AND REVERSE SIDE BEFORE USE**

This design is valid for use only with NITEK connectors. This design is based only upon parameters shown, and is for an individual building component to be installed and loaded vertically. Applicability of design parameters and proper incorporation of design is responsibility of building designer. No truss designer. Bracing shown is for lateral support of individual truss members only. Additional temporary bracing to insure stability during construction is the responsibility of the erector. Additional permanent bracing at the eave overhangs is the responsibility of the building designer. For general guidelines concerning fabrication, quality control, storage, delivery, erection, and bracing consult GST-88 Quality Standard, DSB-88 Bracing Specification, and HIG-81 Handling Installation and Bracing Recommendation available from Truss Plate Institute, 343 D'Onofrio Drive, Madison, WI 53716


**MITEK**  
 NITEK Industries, Inc.



Job	Truss	Truss Type	Qty	Ply	KIMBALL HILL HOMES PLAN 2158
KH2158	A4	SCISSORS	2	1	

GENERAL TRUSS CO., INC., SACRAMENTO, CA 95828

4-0-32 a Feb 18 1998 MiTek Industries, Inc. Wed Feb 13 08:14:13 2002 Page 1



**NON STRUCTURAL MEMBERS - OK TO REMOVE**

LOADING (psf)	SPACING	CSI	DEFL (in)	PLATE GRIP
TCDL 18.0	2-0-0	TC 0.68	Vert(LL) -0.42 1.4 >082	M20 230/105
TCDL 14.0	Plates Increase 1.00	SC 0.72	Vert(TL) -0.98 1.4 >42B	
BCDL 0.0	Lumber Increase 1.25	WB 0.91	Horz(TL) 0.81 1.0 n/p	
BCDL 7.0	Rep Stress Incr YES		1st LC LL Min Wdef = 38C	Weight 189 lb
	Code UBC97/ANSI95			

**LUMBER**  
 TOP CHORD 2 X 4 DF No. 1A8B-G  
 BOT CHORD 2 X 4 DF No. 1A8B-G  
 WEBS 2 X 4 DF SW-G  
 OTHERS 2 X 4 DF SW-G

**BRACING**  
 TOP CHORD Sheathed or 2-4-10 on center purlin spacing.  
 BOT CHORD Rigid coating directly applied or 10-0-0 on center bracing.


**REACTIONS (kips)** 2=13630-3-8, 10=13630-3-8


**FORCES (lb) - First Load Case Only**  
 TOP CHORD 1-2=12, 2-3=5143, 3-4=4918, 4-5=4150, 5-6=3237, 6-7=3237, 7-8=4150, 8-9=4918, 9-10=5143, 10-11=12  
 BOT CHORD 2-18=4807, 15-19=4346, 14-15=3718, 13-14=3718, 12-13=4346, 10-12=4807  
 WEBS 3-18=191, 4-18=382, 4-13=480, 5-15=470, 5-14=728, 6-14=2245, 7-14=728, 7-13=470, 8-13=480, 8-12=382, 8-12=191

**NOTES**

- 1) This truss has been checked for unbalanced loading conditions.
- 2) All plates are M20 plates unless otherwise indicated.
- 3) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads per Table No. 16-B, UBC-97.
- 4) A plate rating reduction of 20% has been applied for the green lumber members.
- 5) Bearing at joint(s) 2, 10 considered parallel to grain value using ANSI/TPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surfaces.
- 6) This truss has been designed with ANSI/TPI 1-1995 criteria.


**LOAD CASE(S)** Standard





**BLOOM**  
**Architectural**  
**Developments**  
**Incorporated**  
 4437 Kenneth Avenue  
 Fair Oaks, CA 95628  
 (916)961-1553  
 (916)967-3011 Fax

www.BloomArchitect.com




**Plot Plan Disclosure** This plot plan approximates a general representation of lot dimensions, easements, fence and home placement, etc. This illustration is not a condition of Kimball Hill Homes sales agreement. The actual placement and measurements demonstrated on this diagram are subject to change without notice.

Signature \_\_\_\_\_

**KHH California, Inc.** (916)714-1153  
 10535 E. Stockton Blvd. Ste. X, Elk Grove, CA 95758



**Job#** 164180 **Plan#** 2156  
**Date** Sep 14 01 **Draft** 1  
**Plan** HORIZON **Elev** C  
**Project** Natomas Crossing  
**Lot** 80 **Unit** 21  
**Address** 3630 Innovator Dr  
**City** Sacramento **State** CA  
**APN** \_\_\_\_\_-0000



**PLOT PLAN**  
 Scale 1"=20'