
0008426 Permit No: CITY OF SACRAMENTO Insp Area: 1231 I Street, Sacramento, CA 95814 Sub-Type: **NSFR** Site Address: 129 OPUS CR SAC LOT 47 GATEWAY WEST 5 Housing (Y/N): N 225-1360-047 Parcel No: ARCHITECT **OWNER** CONTRACTOR BEAZER HOMES 3009 DOUGLAS BL #150 ROSEVILLE CA 95661 Nature of Work: NSFR MP1973 8 RMS 1 STORY CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C). Lender's Address_ Lender's Name LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full orce and effect. License Number 724/9/ OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00); l, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.) I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law). B & PC for this reason:_ I am exempt under Sec. Owner Signature_ IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement of the violation of any private agreement relating to location of improvements. I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building education and herby authorize representative(s) of this city to entemporal the above frentional property for inspection purposes. Applicant/Agent Signature Date WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations: I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, forthe performance of work for which the permit is issued. I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for In this permit is issued. My workers' compensation insurance carrier and policy number are: Policy Number WA2-651-004147-080 Exp Date 4/1/2001 LIBERTY MUTUAL INS CO. (This section need not be completed if the permit is for \$100 or less). I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION. DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.


Applicant Signature


Date

THIS PLOT PLAN IS NOT FOR SALES PURPOSES. THIS PLOT PLAN IS FOR THE PURPOSES OF INDICATING COMPLIANCE WITH ZONING SET BACKS, GENERAL DRAINAGE DIRECTION, AND APPROXIMATE UTILITY CONNECTION. ALL OTHER DATA SHOWN HEREON IS CONCEPTUAL. THIS PLOT PLAN DOES NOT REFLECT AS—BUILT CONDITION, RETAINING WALL ARE OPTIONAL AND MAY OR MAY NOT BE CONSTRUCTED.









LOT COVERAGE = 37.5%

:\DRAWNGS\GATEWAY\V-5\PLOTPLAN\LOT47.DWG 07/12/00 14:49

RESIDENTIAL BUILDING PERMIT APPLICATION New Construction ☐ Addition ☐ Remodels ☐ Other Project Address: 129 Opus (11/10 Assessor Parcel # 225-136-47 OWNER INFORMATION: Legal Property Owner: BEGZEV Phone # 773 Owner Address: 3001 Dougles Blud #150 State (CONTRACTOR INFORMATION: Contractor: Be428 Hantes Lic. # 724/91 Phone #773 3888 Fax#773 0425 PROJECT INFORMATION: Occupancy Group _____ Construction Type ____ Fed Code ____ Land Use Zone No. of rooms: ______ Street width: _____ No. of stories: ____ 1st Floor Area 923 2nd Floor Area ⇒ Basement_ Roof Material ____ AREA IN SQUARE FOOT OF: EXISTING Dwelling/Living Garage/Storage Decks/Balconies Carports SCOPE OF WORK: NEW SED FOR OFFICE USE ONLY ☐ Information above complete AR Flood Waiver required O Planning Approval Uviolation files checked ☐ Flood Elevation Certificate Required ☐ Design Review Approval ☐ Standard setbacks U Water Development Infill Area O Special Fee Districts Apply:_____ County Sewer **NEW STRUCTURES & ADDITIONS** THE FOLLOWING MUST BE PROVIDED IN ORDER TO SUBMIT FOR PLAN REVIEW ☐ 2 COMPLETE PLANS, LEGIBLE & DRAWN TO SCALE Plans to include: site plan, floor plan, elevations. roof/ceiling plan, foundation and structural framing 3 SETS IF PROJECT IS IN A DESIGN REVIEW AREA details, and structural calculations for nonconforming structures. Title 24 Energy Compliance documentation 11" x 17" copy of floor plan for County Assessor Grading and Erosion Control Questionnaire O Plan Review Fees

Received by: (staff)

ACTIVITY/PERMIT #

residentlalapp (rev 3/09/99)

CERTIFICATION OF INSULATION

| | | | | | | and Schausen and | | |
|----------------------------|----------------------|----------------------------|----------------------|---|---|---------------------------------|---------------------|--|
| REAZER | | LOT # | | P.O. BOX 854, WEST SACRAMENTO, CA 95691 LIC. #202026 1309 MELODY ROAD, MARYSVILLE, CA 95901 LIC. #202026 | | | | |
| | | | | | | | | |
| | | | | | | SNO, CA 93793-9651 LIC. #202026 | | |
| 129 Opus | | ; <u> </u> | | | NO, NV 89505 LIC. #10675 SA WAY, LAS VEGAS, NV 89118 LIC. #10675 | | | |
| | | 3320 A FONDERO | | | SA WAT, LAS VEGAS, NV 89118 LIC. #106/5 | | | |
| Memoris | | DATE INSULATION COM | | | PLETED | PLETED | | |
| WALLS | | CEILINGS | | FLOORS | | | | |
| SQUARE FEET: | | SQUARE FEET) | | (SQUARE FEET) | | | | |
| TYPE OF INSULATION | | TYPE OF INSULATION | | TYPE OF INSULATION | | | | |
| FIBERGLASS | | FIBERGLASS | | FIBERGLASS | | | | |
| BATTS | | BATTS & BLOW | | FORM BATTS | | | | |
| MANUFACTURER'S PRODUCT D | | MANUFACTURER'S PRODUCT I D | | MANUFACTURER'S PRODUCT I D | | | | |
| MANUFACTURER | | MANUFACTURER | | MANUFACTURER | | | | |
| OCF | | OCF | | OCF | | | | |
| | | BAGS | | · · · · · · · · · · · · · · · · · | | | | |
| · 1.3/480 | APPLIED THICKNESS | MEGALED. | APPLIED THICKNESS | MIN. INSTALLED WEIGHT PER SQUARE FOOT | | ALUE SLED | APPLIED . THICKNESS | |
| 13 | 35/2" | 35 | 12'4 | | | | | |
| | KNE | E WALLS IF R.Y | ALUE IS OTHER | Than Walls / | _ ABOVE }~ :*** | | | |
| MATERIAL FORM | | R VALUE | | MANUFACTURER | | | | |
| FIBERGLASS | | BATTS | | OCF | | | | |
| MATERIAL | | , Alfa K | | ALANT ACTURER | | | | |
| , in a control of | MANORACIONEN | | | W R GRACE | | | | |
| | S Kalley A | | KAS DEEN B | ISTALLED IN C | ONFORMAL | CE WITH M | PEICABLE CODES | |
| SIGNATURE—INSULATION (| TITLE MANAGEI | | P DATE 11-16-00 | | | | | |
| SIGNATURE - GENERAL CO | NTRACTOR | | TITLE | | | DATE | | |
| REMARKS | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | <i>27</i> | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



INSTALLATION CARE

Name Stock Manufactory, EWID 63710 CORP भूतिक नार्थ । जन्म क्षेत्र कृष्ण होता होता कर अध्याप्त होता होता है।

Job Address:

ICBO Evaluation Service for Report No. 3607 Date of Joh Completion

Stucco Contractor Kenyon Construction
John W. Kenyon, III
Name P.O. Box 2077

North Highlands, CA 95660 Telephone Number (916) 349-8191

Approved Contractor Number as issued by the Stucco Manufacturer

This is to certify that the stucco system on the building exterior at the above address had been installed in accordance with the evaluation report specified above and the manufacturer's instructions.

Date

Sign than a suthorized inpresentative of studeo contractor

Y 18.



November 29, 2000

Mr. Nick Buchberger Chief Building Inspector City of Sacramento **Building Inspection Division** 1231 "I" Street, Room 200 Sacramento, CA 95814

RE:

Memories II - All Lots

Dear Mr. Buchberger:

Due to the current weather conditions and existing ground conditions, Beazer Homes is requesting a building final without established grade, landscape, or fencing on the above-referenced project.

We fully understand that within sixty days from final we will have all of the above conditions established. Beazer Homes will also make the homeowner completely aware of the above conditions.

Thank you for your cooperation.

Daniel D. Wilson


Vice President, Construction

/le

David Hay, Building Inspector II CC:

Tony Tonso Roger Stanton Rhonda Scangarello Alan Newman Gary Ogg Sales

Superintendent





Copy with file

September 12, 2000

Mr. Rob Coon Norman Scheel Structural Engineer 6939 Sunrise Boulevard, Suite 123 Citrus Heights, California 95610

Stab/Reinforcement **GATEWAY WEST (MEMORIES)** Sacramento, California WKA No. 3895.15

Our geotechnical engineering report for the subject subdivision (WKA No. 3895.05, dated September 8, 1998) recommends minimum interior slab-ongrade reinforcement consisting of 6 x 6/W2.9 x W2.9 welded wire fabric or No. 4 rebar at 18-inch center each way. Welded wire fabric provides crack control and the heavier gage wire is recommended based on our experience that it is easier to control the location of the reinforcement in the slab. The lighter gage wire (6 x 6/W1.4 x W1.4) is more difficult to achieve proper location (vertically) in the slab. However, if properly located, it can provide the desired crack control, although this is highly dependent on the experience and care of the concrete contractor. Of D 09/14/00

Due to concerns over proper location of the reinforcement in the slab, we recommend that the 6 x 6/W2.9 x W2.9 welded wire be used on future house slabs constructed in the subdivision.

Wallace-Kuhl & Associates, Inc.

Stephen L. French Senior Engineer

SLF:dlr

Copies:

(1) Beazer Homes

Exp. 3-31-02

Commy Off.

Coty of Sunto. SEP 18 2000

Rose Sunto RECEIVED

RESE BURNS SEP 12 2000

RESE BURNS SEP 12 2000

REAZER HOMES

OF SUNTONES

REAZER HOMES

Norman

 $\mathbf{S}_{ ext{cheel}}$

Structural

Engineer

939 Sunrisc Blvd, #123 litrus Heights, CA 95610 916) 726-0612 916) 726-3189 (fax)

IORMAN SCHEEL tructural Engineer mail: norm@nsse.com

OBERT COON roject Manager mail: rob@nsse.com

AULO IBANEZ roject Manager mail: paulo@nsse.com

IM SLOAN

roject Manager

mail: nim@nsse.com

ASANDRA COURTILLET esign Engineer mail: casandra@nsse.com

IARY PHUNG esign Engineer mail: mary@nsse.com

AD Supervisor mail: steve@nsse.com

TACY MARLIN ffice Manager mail: stacy@nsse.com

lavis
13 E Street Suite B
avis, CA 95616
330)753-5300
330)753-5380(fax)

RACY HARRIS P.E. roject Engineer mail: macy@nsse.com

ARRELL PEREIRA esign Engineer mail: daurell@nsse.com

Copy with file

September 13, 2000

Beazer Homes 3009 Douglas Blvd. Suite 150 Roseville, CA 95661

Re: Memories (Job #99112) Slab Reinforcement

To Whom It May Concern:

This letter is to clarify that the 6x6/10x10 or 6x6/W1.4xW1.4 wire mesh is adequate if installed properly. The letter from Wallace Kuhl states that on future pours 6x6/W2.9xW2.9 wire mesh should be used to help insure proper placement in the slab. The wire mesh should be installed in the middle of the slab and is used for crack control only.

If you have any questions, please contact Rob Coon.

NORMAN SCHEEL

STRUCTURAL ENGINEER

