

CITY OF SACRAMENTO
1231 I Street, Sacramento, CA 95814

Permit No: 0107744
Insp Area: 1

Site Address: 4920 FOLSOM BL SAC
Parcel No: 008-0431-001

Sub-Type: COM
Housing (Y/N): N

CONTRACTOR

OWNER

ARCHITECT

ARLAINE LINK TRUST ET AL.
5931 ANNRUD WY
SACRAMENTO CA 95822

Nature of Work: LIGHTING FOR FIREWORKS STAND

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class _____ License Number _____ Date _____ Contractor Signature _____

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00).

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code. The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code. The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law.

I am exempt under Sec _____ B & PC for this reason:

Date 6-19-2001 Owner Signature B.M. Hazunsky FSRPC

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the above-mentioned property for inspection purposes.

Date 6-19-2001 Applicant/Agent Signature B.M. Hazunsky FSRPC

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier _____ Policy Number _____ Exp Date _____

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.



Date 6-19-2001 Applicant Signature B.M. Hazunsky FSRPC

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.



This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the Building Inspection Division.
 The approval of this plan and specification SHALL NOT be held to permit or approve the violation of any City Ordinance or State Law.



The system Features:

- Twist Lock Daisy Chain Fixtures with universal support system
- Wet location fixture housings
- U.L. Components throughout (U.L. system listing approvals are in process)
- Rain tight service with 20amp G.F.I
- Convenience outlet
- Standing approvals and endorsements for use in fireworks stands and other events in over 40 California cities to date.

American Promotional Events, Inc. presents a special offer to our non-profit partners. Purchase a new system or add components to your existing system during this limited time/limited quantity offer and receive direct from the manufacturer special low prices. This is a first come first served offer limited to 100 new systems and extra lights for existing systems.

4920 Folsom Blvd.

Don't Hesitate... Act Now... Don't let your group be left in the dark... Contact your Sales Associate Today!!!



1996

T.L.M. 6.19.200




Read all instructions before installing system.
Read all cautions and warnings before installing this system.

I. Layout

Your EMEOS FL 20 modular lighting system may be oriented in a number of configurations depending on your needs and application. The primary layouts are service left, service right or center service. (See diagram 1). Verify the planned position of each component making sure that there are adequate, secure connection points on the structure to hang the lights from. The system is capable of being mounted from vertical or horizontal structural members. Important: It is the responsibility of the user to confirm the strength of the structural member being used to hang or support the lighting, including service box or other components.

(Diagram 1)



Note: The use of heavy duty, 20 amp rated "Y"s and extensions with three prong twist connectors are approved for use with this system. Do not exceed a total cord length of 75 feet from incoming service box to end of installation.

II. Installation

1. Remove all components and hardware from their boxes and **save the boxes**. Lay the equipment out on the counter, shelf or ground with the cords uncoiled but not connected, (including the incoming service box). Be sure to follow local regulations as to limitations or requirements for location of the incoming service. Carefully remove the lens covers plastic shipping bag(s) of each light and install two (2) - 4 foot, 34 watt florescent tubes in each fixture. Replace the lens cover.
2. Mark the center of the lights in the stand where they are to be mounted. Make sure that the fixtures are laid out with their connectors "Male to Female". From the light's center point, measure 18 inches to the left and to the right of center. Install screw hooks into the structural members of the wall or ceiling panel.
3. Slide the hanging straps over the cords and light fixtures coming in about 6 inches from each end of the light fixture. With the lights off, insulated from each other, hang the individual lights on their fasteners.
4. Mark the location for the incoming service box after verifying that the cords will reach from that position. Swing the universal hanging bracket on the back of the incoming service box to the up position and hang on an appropriate fastener in the desired location. Be sure to check local regulations or limitations on the location of the incoming service box.

III. Connections

1. Connect the lights to each other with plug insertion and a firm twist. Be sure to line up the plugs properly. Do not force the connection. If it seems too hard to insert, verify that the tabs are lined up properly with the slots.
2. Connect the outlet to the end light. Be sure to line up the plugs properly. Do not force the connection. If it seems too hard to insert, verify that the tabs are lined up properly with the slots.

