

CITY OF SACRAMENTO

1231 I Street, Sacramento, CA 95814

Permit No: 0511018

Insp Area: 1

Thos Bros: 297H4

Site Address: 221 SAN MIGUEL WY SAC

Parcel No: 004-0102-024

Sub-Type: ASFR

Housing (Y/N): N

CONTRACTOR

OWNER

ARCHITECT

GLENN SARAH B/ANTHON
221 SAN MIGUEL WY
SACRAMENTO, CA 95819

Nature of Work: SFR AD 1007 SF W/ INTERIOR REMODEL & EXT. DECK.

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name Lender's Address

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class License Number Date Contractor Signature

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

X I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. B & PC for this reason:

X Date 9/22/05 Owner Signature Sarah B. Glen

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and herby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

X Date 9/22/05 Applicant/Agent Signature Sarah B. Glen

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier Policy Number Exp Date

X (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

X Date 9/22/05 Applicant Signature Sarah B. Glen

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.



CITY OF SACRAMENTO
PLANNING & BUILDING DEPARTMENT
BUILDING DIVISION

www.cityofsacramento.org

Help Line: 1-916-808-5656 OR 1-866-EZ-PERMIT
 Inspection: 1-916-808-5191



Downtown Permit Center
 1231 I Street, Suite 200, Sacramento, CA 95814

North Permit Center
 2101 Arena Blvd., Suite 200, Sacramento, CA 95834

PRELIMINARY RESIDENTIAL APPLICATION

1-916-808-5656 OR 1-866-EZ-PERMIT

221 San Miguel Way Sacramento, CA 95819	SUITE	1R
BUILDING SITE ADDRESS		INSP. AREA
004-010-102-24		0511018
ASSESSOR'S PARCEL NO.	COMMUNITY PLAN NO.	PLAN CHECK NO.

NAME OF APPLICANT	ADDRESS	ZIP CODE	PHONE #	FAX #
Anthony Glenn	221 San Miguel Way Sacramento CA	95819	(916) 452-5281	916 452-5284
PROPERTY OWNER				
Anthony Glenn	221 San Miguel Way Sacramento CA	95819	916 955-4606	916 452-5284
LICENSED CONTRACTOR		LICENSE #:		
N/A				
ARCHITECT/ENGINEER				
Marc Hammond Designs	110 Middle Fork Ct Folsom	95630	(916) 987-0959	
L&L Consultants	901 Sunrise Ave #B-11	95661	(916) 281-5330	

1	7	2184 ^{sq}	2184 ^{sq}	2184 ^{sq}	No change	273
No. of Stories	No. of Rooms	Roof Covering	Area 1 st Floor	Total Area	Garage Area	Patio Area

THIS PERMIT IS FOR:

- BUILDING MECHANICAL PLUMBING ELECTRICAL SITE FIRE

NATURE OF WORK IN DETAIL

Home Addition & Remodel.

\$ 80,000
 VALUATION

12/28/2004

City of Sacramento
Development Services Department
PLANNING REVIEW FOR BUILDING PERMIT SUBMITTAL

ADDRESS: 221 SAN MIGUEL WAY	APN: 004-0102-024
DRPB AREA / PUD / SPD: NA	ZONING: R-1
EXISTING LAND USE: ONE SFR WITH ATTACHED GARAGE	
PROPOSED USE: ADDITION TO REAR: MASTER SUITE, NOOK, FAMILY ROOM, KITCHEN, BATH, BEDROOM	
<p>PLANNING STAFF WILL CHECK ONE OR MORE OF THE ITEMS BELOW:</p> <p><input type="checkbox"/> Planning review is NOT required.</p> <p><input type="checkbox"/> Use is NOT allowed; applicant CANNOT submit for plan check.</p> <p><input type="checkbox"/> Requires APPLICATION(s): PC ZA IR ER DR PB</p> <p style="margin-left: 20px;">Required Planning application must be approved <i>before</i> project can be submitted for plan check</p> <p><input type="checkbox"/> Application(s) IN PROGRESS: File Number:</p> <p style="margin-left: 20px;">Application must be approved <i>before</i> project can be submitted for plan check.</p> <p><input type="checkbox"/> Application(s) COMPLETED: File Number & approval date:</p> <p style="margin-left: 20px;">Building permit must conform to approved plans and comply with all conditions of approval. Do NOT accept applications for a building permit prior to the end of the 10-day appeal period.</p> <p><input checked="" type="checkbox"/> Plans may be submitted for plan check. Plan checker(s) shall confirm compliance with Zoning Ordinance requirements and all applicable development standards <i>prior to issuance</i> of building permit.</p> <p><input checked="" type="checkbox"/> Meets setback & lot coverage requirements as shown on site plan provided.</p> <p><input checked="" type="checkbox"/> Plans to be submitted have been stamped/signed by Planning counter staff.</p> <p><input type="checkbox"/> Route to SITE for plan check and inspection.</p> <p><input type="checkbox"/> Route to SITE for inspection only, plan check not required.</p> <p><input type="checkbox"/> Preliminary review ONLY; the information on this form must be reviewed again and confirmed at the time of building permit submittal.</p>	
<p>CONDITIONS AND COMMENTS: LOT 7980 SQ FT PER METROSCAN. FOOTPRINT 47 X 60 = 2820 SQ FT / 7980 = 35% LOT COVERAGE. SETBACK OKAY AS SHOWN ON PLANS. NOT IN DESIGN REVIEW. NO PLANNING ENTITLEMENTS APPARENT.</p>	
DATE: 07-26-2005	BY: PMORGAN



**CITY OF SACRAMENTO
BUILDING INSPECTION
DIVISION**

PERMIT OFFICES
Downtown (916) 264-7619
1231 I St., Rm. 200, Sacramento 95814
Natomas Center (916) 808-2534
2101 ARENA BL., Sacramento 95834
<http://www.sacto.org>

**CITY OF SACRAMENTO
DOWNTOWN PERMIT
CENTER**

SEP 19 2005

RECEIVED

**RESIDENTIAL PLAN REVIEW
2001 CBC Adopted Codes
Effective November 1st, 2002**

**PROJECT ADDRESS
& DESCRIPTION** 221 SAN MIGUEL WY, REAR ADDITION AND DECK

**PERMIT
NO: 0511018**

These sheets, when attached to a set of plans, become part of those plans and must remain attached thereto. The approval of this plan and the specifications shall not be held to permit or approve the violation of any City ordinance or State or Federal law. (Note: Authorized agent must provide a letter from Owner verifying Authorization.) (The code requirements circled do not limit the code requirements for this project.)

I have read and will comply with the items in this document and as marked on the plans.

Date 8/18/05

Signature of: Owner Authorized Agent Contractor Architect/Engineer

BUILDING CODE REQUIREMENTS

- B-1 Smoke detector location within dwelling units.** In dwelling units, a detector shall be installed in each sleeping room and at a point centrally located in the corridor or area giving access to each separate sleeping area. When the dwelling unit has more than one story and in dwellings with basements, a detector shall be installed on each story and in the basement. In dwelling units where a story or basement is split into two or more levels, the smoke detector shall be installed on the upper level except that, when the lower level contains a sleeping area, a detector shall be installed on each level. When sleeping rooms are on an upper level, the detector shall be placed at the ceiling of the upper level in close proximity to the stairway. In dwelling units where the ceiling height of a room open to the hallway serving the bedrooms exceeds that of the hallway by 24 inches (610 mm) or more, smoke detectors shall be installed in the hallway and in the adjacent room. Detectors shall sound an alarm audible in all sleeping areas of the dwelling unit in which they are located. In new construction, required smoke detectors shall receive their primary power from a commercial source and have a battery back up. 2001 CBC, Section 310.9.1.
- B-2** When alteration, repairs, or additions having a value in excess of \$1,000 are made, provide an approved smoke detector to protect existing sleeping rooms. The detector may be battery operated as per 2001 CBC, Section 310.9.1.2.
Exception: Repairs to the exterior surfaces of a Group R occupancy are exempt from the requirements of this section.
- B-3 Emergency escape and rescue.** Basements in dwelling units and every sleeping room below the fourth story shall have at least one operable window or door approved for emergency escape or rescue that shall open directly into a public street, public way, yard, or exit court. Escape or rescue windows shall have a minimum net clear openable area of 5.7 square feet / 821 SQ. inches. The minimum net clear openable height dimension shall be 24 inches. The minimum net clear openable width dimension shall be 20 inches. Emergency escape or rescue windows shall have a finished sill height not more than 44 inches above the floor. 2001 CBC, Section 310.4.
- B-4** All Group U occupancies attached to Group R, Division 3 occupancies shall be separated by materials approved for one-hour fire-resistive construction. The separation may be limited to the garage side only and requires a self-closing, tight fitting solid wood door 1 3/8 inches in thickness or a self-closing, tight fitting door having a fire protection rating of not less than 20 minutes. CBC, Section 302.4, Exception 3. **Note:** All members supporting such separation shall be equivalent fire-resistive construction as per 2001 UBC, Section 302. All electrical outlet boxes on opposite sides of the wall shall be separated by a horizontal distance on not less than 24 inches per 2001 CBC 709.7, Exception 1

Downtown Permit Center
1231 I Street, Suite 200
Sacramento, CA 95814
Help Line: 1-916-264-5656

CITY OF SACRAMENTO
DEVELOPMENT SERVICES DEPARTMENT
BUILDING DIVISION
www.cityofsacramento.org



North Permit Center
2101 Arena Blvd., Suite 200
Sacramento, CA 95834
Inspection: 1-916-808-4677

SITE DRAINAGE AND ENCROACHMENT QUESTIONNAIRE

PARCEL # 004 - 0102 - 024 PERMIT # 0511018
SITE ADDRESS 221 SAN MIGUEL WY ACREAGE _____

The City of Sacramento requires a building site to be graded to drain correctly and site drainage routed to an approved location. To help us understand the site drainage for your project and determine if a driveway permit or an encroachment permit is required please answer the following questions. All questions must be answered.

1. Are there existing structures on the site? Y N
2. Is there an existing concrete or paved driveway to this parcel from the street? Y *N
3. Will the existing access to this parcel be changed in any way for this project? *Y N
4. Are all portions of the lot higher than the crown of the street? Y *N
5. Are all portions of the lot higher than the back of the sidewalk? Y *N
6. Is there a curb and gutter at the street level? *Y N
7. Is there a sidewalk with a curb and gutter at the street? *Y N
8. Is the curb at the street square? *Y N N/A
9. Is there a rolled curb at the street? Y N N/A
10. Is there a drainage ditch or culvert at the street? Y *N N/A
11. Does the lot drain from back to front? Y *N
12. Does the lot drain from front to rear? Y *N
13. Does another lot drain across this parcel? *Y N
14. Does the lot drain from side to side? *Y N
15. Does the site have an existing low area or drainage swale? *Y N
16. Does the drainage swale drain to an adjacent parcel? *Y N N/A
17. Does the drainage swale drain to the street? Y *N N/A
18. Will existing drainage be re-routed? *Y N
19. Will drainage ditches or culverts be constructed or modified? *Y N N/A
20. Did this project require approval from the Zoning Administrator? *Y N
21. Did the project require approval from the Planning Administrator? *Y N



This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the Building Inspection Division.

The approval of this plan and specification SHALL NOT be held to permit or approve the violation of any City Ordinance or State Law.

CITY COPY

221 SAN MIGUEL way

REV. FLR PLAN ON 1-25-06 ETS

12/3/06

OTC
Revised 05/10/18

Certification of Compliance
School District Development

Part I-To be completed by the APPLICANT

Owner's Name/Address Anthony Glenn 221 San Miguel Way Sacramento
 Project Address 221 SAN MIGUEL WY
 Parcel Number 004-0102-024 Lot No. _____
 Subdivision Name McKinley Blvd Tr 05 No. of Units ONE
 Applicant's Signature [Signature] Title Owner
 Phone No. 916-452-5281 Date 8/18/05

Notice to Applicant: Pursuant to Government Code Section 66020(d), this will serve to **CITY OF SACRAMENTO** approval period in
 which you may protest the fees or other payment identified above will begin to run on the date in which the **DOWNTOWN PERMIT**
 this project is issued or on which they are paid to the district(s) or to another public entity authorized **CENTER** **SEP 06 2005** behalf of the district(s),
 whichever is earlier.

RECEIVED

Part II-To be completed by the BUILDING DEPARTMENT

Plan Identification Number 0511018
 Building Type (check one) Residential Apartment/Condominium Commercial/Industrial
 Square Feet of Chargeable Building Area 1007 sq'
 Signature/Title [Signature] Date 8/11/05

Part III-To be completed by the SCHOOL DISTRICT

School District WOOD Certificate No. 1044
 Exempt Comments _____
 Residential/Apartment/etc. 1007 Square ft. x \$ 224 = \$ _____
 Commercial/Industrial _____ Square ft. x \$ _____ = \$ _____
 Total fees collected..... = \$ 2255.68

This certification covers only the amount of square footage indicated above. Any additions or corrections to the square footage for this project will require an amendment to the Certificate of Compliance.

As the authorized school official, I hereby certify that the requirements of Government Code Section 65995 and any other authorized requirements have been complied with by the above signed applicant.

Signature [Signature] Date 8/19/05