

5



CITY OF SACRAMENTO

DEPARTMENT OF ENGINEERING
915 I STREET SACRAMENTO, CALIFORNIA 95814
CITY HALL ROOM 207 TELEPHONE (916) 449-5281

CITY MANAGER'S OFFICE
RECEIVED
JAN 25 1982

R. H. PARKER
CITY ENGINEER
J. F. VAROZZA
ASSISTANT CITY ENGINEER

January 25, 1982

City Council
Sacramento, California

Honorable Members in Session:

SUBJECT: Revocable Encroachment Permit - Setzer Forest Products

SUMMARY:

Setzer Forest Products has applied for a revocable encroachment permit for the purpose of installing underground communication conduits across 3rd Street. The City Engineer recommends that the permit be granted.

BACKGROUND:

The area for which this request is being made consists of an area at the south corner of City address 2555 3rd Street 18" x 80'.

RECOMMENDATION:

The City Engineer recommends that the attached resolution be passed granting a revocable encroachment permit to Setzer Forest Products in the area and for the purpose outlined above.

Respectfully submitted,

R. H. PARKER
City Engineer

Recommendation Approved:

Walter J. Slips, City Manager

APPROVED
BY THE CITY COUNCIL

FEB 2 1982

OFFICE OF THE
CITY CLERK

14-R-030-00-0

- cc: B. Blaser
- T. Sullivan
- W. Weitman
- K. Link
- Zenith Construction

February 2, 1982
District No. 1

RESOLUTION No. 82-059

Adopted by The Sacramento City Council on date of

February 2, 1982

RESOLUTION GRANTING REVOCABLE ENCROACHMENT TO:
SETZER FOREST PRODUCTS

BE IT RESOLVED BY THE COUNCIL OF THE CITY OF SACRAMENTO:

That a revocable encroachment permit for the purpose of installing underground communication conduits across 3rd Street is hereby granted to Setzer Forest Products, whose address is as follows: 5660 Freeport Boulevard, Box 22607, Sacto., CA 95822

The encroachment area is described as follows:

An area at the south corner of City address 2555 3rd Street. An area 18" x 80'.

This permit is granted subject to the "General Provisions - Revocable Encroachment Permit", which were adopted by the City Council in Resolution No. 77-611, dated October 4, 1977, and the hereinafter specified special conditions, if any. This permit shall be effective only after the applicant files with the Department of Finance of the City of Sacramento, the insurance certificates required by the General Provisions.

APPROVED
BY THE CITY COUNCIL

FEB 2 1982

OFFICE OF THE
CITY CLERK

SPECIAL CONDITIONS

1. The permittee shall construct conduit 30" below street grade in the street and at least 18" in the sidewalk area. Trench replacement paving shall be 7" of aggregate base and 4" of asphaltic concrete.
2. The permittee shall comply with all requirements of the City Building Inspections Division, the Planning Department and the City Sign Ordinance.
3. Permittee shall contact John Emerson of our Street Maintenance Division prior to beginning any construction.

MAYOR

ATTEST:

CITY CLERK