

CITY OF SACRAMENTO
1231 I Street, Sacramento, CA 95814

Permit No: 0104245
Insp Area: 1

Site Address: 250 CADILLAC DR SAC
Parcel No: 295-0020-008

Sub-Type: COM
Housing (Y/N): N

CONTRACTOR
PRO-TECH ROOFING SYSTEMS
7819 GALENA WAY
CITRUS HEIGHTS CA 95610

OWNER
FRICK ROBERT W/BARBARA S
3374 MCGRAW LN
LAFAYETTE CA 94549

ARCHITECT

Nature of Work: REROOF REMOVE AND INSTALL 30 SQ BTU AND 20 SQ 25 YR DIM LAM
COMP

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec 3097, Civ C)

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class C-39 License Number 768510 Date 4-6-01 Contractor Signature ST U

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec 7031.5, Business and Professions Code, any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00):

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law)

I am exempt under Sec. _____ B & PC for this reason: _____

Date _____ Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 4-6-01 Applicant/Agent Signature ST U

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

S.E. I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE COMPENSATION INS FUND Policy Number 7195814-00 Exp Date 10/01/2001




(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 4-6-01 Applicant Signature ST U

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

RICE COMPANY
 1200 CHINA ST
 OAKLAND CA 94612
 TEL 415-764-1000 FAX 415-764-1001




CAR PORT

DRIVE WAY

SCALE 1/4" = 1'

SYSTEMS IV FIBERGLASS ROOF SYSTEMS

NON-NAILABLE DECK



APPLICATION**

THE ROOF DECK shall be firm, clean, dry and smooth for the application of membrane materials. Provisions shall be made to embed wood nailers at roof edges, openings, and to underlie any galvanized metal flanges. Nailers shall be nominal 6" wide or extend at least one inch beyond flanges to be secured.

APPLY CONPRIME to the entire deck surface at a nominal rate of one (1) gallon per 100 square feet. The primer should be allowed to dry thoroughly prior to application of asphalt.

CONBASE W-1 IV base sheet shall be spot-mopped to the deck with hot asphalt. Spot-mop hot asphalt at the rate of 15 lbs. per 100 square feet. Base sheet shall be lapped 2" on sides and 6" on ends. Lap so the flow of water is over or parallel to, but never against, the laps. Extend two inches above the top of the cant strip at the base of walls and vertical surfaces.

EMBED two (2) plies CONPLY A-IV in shingle fashion, lapping 19" with a 17" exposure. CONPLY A-IV shall be lapped so the flow of water is over or parallel to, but never against, the laps. All end laps shall be at least 4" and adjacent end laps shall be at least 12" apart.

EMBED the full width of each sheet in hot asphalt applied at a nominal rate of 30 lbs. per 100 sq. ft. of roof area. Each ply shall be lightly broomed, using a moderately soft commercial push broom, as it is applied. All plies shall extend two inches above the top of the cant strip, solidly adhered. Buckles or fishmouths shall be cut and repaired properly.

VALLEYS WATERWAYS shall receive an extra layer of CONPLY A-IV which shall be at least 36" wide. It shall extend at least 8" up inclines out of valleys. This ply shall be laid on top of base sheet prior to application of other plies. Embed the full width of each sheet in a uniform mopping of hot asphalt applied at a nominal rate of 30 lbs. per 100 sq. ft. of roof area.

CONCAP shall be cut into 12-18' lengths and allowed to flatten. Apply parallel to underlying roofing. CONCAP shall be lapped 2" on sides and 6" on ends. Adjacent end laps shall be staggered at least 3' apart. Lap so the flow of water is over or parallel to, but never against, the laps. Embed the full width of each 12-18' length into a uniform cold mopping of hot asphalt applied at a nominal rate of 25 lbs. per 100 sq. ft. of roof area. THERE MUST BE COMPLETE CONTACT BETWEEN CONCAP AND MOPPING ASPHALT.

ON SLOPES exceeding 1-1/2" per foot, all roofing shall be applied parallel to the slope of deck. On slopes 2" per foot and greater, the ply sheets and surfacing sheet shall be "back-nailed" to wood nailers as described in the "General Requirements" section.

Refer to "General Requirements" for proper melt point of asphalt for slope involved.

*ALL application requirements from the "General Requirements" section are considered part of these specifications.

MATERIALS

MATERIALS REQUIRED PER 100 SQUARE FEET OF ROOF AREA:

| | |
|--|---------|
| CONGLAS CONPRIME, 1 gal. | 8 lbs. |
| CONBASE W-1 IV, 1 ply | 25 lbs. |
| Asphalt*, spot-mop to deck | 15 lbs. |
| CONPLY A-IV, 2 plies | 22 lbs. |
| Asphalt*, plies (2 @ 30 lbs.) | 60 lbs. |
| Asphalt*, surface | 25 lbs. |
| CONCAP, 1 ply | 75 lb. |
| Accessories and Flashing Materials as Required | |