CITY OF SACRAMENTO 1231 I Street, Sacramento, CA 95814

Site Address: 3395 PAUMANOK WY SAC

Parcel No:

HAMPTONS VILLAGE 2 ALLEY LOT #83

OWNER

Thos Bros: Sub-Type: NSFR

Insp Area:

ARCHITECT

Permit No: 0509771

Housing (Y/N): N

<u>CONTRACTOR</u> KB HOME NORTH BAY INC.

611 ORANGE DR VACAVILLE CA. 95687

Nature of Work: MP1733 2 STORY 7RM SFR CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C). dnder's Address LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is inful force and effect. License Number _ Date _______ Contractor Signatures OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00); I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.) I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law). B& PC for this reason: I am exempt under Sec. Date Ower Signature IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements. I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and herby authorize representative(s) of this city to enter upon the tioned property for inspection purposes. Aplicant/Agent Signature WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations: I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued. 🔼 I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are: Policy Number CITY OF SACE Date This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, Ishall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that it is should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwish comply with those provisions of Section 3700 of the Labor Code, I shall forthwish comply with those provisions of Section 3700 of the Labor Code, I shall forthwish comply with those provisions. 00 Aplicant Signature

COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF



Planning and Building Department

SITE

CITY OF SACRAMENTO CALIFORNIA

Building Division

Downtown Permits Center 1231 I Street, #200 Sacramento, CA 95814-2998

North Permits Center 2101 Arena Blvd., Suite 200 Sacramento, CA 95834

ADDRESS 3395 Parmanole

PERMIT NO. <u>050977</u> [

ADDRESS // O TOWN	
INSPECTION COMMENTS	PERMIT DOCUMENTS
	(SET BACKS OIK,) ME
8-11-05 B-10-40 CANC	
8-17-05 B-11-12 AP	1000
8-17-05 B-40 AP	- MIDE
5.23.05 P.43 CN	Contract -
	1 C.762
-23 of POUS AC	Girling
23-05 P. 43	
2005 567 AP 330	
DIVIDA TA	
0-13-05 BS 1 8 00 Gra	Be/
01103 1319	
2465 PYTHE MC GREEK	
FINAL	APPROVALS
	7
BUILDING	
ELECTRICAL PLUMBING	S EUR
PLUMBING	EUN
MECHANICAL	7
FIRE	

INSULATION CERTIFICATE

THIS IS TO CERTIFY THAT INSULATION HAS BEEN INSTALLED IN CONFORMANCE WITH THE CURRENT ENERGY REGULATIONS, CALIFORNIA ADMINISTRATION CODE, TITLE 24, STATE OF CALIFORNIA, IN THE BUILDING LOCATED AT:

SITE ADDRESS	LOT 83 HAM	PTONS (ALLEY)	NATOMAS		CA		
•	NUMBER		CITY		STATE		
CEILINGS:							
BLOW:	MANUFACTURER	GREEN FIBER	THICKNESS	10.3"	_R/VALUE	38	
BATTS:	MANUFACTURER	KNAUF	THICKNESS	13"	_	38	
		KNAUF			_		
EXTERIOR WA	LLS:						
	MANUFACTURER	KNAUF KNAUF	THICKNESS	3.5"	_R/VALUE -	13	
FLOOR INSULA	ATION:						
	MANUFACTURER	KNAUF KNAUF	THICKNESS	6.5"	_R/VALUE	19	
AIR INFILTRAT	ION: (TITLE 24)						
		<u> XX</u> NO					
OTHER:			· · · · · · · · · · · · · · · · · · ·				
GENERAL CON	TRACTOR: KB HC	MES	LICENSE #				
BY:		TITLE		DATE			
INSULATION CONTRACTOR: WESTERN INSULATION LP LICENSE # 794484							
BECKY GUT	ydjulhen,	TITLE AUTH. AG	BENT	DATE	11/22/	2005	
525 00 y	- / y	•					

Site Address	3395	Paumanok	wy
--------------	------	----------	----

Permit Number 0509 77(

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

HY	AC	<u>SYSTEMS</u>	١:

Heuting Eq Equip. Type (pkg. heat pump)	CEC Certified Mft Name and Model Number	# of Identical Systems	Efficiency (AFUE, etc.)¹ [≥CF-iR value]	Duct Location (attic, etc.)	Duct or Piping R-value	Heating Load (Btu/ir)	Heating Capacity (Btu/hr)
						164	
Cooling Eq.	<i>Lipment</i> CEC Certified Compressor	# of	Efficiency	Duct	·		
l'ype (pkg. <u>ent pamp)</u>	Unit Mir Name and Model Number	Identical Systems	(SEER, etc.)¹ [≥CF-1R value]	Location (attic, etc.)	Duct R-value	Cooling Load (Btu/hr)	Cooling Capacity (Btv/hr)

[≥] reads greater than or equal to.

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

WATER HEATING SYSTEMS:

Heater Type	CEC Certified Mfr Name & Model Number	Distribution Type (Std, Point-of-Use)	If Recir- culation, Control Type	# of Identical Systems	Rated ² Input (kW or Btu/hr)	Tank Volume (gallons)	Effi- clency ² (EF, RE)	Standby ² Loss (%)	External Insulation R-value ³
GAS	AO Smith GVR-50	STD	n/a	1	40,000	50	.62	л/а	R16

² For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Input.
For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.

3. R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

Faucets & Shower Heads:

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable

Signaturé, D

COPY TO: Building Department

HERS Provider (if applicable) Building Owner at Occupancy Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

9268469025

Compliance Forms

August 2001

A-23

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Site Address 3395 Paumanok wy

Permit Number 050 9771

P.001/001

FENESTRATION/GLAZING:

	Maguifacturer/Brand Name (GROUP LIKE PRODUCTS)	Product U-Factor ¹ (≤ CF-1R value) ²	Product SHGC¹ (≤ CF-1R_value)²	# of Panes	Total Quantity of Like Product (Optional)	Square Feet	Exterior Shading Device or Overhang	Comments/Location/
	1. PacBay	.35	SH XO PW	2				1 2
	2	.35	XO	2				10WE
	3	·34	Pu	ュ				
	4	35	$-\rho D$	272				
	5							
	6							
	7		·					
	Ş							
•	9							
	10,							
	11				<u> </u>			
	12	-						
	13	···						
	14	-						
	15							

- Manufactured fenestration products use the values from the product label. Field fabricated fenestration products use the default values from Section 116 of the Energy Efficiency Standards.
- ² Installed U-Factor must be less than or equal to values from CF-1R. Installed SHGC must be less than or equal to values from CF-1R, or a shading device (exterior or overhang) is installed as specified on the CF-1R. Alternatively, installed weighted average U-Factors for the total fenestration area are less than or equal to values from CF-1R.

I, the undersigned, verify that the fenestration/glazing listed above my signature: 1) is the actual fenestration product installed; 2) is equivalent to or has a lower U-Factor and lower SHGC than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) the product meets or exceeds the appropriate remarkance for manufactured devices (from Part 6), where applicable.

Item #s (if applicable) Signature, Date

ń,

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

Item #s (if applicable) Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

Item #s (if applicable)

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

COPY TO:

Building Department

HERS Provider (if applicable) Building Owner at Occupancy

Ez

INSTALLATION CERTIFICATE Village LOT Permit Number

Site Address

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The info provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

HVAC SYSTEMS: Heating Equipment

Type (pkg, CEC Certified Mirname # of identical (Arti-	É, etc.) ≥ CF- IR valus	Location (attic, etc.)	R-value	Heating Load (Bin/in)	Capacity (Bau/br)
FURNACE Carrier 58STX070-12 1 FURNACE Carrier 58STX070-12 1 FURNACE Carrier 58STX070-12 1 FURNACE Carrier 58STX070-12 1 FURNACE Carrier 58STX090-16 1	80% 80% 80% 60%	ATTIC ATTIC ATTIC ATTIC	6 6 6	25,501 25,363 26,387 29,738 31,616	53,000 PLAN 1699 53,000 PLAN 1717 53,000 PLAN 1846 70,000 PLAN 2013 70,000 PLAN 2251

Equip. Equip. Type (pkg. Heat pump)	CEC Cartified Compressor Unit Mir Name and	# of identical Systems	(i) Efficiency (SEBR, etc.) > CF-1R Value	Duct Location (antic, etc.)	Duct R-value	Cooling Load (Bru/br)	Cooling Capacity (Bau/ar)	
	Carrier 385RC030*	1	13.0	ATTIC	6	19,664	~-· ,~~	PLAN 1699
A/C_			13.0	ATTIC	<u></u>	21,175	33,100	PLAN 1717
A/C	Carrier 38BRC036*							PLAN 1846
A/C	Carrier 38BRC036*	1 _	13.0	ATTIC	6	20,815		
		1	13.0	ATTIC	8	25,809	38,600	PLAN 2013
A/C	Carrier 385RC042*					27,401	38,600	PLAN 2251
A/C	Carrier 38BRC042*	1	13.0	ATTIC		27,401	-000,000	
					_			

* = TXV valve installed as part of coil

(1) \geq reads greater than or equal to.

), the undersigned, verify that equipment tisted above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements Econ the Appliance Efficiency Regulations or Part 6), where applicable.

11-3-04

BEUTLER CORPORATION

Installing Subcontractor (Co. Name)

OR General Contractor (Co. Name) OR C

Attn. Ray.

P.04/09

