

CITY OF SACRAMENTO
1231 I Street, Sacramento, CA 95814

Permit No: 9811026
Insp Area: 2

Site Address: 6501 CHESTERBROOK DR SAC
Parcel No: 1171220022

Sub-Type: RES
Housing (Y/N):

CONTRACTOR
SWAN POOLS
1810 FIELD AV
STOCKTON CA

95203

OWNER
COOK JAMES
6501 CHESTERBROOK DR
SACRAMENTO CA

95758

ARCHITECT
LAWDER JH
621 14TH ST
MODESTO CA

Nature of Work: SMALL GUNITE POOL & SPA W/GAS HEATER

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name WA Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class C-53 License Number 639641 Date 11-23-98 Contractor Signature [Signature]

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. _____ B & PC for this reason: _____

Date _____ Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 11-23-98 Applicant/Agent Signature _____

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:
 I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:


Carrier SUPERIOR NAT'L Policy Number WDN 55512A Exp Date 02/01/99

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 11-23-98 Applicant Signature [Signature]

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.



- LAYOUT LINES**
- CL - 15'-0"
 - 1 - 12'-0"
 - 2 - 13'-0"
 - 3 - 12'-6"
 - 4 - 29'-6"
 - 5 - 29'-9"
 - 6 - 38'-6"
 - S1 - 8'-0"
 - S2 - 19'-6"

POOL SPECIFICATIONS

size	18'-0" x 30'-0"	per.	* 83	ft.	area	* 430	sq. ft.
depth	3'-0" to 7'-0"	to	—	vol.	* 16,125	gallons.	
CONSTRUCTION SPECIFICATIONS							
excavation	BOBCAT	access from side / rear property line					
ramp	SHALLOW END	bench	1'-1'-6" x 4' & 1'-1'-6" x 7' w/ steps				
walkout/steps	SHALLOW END	extended 2nd step	5	ft.			
fences/down by	SWAN POOLS	up by	OWNER				
concrete removal by:	NONE						
stumps removed by:	NONE						
STEEL / GUNITE / TILE / INTERIOR							
raised bond beam	0	ft. of	0	0	ft. of	0	
tile	6" BAND	choice	CHOICE OF STANDARD				
interior: type	PLASTER	color	WHITE				
cap for bond beam	CANTILEVER						
PLUMBING SPECIFICATIONS							
pool: returns	5	total	3	+	2	deep heat	
main drain size	8" ANTI-VORTEX	SPARKLE PURE	AUTOMATIC				
size of suction line from skimmer	2"	number	1				
pool cleaner	RAY VAC	with back up	slide				
UTILITIES							
electric by:	SWAN POOLS	(COMPLETE)					
gas by:	G. F. I. J-BOXES, LIGHTS, AND 220V TIME CLOCK						
DECKING							
* 864	sq. ft.	type of finish	PLUM CREEK - EXP AGG				
flooding	NONE	drains	NONE				
deck-o-drain	INCL ft.	dividers: type	BECCO - JOINTS				
mastic	NONE	misc.	NONE				
BY SWAN POOLS - PER PLAN							
POOL EQUIPMENT: PAD SIZE - standard							
filter: type	AMERICAN	size	D.E.	* 60	sq. ft.		
pump: type	AMERICAN	size	ULTRA	* 2	H.P.		
heater: type	Teledyne Laars	size	* 400,000	BTU'S			
pool cleaner	RAY VAC	WITH BACK UP					
separation tank	NONE						
POOL ACCESSORIES							
lights	(1) 500 WATT POOL LIGHT & (1) 100 watt spa						
board	NONE	board standards	NONE				
slide	NONE	color	NONE				
grabrails/steps	NONE	ladder	NONE				
handrails at steps	NONE						
vacuum head and	0	feet of hose					
maintenance kit and pole	BY SWAN POOLS, INCL.						
SPA SPECIFICATIONS							
size	7'-0" DIA.	=	38	sq. ft.	perimeter	* 22	ft.
length of dam wall	* 6	ft.	cap for dam wall	STANDARD			
spillway	STANDARD	valve type	JANDY / ORTEGA				
number of jets	6	light	(1) 100 WATT SPA				
booster pump: type	NONE	size	0	H.P.			
bench / seat	LOWERED	step	STANDARD				
LEGAL INFORMATION							
Permit office -	CITY OF SACRAMENTO	area	SACRAMENTO				
A.P.N.	117-1220-02	map bk.		unit no.			
subdivision		lot no.	* 22	tract no.	bk. no.	pg. no.	

NOTES:

1. FENCES AND ALARMS - PER STATE OF CALIFORNIA, HEALTH AND SAFETY CODE SECTION 115920-115927, KNOWN AS THE "SWIMMING POOL SAFETY ACT".
2. FENCES - PER CODE BY OWNER.
3. ALARMS - PER CODE - INSTALLED BY OWNER, FURNISHED BY SWAN (ALL)
4. TILE CHOICE - CHOICE OF STANDARD
5. INTERIOR - WHITE PLASTER
6. MEP - IN HOUSE CONTROLLER WITH DIMMER
7. FILL LINE - AUTOMATIC FILL WITH BRASS ARM ASSEMBLY. (ANTI-SIPHON VALVE)
8. DECK - * 864 SQ. FT. OF PLUM CREEK EXPOSED AGGREGATE DECKING, WITH 98 FT. OF CANTILEVER EDGE.
9. BENCHES - (1) 1'-6" x 4'-0" (1) 1'-6" x 7'-0" with steps
10. POOL AND SPA COVER - SOLAR BUBBLE
11. SPARKLE PURE, WITH ONE CARTRIDGE
12. POOL ALARMS - PER PLAN
13. DECO - DRAIN - AS NEEDED
14. SMOOTH CANTILEVER FINISH
15. ACCESS FENCE - REMOVED BY SWAN, AND REPLACED BY OWNER.
16. STUB EQUIPMENT PIPES - FENCE SIDE
17. SIDE YARD CONCRETE - BY OWNER
18. MOW STRIP - BY OWNER

RECEIVED


NOV 04 1998

- SPA -
- A. 7' DIA. = 38 SQ. FT.
 - B. PERIMETER = 22 ft. Building Inspection Division
 - C. JETS - 6
 - D. LIGHT - (1) 100 WATT SPA
 - E. SEAT - STANDARD (LOWERED)
 - F. STEP - STANDARD
 - G. DUAL MAIN DRAIN

SALESPERSON: BOB MCGREEVY
 SCALE - 1/8" = 1'-0" DATE - 09-18-98


owner:
 JAMES R. COOK
 6501 CHESTERBROOK
 ELK GROVE, CALIFORNIA 95758
 phone # res. 916-684-5065 bus.

SWAN POOLS
 1810 FIELD AVENUE SUITE -5
 STOCKTON, CALIFORNIA 95203
 C-53 639641 1-800-994-7926




THIS SECTION ALSO APPLIES TO CONSTRUCTION OF SPA.


1 SECTION AT SHALLOW END




2 TYPICAL STEEL REINFORCING AT POOL WALLS




3 SECTION AT DEEP END




4 SPECIAL DRAIN DETAIL



5 SECTION THRU LIGHT NICHE



6 SECT. THRU SURFACE SKIMMER



7 BOND BEAM DETAIL

MAX. DEPTH	THICKNESS	ADD VERT BARS PER (3)
6'-0"	6"	NONE REQUIRED
8'-0"	6"	#3 @ 12" TO MAKE 6"
9'-0"	8"	#3 @ 12" TO MAKE 6"
10'-6"	10"	#3 @ 12" TO MAKE 6"

STEEL and WALL THICKNESS SCHEDULE

- NOTES**
- POOL DESIGN CRITERIA: (1994 UBC)
 - EXPANSIVE SOILS MAY BE PRESENT.
 - EQUIVALENT FLUID PRESSURE 45 PSF.
 - NO BLDG. WITHIN 2'-6" OF EDGE OF WATER.
 - IF FROST OR FREEZING CONDITIONS ARE NOT PRESENT POOL IS TO REMAIN, CONTINUOUSLY FULL.
 - GUNITE CONCRETE SPECIFICATIONS:
 - 28 DAY STRENGTH SHALL BE 2,000 PSI MINIMUM.
 - MIX SHALL BE 1/4" MAX. PEA GRAVEL AND SAND MIXTURE PROPORTIONED BY VOLUME. 4 1/2 CU.FT. PER SACK OF TYPE I CEMENT.
 - REINFORCING BARS SHALL BE INTERMEDIATE GRADE (ASTM A-615).


SWAN POOLS

Contractor License #639641


REGISTERED PROFESSIONAL ENGINEER
 STATE OF CALIFORNIA
 No. 3310
 Exp. 12/31/01
 JH LAWDER, INC.

BUILDING DEPARTMENT - ONLY ISSUE PERMIT IF SIGNATURE IS IN RED INK.

jh lawder, inc. structural engineers
 621 14TH STREET, MODESTO, CA 95354
 (209) 521-1143 FAX (209) 521-1166



SACRAMENTO - ELK GROVE
6501 CHESTERBROOK WAY



JAMES R. COOK
6501 CHESTERBROOK WAY, ELK GROVE

Conditions and Requirements for Pool Construction


The following requirements shall be complied with where designated on the plans:

1. Construction Requirements for Expansive Soil Conditions Shall Apply
Use details for construction in expansive soils. Use "Exp. SI" columns from engineering tables. All reinforcing and gunite thickness requirements for construction in expansive soils area shall apply.
2. Minimum 3 ft. Landscape Strip Required
A minimum 3 ft. landscape strip is required between the edge of the pool decking and the property line, or else provide a drainage system acceptable to the building official that will prevent pool water from crossing the property line.
3. Minimum 5 ft. Side Yard Setback Required
Waterside edge of pool shall be a minimum 5 feet from the property line.
4. Pool Surcharge Setback
Pool excavations shall not encroach below a line extending at a slope of one to one downward from the bottom of any building footings or from a property line unless the pool and excavation have been designed by a licensed engineer.
5. Pool Equipment Requirements
Equipment located within 3 feet of the property line has to be enclosed in a 1 hr. fire rated structure. Equipment must not produce greater than 55 dba sound 1' foot inside the adjoining property line at a level 4' above grade. If the equipment pad is to be located within 5 feet of any property line, literature verifying compliance with sound transmission requirements must be submitted to the building department for approval prior to the installation of any plumbing.
6. Safety Glazing Required
Safety glazing is required in all windows, per the attached sheet, where: 1) The glazing is less than 60 inches above the pool decking; and 2) The glazing is within 10 feet of the edge of the pool water.
7. Pool Barriers Required
All provisions of the attached "City Policy on Pool Barrier Requirements for Private Single-Family Residences" shall apply.

ISSUED
NOV 23 1998
CITY OF SACRAMENTO
DEVELOPMENT SERVICES DIV

GLAZING IN HAZARDOUS LOCATIONS

- Hazardous location provisions of Section 2406 now apply to glazing in walls and fences enclosing swimming pools and spas.
- All following conditions must apply:
 - Bottom edge of glazing is less than 60 inches above the pool/spa decking.
 - Glazing at or within 5 feet of swimming pool deck or spa deck intended for pedestrian traffic.
- Provision applies to lights of any size.



9. Glazing in walls and fences used as the barrier for indoor and outdoor swimming pools and spas when all of the following conditions are present:

9.1 The bottom edge of the glazing is less than 60 inches (1525 mm) above the pool side of the glazing.

9.2 The glazing is within 5 feet (1525 mm) of a swimming pool or spa deck area.

10. Glazing in walls enclosing stairway landings or within 5 feet (1525 mm) of the bottom and top of stairways where the bottom edge of the glass is less than 60 inches (1525 mm) above a walking surface.



CITY OF SACRAMENTO

DEVELOPMENT SERVICES
1231 I STREET, ROOM 200, SACRAMENTO, CALIFORNIA 95814

CITY POLICY ON POOL BARRIER REQUIREMENTS FOR PRIVATE SINGLE-FAMILY RESIDENCES

This City Policy applies to all building permits for new pools or spas constructed at a private single-family home. Effective January 1, 1998, the City of Sacramento will enforce the requirements on pool barriers outlined in the Health and Safety Code, Section 115920-115927.

I. One of the following safety barriers shall be provided:

- a) The pool shall be isolated from access to a home by an enclosure (Refer to the following requirements in Section II)
- b) The pool shall be equipped with an approved safety pool cover.
- c) The residence shall be equipped with exit alarms on those doors providing direct access to the pool.
- d) All doors providing direct access from the home to the swimming pool shall be equipped with a self-closing, self-latching device with a release mechanism placed no lower than 54 inches above the floor.
- e) Other means of protection, if the degree of protection afforded is equal or greater than that afforded by any of the devices set forth in subdivision a) to d), inclusive, as determined by the City of Sacramento Building Official.

II. An enclosure shall have all of the following characteristics:

- a) Any access gates through the enclosure open away from the pool, and are self-closing with a self-latching device placed no lower than 60 inches above the ground.
- b) A minimum height of 60 inches.
- c) A maximum vertical clearance from the ground to the bottom of the enclosure of two inches.
- d) Gaps or voids, if any, do not allow passage of a sphere equal or greater than four inches in diameter.
- e) An outside surface free of protrusions, cavities, or other physical characteristics that would serve as handholds or footholds that could enable a child below the age of five years to climb over.

JANUARY 1, 1998

EFFECTIVE DATE

REVISION DATE

115923. An enclosure shall have all of the following characteristics:

- (a) Any access gates through the enclosure open away from the swimming pool, and are self-closing with a self-latching device placed no lower than 60 inches above the ground.
- (b) A minimum height of 60 inches.
- (c) A maximum vertical clearance from the ground to the bottom of the enclosure of two inches.
- (d) Gaps or voids, if any, do not allow passage of a sphere equal to or greater than four inches in diameter.
- (e) An outside surface free of protrusions, cavities, or other physical characteristics that would serve as handholds or footholds that could enable a child below the age of five years to climb over.

115924. Any person entering into an agreement to build a swimming pool shall give the consumer notice of the requirements of this article.

115925. The requirements of this article shall not apply to any of the following:

- (a) Public swimming pools.
- (b) Hot tubs or spas with locking safety covers that comply with the American Society for Testing Materials-Emergency Performance Specification (ASTM-ES 13-89).
- (c) Any pool within the jurisdiction of any political subdivision that adopts an ordinance for swimming pool safety that includes requirements that are at least as stringent as this article.
- (d) An apartment complex, or any residential setting other than a single-family home.

115926. This article does not apply to any facility regulated by the State Department of Social Services even if the facility is also used as the private residence of the operator. Pool safety in those facilities shall be regulated pursuant to regulations adopted therefor by the State Department of Social Services.

115927. Notwithstanding any other provision of law, this article shall not be subject to further modification or interpretation by any regulatory agency of the state, this authority being reserved exclusively to local jurisdictions, as provided for in subdivision (e) of Section 115922 and subdivision (c) of Section 115924.

ISSUED

NOV 11 1998

HEALTH AND SAFETY CODE

SECTION 115920-115927

115920. This act shall be known and may be cited as the Swimming Pool Safety Act.

115921. As used in this article the following terms have the following meanings:

(a) "Swimming pool" or "pool" means any structure intended for swimming or recreational bathing that contains water over 18 inches deep. "Swimming pool" includes in-ground and above-ground structures and includes, but is not limited to, hot tubs, spas, portable spas, and nonportable wading pools.

(b) "Public swimming pool" means a swimming pool operated for the use of the general public with or without charge, or for the use of the members and guests of a private club. Public swimming pool does not include a swimming pool located on the grounds of a private single-family home.

(c) "Enclosure" means a fence, wall, or other barrier that isolates a swimming pool from access to the home.

(d) "Approved safety pool cover" means a manually or power-operated safety pool cover that meets all of the performance standards of the American Society for Testing and Materials (ASTM), in compliance with standard F1346-91.

(e) "Exit alarms" means devices that make audible, continuous alarm sounds when any door or window, that permits access from the residence to the pool area that is without any intervening enclosure, is opened or is left ajar. Exit alarms may be battery operated or may be connected to the electrical wiring of the building.

115922. Commencing January 1, 1998, except as provided in Section 115925, whenever a construction permit is issued for construction of a new swimming pool at a private, single-family home it shall be equipped with at least one of the following safety features:

(a) The pool shall be isolated from access to a home by an enclosure that meets the requirements of Section 115923.

(b) The pool shall be equipped with an approved safety pool cover.

(c) The residence shall be equipped with exit alarms on those doors providing direct access to the pool.

(d) All doors providing direct access from the home to the swimming pool shall be equipped with a self-closing, self-latching device with a release mechanism placed no lower than 54 inches above the floor.

(e) Other means of protection, if the degree of protection afforded is equal to or greater than that afforded by any of the devices set forth in subdivisions (a) to (d), inclusive, as determined by the building official of the jurisdiction issuing the applicable building permit. Any ordinance governing child access to pools adopted by a political subdivision on or before January 1, 1997, is presumed to afford protection that is equal to or greater than that afforded by any of the devices set forth in subdivisions (a) to (d), inclusive.

ISSUED
MAY 1998

CITY OF SACRAMENTO

SUBMIT TWO COPIES

THIS COPY SHALL BE ON JOB SITE AT ALL TIMES

CONTRACTOR/OWNER *Susan Paul's*

JOB ADDRESS: *6501 Chesapeake Blvd WAX*

LOAD CALCULATION - N.E.C. 220.30

TOTAL SQ. FT. *2400*


NUMBER	ITEM	WATTS	LOAD CALCULATION
2400	Sq. ft @ 3 watts per sq. ft.	7200	Air conditioning example (Not heat pump)
1	20 Amp. Appliance circuits @ 1,500 watts each	1500	Compressor 20 amps Fan 5 amps
645	Range (Nameplate Rating = N.P.R.)	1500	Unit Total Load - 25 amps x 240V Electric Furnace @ N.P.R. - 6,000 watts X 65% = 3900 Watts
1	Oven (N.P.R.)	5000	Use 6000W, since it is larger.
645	Cooking Units (N.P.R.)		Heat Pump Note: Be careful when doing load calculations where heat pumps are installed. The load for most heat pumps that are equipped with auxiliary heat strips will be larger under the demand for heat. For the purposes of load calculations only, on heat pumps, use 100% of the heat pump compressor and fans and 65% of auxiliary heat load to show total heat pump load.
645	Water Heater (N.P.R.)		Heat Pump Example Compressor 20 Amps Fans 5 amps
1	Dishwasher (N.P.R.)	2200	Heat Pump Load = 25A X 240V = 6,000 Aux. Heat Strip = 6,000W X 65% = 3,900W Total Heat Pump Load = 9,900W
1	Disposal (N.P.R.)	2200	
1	Washer [1500 watts min. - N.E.C. 220-16(b)]	1500	
645	Dryer [5000 watts min. or N.P.R. if larger] N.E.C. 220-18]		
1	Meters (N.P.R.)		
1	Other (N.P.R.)	3000	
2	Other (N.P.R.)	750	
Air Conditioning Equipment			
Air Conditioning [cooling @ (N.P.R. X 100%)] =		7500	
Electrical Heating @ (N.P.R.) X 65% =			
NOTE: USE THE LARGEST LOAD - HEAT OR COOL =			
Heat pump (compressor & fans) X 100% =			
Aux heat strips (or elect furnace) X 65% =			
Total Heat Pump Load =			
NOT: AMPS X CIRCUIT VOLTAGE = WATTS			

Sub-Total = *22,900* **24,400**
 (less 1st 10KW) - 10,000 @100% = **14,400**
 Remainder @ 40% *14,400* @40% = **5,760**
 Total Air Cond. and/or heat pump load = **10,640** Watts

Total Service Load = **25,200** Watts
 Total Service Load = **22,150** Watts
 Service Size *200* Amps

JAMES R. COOK

SWAN POOLS, INC.



UTILITIES
 ELECTRICAL
 UNDERGROUND

CITY WATER
 CITY SEWER

FENCE
 6' SOLID BOARD
 (PER CODE)

5' min or see *
 VALVE SIDE
 3' min TO HEATER STACK

SIDE YARD CONCRETE
 BY OWNER

NATIONAL ELECTRICAL CODE

SFC 1993
 6 RECEPTACLE LOCATION
 8 1/2" MIN. WIRING
 20 22
 16 ADDITIONAL EQUIP
 11-5-98

X-Street
 LAGUNA STAR DR.
 BIG HORN BLVD
 Major Street
 BRUCEVILLE ROAD
 SHELDON ROAD
 HWY 99

* See
 (5) Provide
 sound transmission data
 to bldg. dept. prior
 to rough plumb. if pad
 SITE PLAN

Gas Line: 4100' - use 1/4" min.
 >1001' - use 1/2" min. Closer than 5' to R.

6501 CHESTERBROOK DRIVE

APN:

R. M. BK. -

PG.-

916-684-5065

UNIT NO.
 95758

LOT NO.

TRACT NO.

CITY OF SACRAMENTO

Matt P. 11/10/98