

**CITY OF SACRAMENTO**

**Permit No: 9901355**

**1231 I Street, Sacramento, CA 95814**

**Insp Area: 2**

**Site Address: 8628 CULPEPPER DR SAC  
NOTHR**

**Sub-Type:**

**Parcel No: 1170890036**

**Housing (Y/N): N**

**CONTRACTOR**

CALIFORNIA CONTRACTORS INC.  
11292 COLOMA RD #B  
RANCHO CORDOVA CA

95670

**OWNER**

BUSH KELVIN G/MARY L  
8628 CULPEPPER DR  
SACRAMENTO CA

95823

**ARCHITECT**

**Nature of Work: ATTACHED PATIO ENCLOSURE AT REAR OF DWELLING**

**CONSTRUCTION LENDING AGENCY :** I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name \_\_\_\_\_ Lender's Address \_\_\_\_\_

**LICENSED CONTRACTORS DECLARATION:** I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class 12 License Number 25028 Date 2-11-99 Contractor Signature [Signature]

**OWNER-BUILDER DECLARATION:** I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

\_\_\_\_ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

\_\_\_\_ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

\_\_\_\_ I am exempt under Sec. \_\_\_\_\_ B & PC for this reason: \_\_\_\_\_

Date \_\_\_\_\_ Owner Signature \_\_\_\_\_

**IN ISSUING THIS BUILDING PERMIT,** the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 2-11-99 Applicant/Agent Signature [Signature]

**WORKER'S COMPENSATION DECLARATION:** I hereby affirm under penalty of perjury one of the following declarations:  
\_\_\_\_ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE FUND Policy Number 1497801-98 Exp Date 09/01/1999

\_\_\_\_ (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 2-11-99 Applicant Signature [Signature]

**WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.**

**THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.**

*Permit Folder*

**City of Sacramento Development Services Division  
Planning and Zoning Information Request**

Project Address: 8628 Culpeper Dr

Assessor's Parcel Number: 117-0890-036

Current Land Use: SFO

Description of Request/Proposed Use: adding patio enclosure

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Zoning Designation: R1

Prior Applications for Project Site(P#,Z#,DRPB#): \_\_\_\_\_

Comments: Existing House = 1400 sq

Patio Room addition = 208 sq

1608

Checked lot coverage & setbacks

Are There Any Planning Issues?: (Circle One) YES NO  
Site Plan Check Required? (Circle One) YES NO  
Design Review/ Preservation Required?: (Circle One) YES NO

Planning Review by/Date: D. Smith

2-11-99

A list of items that must be reviewed by Planning is provided on the reverse side of this form.



Sunrooms • Garden Rooms  
Patio Covers

11292-B Coloma Road  
Rancho Cordova, CA 95670  
1-800-834-3211 • 916-631-8186  
Fax 916-631-8199


Licensed, Bonded & Insured • Cont. Lic. #625028

Name Kelvin Bush  
Address 8628 Culpepper Dr.  
City SAC State CA Zip \_\_\_\_\_  
Phone 429-2414  
Representative \_\_\_\_\_ Date \_\_\_\_\_

BACK PROPERTY LINE ↑

ISSUED

FEB 11 1999




SIDE PROPERTY LINE

105

- Reviewed by Matt P. 2/11/99
- ① Screen only - no glazing approved.
  - ② Must be on min. 3/2" conc. slab.
  - ③ See total 7 sheets submitted.

DOOR



This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the Building Inspection Division.

The approval of this plan and specification SHALL NOT be held to permit or approve the violation of any City Ordinance or State Law.

RECEIVED

FEB 11 1999

Building Inspection Division

55

1/7

8628 CULPEPPER DR.

ISSUED


FEB 11 1999

CITY OF SANBARTEN, ILL.  
DEVELOPMENT DEPARTMENT

THIS REPRESENTS TEMO RECOMMENDED  
ROOF ATTACHMENT TO THE EXISTING HOUSE

NOTES:

- 1) MINIMUM DESIGN LOAD IS 30 PSF.
- 2) ROOF PANEL IS 3 INCHES THICK WITH 12 INCH OVERHANG.



ATTACH NEW 2 x 6 FASCIA BOARD WHERE REQUIRED USING:  
(2) 1/4" x 3" LAG SCREWS EACH RAFTER OR TRUSS

12'-6" WALL TO WALL

and specifications must be approved by the City Engineer. Any alterations from the original specifications without the written permission from the City Engineer are unlawful. The City Engineer shall not be held to permit or approve the violation of any City Ordinance or State Law.



license expires 6-30-2000


JUL 10 1998

2/7

TEMO Inc.  
20400 Hall Road  
Clinton Twp., Mi 48038

CLIENT/PROJ.	PH. ( )	DATE	REVISION
<b>ROOF DETAIL</b>			
DRAWN BY: SLS	CK'D BY:		
MEASURED BY:	DATE: 10/08/96	SCALE:	

CONNECTION AT HOUSE WALL



1998


1998

ENCLOSURE WALL PANEL

EXTERIOR SHEATHING

This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the Building Inspection Division. The approval of this plan and specification SHALL NOT be held to permit or approve the violation of any City Ordinance or State Law.

WALL STUD - TO BE ADDED IF NONE EXISTS AT LOCATION NEEDED.




license expires 6-30-2000

JUL 10 1998


3/2

TEMO Inc.  
20400 Hall Road  
Clinton Twp., Mi 48038

CLIENT/PROJ.	PH. ( )	DATE	REVISIONS
ENCLOSURE WALL CONNECTION TO HOUSE			
DRAWN BY: PHIL TARAVELLA CK'D BY:			
MEASURED BY:		DATE: 2JUL98	SCALE:



SCREEN PANEL WIDTH (FT)	SCREEN PANEL WIDTH (IN)	SCREEN PANEL WIDTH (MM)
10	120	3048
12	144	3658
14	168	4268
16	192	4878
18	216	5488
20	240	6098
22	264	6708
24	288	7318
26	312	7928
28	336	8538
30	360	9148
32	384	9758
34	408	10368
36	432	10978
38	456	11588
40	480	12198
42	504	12808
44	528	13418
46	552	14028
48	576	14638
50	600	15248
52	624	15858
54	648	16468
56	672	17078
58	696	17688
60	720	18298



**GENERAL NOTES:**


- FOR SCREEN PANEL WIDTH SEE SCHEDULE ABOVE. SCREEN PANEL WIDTH = 4'-0" WHEN COLLARS ARE SHOWN IN SCHEDULE ABOVE.
- FOR GENERAL NOTES SEE DWG #9916-2.
- DESIGN WIND SPEED = 90 MPH.
- WHEN COLLARS REMAIN IN PLACE ATTACH COVER PANEL TO HEADER WITH #10 SWS AT THE FOLLOWING SPACING:
  - WHEN COLLARS ARE SPACING WITH 12" PANELS AND 18" WITH 18" PANELS.
  - HEAD AND NEOPRENE WASHERS AT THE FOLLOWING SPACING:
    - FOR 6" PANELS: 12" WITH 12" PANELS AND 9" WITH 18" PANELS.
    - FOR 6" PANELS: 12" WITH 12" PANELS AND 9" WITH 18" PANELS.
  - FOR 6" PANELS: 12" WITH 12" PANELS AND 9" WITH 18" PANELS.
  - FOR 6" PANELS: 12" WITH 12" PANELS AND 9" WITH 18" PANELS.
- FOOTINGS WITH CONCRETE SLABS ARE REQUIRED FOR HEADERS 1" FOR THE FOLLOWING CONDITIONS:
  - 25 PSF LIVE LOAD W/ PROJECTION > 14'-6"
  - 40 PSF LIVE LOAD W/ PROJECTION > 17'-0"
  - 60 PSF LIVE LOAD W/ PROJECTION > 8'-6"

**STRUCTURAL DETAIL:**




SEE NOTE #8 FOR OCCASIONS WHEN 15X15X1/8" FOOTINGS ARE REQUIRED WITH CONCRETE SLABS.

**ISSUED**  
FEB 1 1999

LIVE LOAD (PSF)	6" PANEL	12" PANEL	18" PANEL
10	8	6	4
11	9	7	5
12	10	8	6
13	11	9	7
14	12	10	8
15	13	11	9
16	14	12	10
17	15	13	11
18	16	14	12
19	17	15	13
20	18	16	14



*Back of slant*  
*also req'd*



**NOTE:**

SUSPENDED CEILING FRAME WORK PER I.C.B.O. E.S. REPORT #7905 WITH MAIN 4" TEE PARALLEL TO PANEL SPAN. USE 2110 MAIN 1" TEES. COMPRESSED AIR PRESSURE TEST CEILING PANELS TO BE 1" COMING ON EXPOSED SURFACE. SEE SHEET 3 OF 3 FOR CONNECTOR SCHEDULE.

\*#12 CONNECTOR IS REQUIRED WHEN BUILDING A 2" COMPONENT ROOM ON SITE AND IS NOT REQUIRED IN A WOOD-JOIST SYSTEM OR ON A SUPERJAC INSTALLATION WHETHER MODIFIED OR COMPONENT. SEE ALTERNATE #4 CONNECTOR SCHEDULE.

FOR 70 MPH WIND SPEED ONLY FOR 80 & 90 MPH WIND SPEEDS USE #2 WALL.

**APPROVED**  
APPROVED  
DATE 1.15  
BY [Signature]  
REGISTERED PROFESSIONAL ENGINEER  
NO. 13857  
EXP. 3/31/01  
STATE OF CALIFORNIA

Keep on the job at all times and specifications shall not be changed without written approval of the Building Inspection Division. The approval of this plan and specifications shall NOT be held to permit or approve the violation of any City Ordinance or State Law.




**ADMIRAL SUBROOMS**  
1400 N. RAY ST.  
ANAHEIM, CA 92806 (800)427-7350

SCRIPTED BY OSURFS

SCREEN PANEL WIDTH SCHEDULE

MAX. PROL.	MAX. SCREEN PNL. WIDTH	MIN. PNL. WIDTH	MIN. PNL. HEIGHT
8"	4'-0"	3'-0"	2'-0"
10"	4'-0"	3'-0"	2'-0"
12"	4'-0"	3'-0"	2'-0"
14"	4'-0"	3'-0"	2'-0"
16"	4'-0"	3'-0"	2'-0"
18"	4'-0"	3'-0"	2'-0"
20"	4'-0"	3'-0"	2'-0"
22"	4'-0"	3'-0"	2'-0"
24"	4'-0"	3'-0"	2'-0"
26"	4'-0"	3'-0"	2'-0"
28"	4'-0"	3'-0"	2'-0"
30"	4'-0"	3'-0"	2'-0"
32"	4'-0"	3'-0"	2'-0"
34"	4'-0"	3'-0"	2'-0"
36"	4'-0"	3'-0"	2'-0"
38"	4'-0"	3'-0"	2'-0"
40"	4'-0"	3'-0"	2'-0"
42"	4'-0"	3'-0"	2'-0"
44"	4'-0"	3'-0"	2'-0"
46"	4'-0"	3'-0"	2'-0"
48"	4'-0"	3'-0"	2'-0"
50"	4'-0"	3'-0"	2'-0"
52"	4'-0"	3'-0"	2'-0"
54"	4'-0"	3'-0"	2'-0"
56"	4'-0"	3'-0"	2'-0"
58"	4'-0"	3'-0"	2'-0"
60"	4'-0"	3'-0"	2'-0"



\*FOR UP TO 19" PROL. USE 4" W/ PRODUCTION SPACING TO 19" PROL.




- GENERAL NOTES:
1. FOR SCREEN PANEL WIDTH, SEE SCHEDULE ABOVE. COVER PANEL WITH 4" PROL. WHEN PROL. IS SHOWN IN SCHEDULE ABOVE.
  2. DESIGN WIND SPEED = 80 MPH.
  3. WHEN F10 SWS ATTACHED TO PANELS AND 18" WITH 18" PANELS.
  4. WHEN F10 SWS ATTACHED TO PANELS AND 12" WITH 18" PANELS.
  5. WHEN F10 SWS ATTACHED TO PANELS AND 12" WITH 12" PANELS.
  6. CONCRETE EXPANSION JOINTS SHALL BE 1/4" DIA. FORM STITCH ANCHORS PER AISC 308S-11-6 ANGLES ATTACHED TO ROOF PANEL W/ #8 SWS.
  7. 1500 PSF LIVE LOAD W/ PRODUCTION 20' OR GREATER AND F10 SWS TO OPPOSITE SIDE OF 2'-110 SWS CONNECTIONS.
  8. FOOTINGS WITH CONCRETE SLABS ARE REQUIRED FOR HEADER "J" FOR THE FOLLOWING CONDITIONS:
    - A. 25 PSF LIVE LOAD W/ PRODUCTION > 14'-6"
    - B. 20 PSF LIVE LOAD W/ PRODUCTION > 11'-6"
    - C. 15 PSF LIVE LOAD W/ PRODUCTION > 8'-6"
    - D. 60 PSF LIVE LOAD W/ PRODUCTION > 6'-5"

**ISSUED**

14th 1995



Keep on the job at all times and specifications shall be maintained. This set of plans and specifications shall be held in force until approved by the Building Inspection Division. The approval of this plan and specifications shall not be held in force until approval of State Law. Violation of any City Ordinance of State Law SHALL NOT be held in force until approval of State Law. (60653-16)



CONNECTOR SCHEDULE


LIVE LOAD (PSF)	PANELS REQUIRED PER HANGER	6" PANEL	12" PANEL	18" PANEL
10	3	2	1	1
11	3	2	1	1
12	3	2	1	1
13	3	2	1	1
14	3	2	1	1
15	3	2	1	1
16	3	2	1	1
17	3	2	1	1
18	3	2	1	1
19	3	2	1	1
20	3	2	1	1



Back of Sheet  
also req'd


ADmirAL SURROUNDS

1400 N. DALY ST.  
ANAHEIM, CA 92806 (800)427-7358  
SCREEN ENCLOSURES



SCREEN PANEL WIDTH SCHEDULE

LINE NO.	MAX. LOAD (PSF)	MAX. SCREEN PANEL WIDTH (IN)	MAX. SCREEN PANEL HEIGHT (IN)	SCREEN PANEL AREA (SQ FT)
1	10	48	48	2304
2	20	36	36	1296
3	30	24	24	576
4	40	18	18	324
5	50	12	12	144
6	60	9	9	81





**GENERAL NOTES**

- FOR SCREEN PANEL WITH SEE SCHEDULE WHEN COLUMNS REMAIN IN PLACE.
- FOR GENERAL NOTES SEE DWG #19916-2.
- WHEN COLUMNS REMAIN IN PLACE ATTACH COVER PANEL TO HEADER WITH 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7).
- WHEN COLUMNS ARE REMOVED USE W/8 SWS PANEL WIDTH AS SHOWN IN SCHEDULE ABOVE.
- DESIGN WIND SPEED = 90 MPH.
- WHEN COLUMNS REMAIN IN PLACE ATTACH COVER PANEL TO HEADER WITH 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7).
- WHEN COLUMNS ARE REMOVED USE W/8 SWS PANEL WIDTH AS SHOWN IN SCHEDULE ABOVE.
- DESIGN WIND SPEED = 90 MPH.
- WHEN COLUMNS REMAIN IN PLACE ATTACH COVER PANEL TO HEADER WITH 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7) OR 2-#410 SWS (SEE NOTE NO. 7).
- WHEN COLUMNS ARE REMOVED USE W/8 SWS PANEL WIDTH AS SHOWN IN SCHEDULE ABOVE.
- DESIGN WIND SPEED = 90 MPH.

CONNECTOR SCHEDULE

LINE NO.	LOAD (PSF)	PANEL SIZE (FT)	CONNECTOR TYPE
1	10	6' x 6'	1/2\"/>
2	20	4' x 4'	1/2\"/>
3	30	3' x 3'	1/2\"/>
4	40	2' x 2'	1/2\"/>
5	50	1' x 1'	1/2\"/>
6	60	1' x 1'	1/2\"/>




**NOTE:**

SUSPENDED CEILING FRAME WORK PER I.C.B.O. E.S. REPORT #1905 WITH MAIN - TEE PARALLEL TO PANEL SPAN. USE 2110 MAIN BEAMS WITH 4\"/>

**DEPT. OF PLANNING & DEVELOPMENT**  
**APPROVED**  
 UNDER TITLE 8 & 15 CITY CODE  
 SEPARATE DIVISION

**NOTE:** This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without the approval of the Building Inspector and the approval of the City Ordinance or State Law. SHALL NOT be held to permit or approve the violation of any City Ordinance or State Law.




ADMIRAL SUITOROOMS  
 1400 N. DOLY ST.  
 ANAHEIM, CA 92806 (800)427 7359  
 SCREENING OSURES  
 09616-1


*(Back of sheet also req'd)*

6/7







LINE	MAX. WIND SPEED (M.P.H.)	MAX. SCREEN PANEL WIDTH	MAX. SCREEN PANEL HEIGHT
1	15	6'-0"	6'-0"
2	20	5'-0"	5'-0"
3	25	4'-0"	4'-0"
4	30	3'-0"	3'-0"
5	35	2'-6"	2'-6"
6	40	2'-0"	2'-0"
7	45	1'-6"	1'-6"
8	50	1'-0"	1'-0"





**GENERAL NOTES:**

- FOR SCREEN PANEL WIDTH SEE SCHEDULE ABOVE. SCREEN PANEL WIDTH = 4'-0" INCLUDING THE 1/2" SPACING BETWEEN PANELS. ALL SCREEN PANELS REMAIN IN PLACE WHEN COLLAPSED. AS SHOWN IN SCHEDULE ABOVE.
- FOR 100% WIND SPEED, SEE SCHEDULE ABOVE.
- WHEN COLUMNS REMAIN IN PLACE AT THE CORNER, THE 2-1/4" ANCHOR BOLTS @ EACH END OF THE PANEL SHALL BE REMOVED FOR THE CORNER PANEL TO HEADER CONNECTION.
- WHEN COLUMNS ARE REMOVED USE #14 TIES W/ 5/8" WASHERS AT EACH END OF THE PANEL.
- CONCRETE EXPANSION BOLTS SHALL BE 1/4" DIA. POWER STUD ANCHORS PER I.C.B.O. E.S. E.E. NO. 5225 WITH 2" EMBEDMENT OR APPROVED EQUAL.
- FOR 100% WIND LOAD WITH PROJECTION 20" OR GREATER ADD #10 SMS TO EACH SIDE OF 2-1/4" SMS CONNECTIONS.
- FOR 100% WIND LOAD WITH PROJECTION 14"-16" ADD #10 SMS TO EACH SIDE OF 2-1/4" SMS CONNECTIONS.
- FOR 100% WIND LOAD WITH PROJECTION 12"-14" ADD #10 SMS TO EACH SIDE OF 2-1/4" SMS CONNECTIONS.
- FOR 100% WIND LOAD WITH PROJECTION 9"-12" ADD #10 SMS TO EACH SIDE OF 2-1/4" SMS CONNECTIONS.
- FOR 100% WIND LOAD WITH PROJECTION 6"-9" ADD #10 SMS TO EACH SIDE OF 2-1/4" SMS CONNECTIONS.



**NOTE:**  
SUSPENDED CEILING FRAME WORK PER I.C.B.O. E.S. REPORT #1905 WITH MAIN - THE PARALLEL TO PANEL SPAN. USE 2110 MAIN - TIES WITH COMPRESSED AIR GUN. CEILING PANELS TO BE 1\"/>

LIVE LOAD (PSF)	PROV. PANELS REQUIRED FOR HANGER (F.T.)	2\"/>
10	8	10
9	7	9
8	6	8
7	5	7
6	4	6
5	3	5
4	2	4
3	1	3
2	0	2
1	0	1
0	0	0




This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the Building Inspector. The approval of this set of specifications shall NOT be held to permit or approve the violation of any City Ordinance or State Law.



ADIRAL sunrooms  
1400 N. DAILY ST.  
ANAHEIM, CA 92806 (800) 427-7236  
SCREEN ENCLOSURES

2ND FLOOR PLAN


(Elevation-A)



This set of plans and specifications must be kept on the job site and available for the inspector to make any changes or alterations from the same, without written permission from the Building Inspection Division. The approval of this plan and specification SHALL NOT be held to permit or approve the violation of any City Ordinance of State Law.

1ST FLOOR PLAN

(Elevation-A)



BREAKDOWN:  
 1st Floor: 800  
 2nd Floor: 800  
 Total Square Footage: 1600  
 Garage: 450  
 2 Car Garage: 720

SUNROOM DOES NOT ADOVERSLY  
 EFFECT LIGHT FLUENT REQMS  
 I-2559



11040 WHITE ROCK ROAD, SUITE 500  
 RANCHO CORDOVA, CA 95670  
 (916) 635-5777

DATE	ISSUED
BY	
FOR	
PROJECT	
CLIENT	
PROJECT ADDRESS	
PROJECT NUMBER	
PROJECT NAME	
PROJECT TYPE	
PROJECT PHASE	
PROJECT STATUS	
PROJECT COST	
PROJECT BUDGET	
PROJECT SCHEDULE	
PROJECT RISK	
PROJECT COMPLIANCE	
PROJECT LEGAL	
PROJECT FINANCE	
PROJECT HR	
PROJECT COMM	
PROJECT ENV	
PROJECT SAFETY	
PROJECT QUALITY	
PROJECT RISK	
PROJECT COMPLIANCE	
PROJECT LEGAL	
PROJECT FINANCE	
PROJECT HR	
PROJECT COMM	
PROJECT ENV	
PROJECT SAFETY	
PROJECT QUALITY	

A-2