

CITY OF SACRAMENTO

Permit No: 9901898

1231 I Street, Sacramento, CA 95814

Insp Area: 1

Site Address: 2701 K ST SAC

Sub-Type: COM

Parcel No: 007-0111-019

Housing (Y/N): N

CONTRACTOR

PATRICK COYN
7236 PLEASANTVIEW
CH CA 95610

OWNER

CALIF STATE FIREMENSASSOCIATION
2701 K ST #201
SACRAMENTO CA 95816

ARCHITECT

Nature of Work: CONSTRUCT ONE HOUR CEILING PER ENG.

CONSTRUCTION LENDING AGENCY : I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name _____ Lender's Address _____

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class B License Number 365369 Date 3-1-99 Contractor Signature [Signature]

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

____ I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

____ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

____ I am exempt under Sec. _____ B & PC for this reason: _____

Date _____ Owner Signature _____

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 3-1-99 Applicant/Agent Signature [Signature]

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

____ I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

____ I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE FUND Policy Number 118 5618-98 Exp Date 03/01/1999



____ (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 3-1-99 Applicant Signature [Signature]

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

One Hour Ceiling Details





(N) 2x3 stripping @ 16" o.c.
 w/ 2-16d per contact

(N) 5/8" Gyp. Bd

Violation of any City Ordinance or State Law.
 SHALL NOT be used to permit or approve the
 the approval of this plan and specification
 during inspection division.
 that will be permission from the
 make any changes or alterations from the
 on the job at all times and it is unlawful
 the set of plans and specifications must be

(N) 2x3 Stripping Detail




(N) 1x4 stripping @ 16" o.c.
 w/ 2-Bd per contact * 2-layers 5/8" Gyp. Bd. TYPE X
 per 94 UBC Table 7-C,

(N) 1x4 Stripping Detail item 21

MAR 11 1999

CITY OF SACRAMENTO
 CIVIL ENGINEER

John Tang



February 12, 1999

Mr. Patrick Coyne
Coyne Construction
7236 Pleasant View Drive
Citrus Heights, CA 95610

Subject: State Firearms Association Building – “Rated” Ceiling
CYS Job Number 98185

Dear Pat:

Attached are proposed details for installing the fire-rated ceiling under the first floor of the subject building.

A one hour rating may be obtained with 5/8" gypsum board installed on 2X wood framing members or stripping spaced at 16" o.c. Therefore, we recommend installing new wood stripping across the bottom edge of existing floor members or new framing that occurs at 24" ± o.c. The new stripping may be 2X3's installed at 16" o.c. with 2-16d nails per contact or 1X4's at 16" o.c. with 2-8d nails per contact.

Please call if there are any questions.

Sincerely,

COLE/YEE/SCHUBERT & ASSOCIATES
Structural Engineers, Inc.

Kenneth A. Luttrell, S.E.
Vice President



KAL:acs

COLE/YEE/SCHUBERT & ASSOCIATES STRUCTURAL ENGINEERS, INCORPORATED
2500 VENTURE OAKS WAY SUITE 300 SACRAMENTO, CA 95833 (916) 920-2020 FAX (916) 920-1556

M:\98185\State Firearms Bldg.doc