

### APPLICATION FOR PERMIT TO BUILD

Street No. 1014 - 12th St. Lot 4 S. 50 1/2' Block JK-11.12

Owner Anna M. Gaskill Address 516 - 8th

Architect \_\_\_\_\_ Address \_\_\_\_\_

Contractor A. W. Morris Address 3012 - G

Kind of Building One story & basement brick store "for Automobile Tire Salesroom"

Foundation Concrete Reinforced with Steel

Posts Brick Piers Girder 10K12 Span 9'-9" Mud Sills \_\_\_\_\_

1ST FLOOR      2ND FLOOR      3RD FLOOR      4TH FLOOR      5TH FLOOR      6TH FLOOR

Joists 3x12-16 o.c. 1x8 flooring + 3" concrete floor

Max. Span 15'-0"

Bearing Partitions None Roof Trusses heavy construction

Non-bearing Partitions " 9'-9" apart

Story Height 14'-0" Basement to have cement floor

Outside Walls 12" brick 8'-0" ceiling height

Ceiling Joists Match bath & plaster in Office

Roof Cover gly built up Robert Piping Rafters 2x6-24" o.c.

Water Heater \_\_\_\_\_ Chimney Brick T.G. flue

Size of Building—Length 100'-0" Width 50'-0" Height 28'-0"

It is hereby agreed that this building will be constructed in conformity with the Ordinances of the City of Sacramento and the Laws of the State of California.

Estimated cost, \$ 12,000.

Plans must be submitted.

A. W. Morris  
Owner or Owner's Representative

PERMIT  
38150

---

DATE  
5/24/18

---

DISTRICT  
1

